PROGRESS REPORT:

NEURAL NETWORKS FOR COMPUTED TOMOGRAPHY IMAGING SPECTROSCOPY OF THE SOLAR ATMOSPHERE

Roy Smart
roy.smart@montana.edu
Montana State University, Department of Physics
Bozeman, MT 59717, USA

March 1, 2018

1 Introduction

The goal of this investigation is to classify Explosive Events (EEs) in the solar Transition Region (TR) using snapshot imaging spectroscopy. We proposed to accomplish this goal using observations from two snapshot imaging spectrographs, the *Multi-order Solar EUV Spectrograph* (MOSES), and the *EUV Snapshot Imaging Spectrograph* (ESIS), of which MOSES has successfully flown in 2006 and 2015, and ESIS is scheduled to launch alongside MOSES in 2019.

These spectrographs are unique in that they have the capability to spectrally-resolve a few extreme ultraviolet (EUV) emission lines over a large 2D field-of-view (FOV). However, this capability depends on the development of robust inversion algorithms that can interpret the data correctly. Therfore, the integral part of our proposal was the development of a convolutional neural network (CNN)-based inversion algorithm that used the IRIS Si IV 1403 Å spectral observations as a model for the EUV emission lines observed by MOSES and ESIS.

During the course of our investigation, we found that achieving a full spectrum inversion superior to those demonstrated in the proposal would require a more sophisticated network than previously anticipated. This modification will be discussed in Section 3.2, but we were able to build a useful network using our proposed architecture, a central tendency neural network. Instead of reconstructing the full spectrum, this network simply reconstructs the central-tendency (bulk doppler shift), which is a much easier problem to solve. Unfortunately, out central-tendency network is easily confounded by spikes in the training set, which necessitated the development of a high-performance image despking routine, discussed in Section 2.1.3.

2 Progress Report

While the development of inversion routines is the most discussed milestone of this investigation, assembling the MOSES and ESIS instruments for flight in 2019 is an important goal of my research group. My most significant objective in the instrument assembly is the optical alignment and focus of both ESIS and MOSES. This effort has provided much needed experience using the instruments in this study, which will allow us to be more effective in the development of our inversion routines.

Parallel to the advancement of MOSES and ESIS, I was also involved in the design phase of the FURST mission, which was just accepted in this latest LCAS proposal round. The design process of FURST gave me useful experience using optical modeling software, which will allow for the implementation of more sophisticated instrument models in our inversion routine.




Figure 1: Caption place holder




Figure 2: Caption place holder

2.1 CTIS Inversion Neural Networks

As discussed in our proposal, we started by attempting to analyze data from the MOSES I mission in 2006. Our goal was to reconstruct the spectrum of the He II 304 Åline in the MOSES passband

- 2.1.1 Spectrum Inversion Network
- 2.1.2 Central-tendency Inversion Network
- 2.1.3 Despiking Training Data
- 2.2 MOSES/ESIS Preparation
- 2.3 FURST Design

3 Proposal for Renewal

- 3.1 Further CINN Development
- 3.1.1 Training Data Pipeline
- 3.1.2 Quantile Inversion Network
- 3.2 Generative-Adversarial Networks
- 3.3 Explosive Event Classification
- 3.4 MOSES/ESIS Launch
- 3.5 Publications
- 4 Conclusion