

1 Benefits and risks associated with children's and adolescents' interactions with electronic
2 screens: An umbrella review

3 Taren Sanders¹, Michael Noetel², Philip Parker¹, Borja Del Pozo Cruz³, Stuart Biddle⁴,
4 Rimante Ronto⁵, Ryan Hulteen⁶, Rhiannon Parker⁷, George Thomas⁸, Katrien De Cocker⁹,
5 Jo Salmon¹⁰, Kylie Hesketh¹⁰, Nicole Weeks¹, Hugh Arnott¹, Emma Devine¹¹, Roberta
6 Vasconcellos¹, Rebecca Pagano¹², Jamie Sherson¹², James Conigrave¹, & Chris Lonsdale¹

7 ¹ Institute for Positive Psychology and Education, Australian Catholic University

8 ² School of Health and Behavioural Sciences, Australian Catholic University

9 ³ Department of Sport Science and Clinical Biomechanics, University of Southern Denmark

10 ⁴ Centre for Health Research, University of Southern Queensland

11 ⁵ Department of Health Systems and Populations, Faculty of Medicine, Health and Human
12 Sciences, Macquarie University

13 ⁶ School of Kinesiology, Louisiana State University

14 ⁷ School of Medicine and Health, Sydney University

15 ⁸ Faculty of Health Sciences, Curtin University

16 ⁹ Department of Movement and Sport Science, Ghent University

17 ¹⁰ Institute for Physical Activity and Nutrition, Deakin University

18 ¹¹ The Matilda Centre for Research in Mental Health and Substance Use, University of
19 Sydney

20 ¹² School of Education, Australian Catholic University

21

Author Note

22 The authors made the following contributions. Taren Sanders: Conceptualization,
23 Data curation, Writing - Original Draft; Michael Noetel: Conceptualization, Writing -
24 Original Draft; Philip Parker: Conceptualization, Writing - Original Draft; Borja Del Pozo
25 Cruz: Writing - Review & Editing; Stuart Biddle: Writing - Review & Editing; Rimante
26 Ronto: Writing - Review & Editing; Ryan Hulteen: Writing - Review & Editing; Rhianon
27 Parker: Writing - Review & Editing; George Thomas: Writing - Review & Editing; Katrien
28 De Cocker: Writing - Review & Editing; Jo Salmon: Writing - Review & Editing; Kylie
29 Hesketh: Writing - Review & Editing; Nicole Weeks: Writing - Review & Editing; Hugh
30 Arnott: Writing - Review & Editing; Emma Devine: Writing - Review & Editing; Roberta
31 Vasconcellos: Writing - Review & Editing; Rebecca Pagano: Writing - Review & Editing;
32 Jamie Sherson: Writing - Review & Editing; James Conigrave: Writing - Review & Editing;
33 Chris Lonsdale: Conceptualization, Writing - Original Draft, Project Administration.

34 Correspondence concerning this article should be addressed to Taren Sanders, 33 Berry
35 St, North Sydney, NSW, Australia. E-mail: Taren.Sanders@acu.edu.au

36

Abstract

37 Children's engagement in screen time is a complex issue. While some forms of screen time
38 have consistently been associated with harm, others have been associated with gains, making
39 it difficult to weigh the risks and benefits of use. In this umbrella review, we systematically
40 collate and synthesise meta-analyses examining the effects of screen use on children and
41 youth. We converted results onto a common metric to make comparisons simple, and where
42 possible we reanalysed study-level data to standardise the approach across meta-analyses.
43 We identified 224 meta-analyses, and extracted 275 unique exposure/outcome combinations.
44 These effects represent the findings of 3,103 primary studies comprised of 3,141,213
45 participants. When focusing on the meta-analyses with the most statistically robust
46 evidence, we found that general screen use (when content was not indicated), was associated
47 with potentially harmful impacts on learning, literacy, body composition, and depression.
48 Like-wise, social media was consistently associated with risks to health, with no identified
49 benefits. However, we also found that these harms could often be mitigated by certain kinds
50 of content (e.g., educational), or by modifying the context (e.g., co-viewing with a parent).
51 In summary, our findings point to the need for careful and nuanced guidelines that support
52 parents to make the best decisions for their children.

53 *Keywords:* screen time; youth; health; education

54 Word count: 4739

55 Benefits and risks associated with children's and adolescents' interactions with electronic
56 screens: An umbrella review

57 **Summary**

58 Children's engagement in screen time is a complex issue. Parents, policymakers, and
59 educators needing to weigh the risks that sedentary use of screens present alongside the
60 potential benefits for learning and social connectedness. Hampering efforts to make an
61 informed decision is the lack of comprehensive evidence. As a Lancet editorial¹ suggested,
62 "Our understanding of the benefits, harms, and risks of our rapidly changing digital
63 landscape is sorely lacking." In this study, we systematically harmonize data from existing
64 meta-analyses of screen time on a range of outcomes, including health, education, and
65 psychology, and identify the most statistically robust relationships. We show that some
66 forms of screen time—such as social media—show consistent evidence of harm for children,
67 with no clear evidence of a benefit. Other relationships are more complex. Video games, for
68 example, are associated with poorer body composition and learning outcomes. However,
69 video games for a specific educational purpose (such as numeracy) are associated with
70 improvements in that subject area. Caregivers must therefore weigh the health risk against
71 the educational benefit. The findings of this study provide parents and other caregivers with
72 the information to make these informed decisions.

Background

73 In the 16th century, hysteria reigned around a new technology that threatened to be
74 “confusing and harmful” to the mind. The cause of such concern? The widespread
75 availability of books brought about by the invention of the printing press.² In the early 19th
76 century, concerns about schooling “exhausting the children’s brains” followed, with the
77 medical community accepting that excessive study could be a cause of madness.³ By the
78 20th century, the invention of the radio was accompanied by assertions that it would distract
79 children from their reading (which by this point was no longer considered confusing and
80 harmful) leading to impaired learning.⁴

82 Today, the same arguments that were once leveled against reading, schooling, and radio
83 are being made about screen use (e.g., television, mobile phones, and computers).⁵ Excessive
84 screen time use is the number one concern parents have about their children’s health and
85 behaviour, ahead of nutrition, bullying, and physical inactivity.⁶ Yet, the evidence to support
86 parents’ concerns is inadequate. A Lancet editorial¹ suggested that, “Our understanding of
87 the benefits, harms, and risks of our rapidly changing digital landscape is sorely lacking.”

88 While some forms of screen use (e.g., television viewing) may be detrimental to health
89 and wellbeing,^{7,8} evidence for other forms of screen exposure (e.g., video games or online
90 communication, such as Zoom™) remains less certain and, in some cases, may even be
91 beneficial.^{9,10} Thus, according to a Nature Human Behaviour editorial, research to determine
92 the effect of screen exposure on youth is “a defining question of our age”.¹¹ With concerns
93 over the impact of screen use including education, health, social development, and
94 psychological well-being, a broad overview that identifies potential benefits and risks is
95 needed.

96 Citing the negative effects of screens on health (e.g., increased risk of obesity) and
97 health-related behaviours (e.g., sleep), guidelines from the World Health Organisation¹² and
98 numerous government agencies^{13,14} and statements by expert groups¹⁵ have recommended

99 that young people's time spent using electronic media devices for entertainment purposes
100 should be limited. For example, the Australian Government guidelines regarding sedentary
101 behaviour recommend that young children (under the age of two) should not spend any time
102 watching screens. They also recommend that children aged 2-5 years should spend a
103 maximum of one hour engaged in recreational sedentary screen use per day, while children
104 aged 5-12 and adolescents should spend no more than two hours. In contrast, some recent
105 evidence suggests that exposure to electronic entertainment media that exceeds these
106 guidelines (e.g., 3-4 hours per day) may not have meaningful adverse effects on children's
107 behaviour or mental health, and might, in fact, benefit their well-being, as long as this
108 exposure does not reach extreme levels (e.g., 7 hours per day)¹⁶. Some research also
109 indicates that content (e.g., video games vs television programs) plays an important role in
110 determining the potential benefit or harm of youths' exposure to screen-based media.¹⁷
111 Indeed, educational screen time is positively related to educational outcomes.¹⁸ This
112 evidence has led some researchers to argue that a more nuanced approach to screen time
113 guidelines is required.¹⁹

114 In 2016, the American Academy of Pediatrics used a narrative review to examine the
115 benefits and risks of children and adolescents' electronic media²⁰ as a basis for updating their
116 guidelines about screen use.¹⁵ Since then, a large number of systematic reviews and
117 meta-analyses have provided evidence about the potential benefits and risks of screen use.
118 Yet, no review has synthesised the evidence available across a broad range of outcome
119 domains, such as physical health, education, physical and cognitive development, behaviour,
120 and well-being. We aim to provide a summary on the current research into children's screen
121 time. By summarising and synthesising all evidence in one overview, we provide a reference
122 point for the field and allow for easier comparison of risks and benefits for the same
123 behaviour.

124 In order to synthesise the evidence and support further evidence-based guideline
125 development and refinement, we reviewed published meta-analyses examining the effects of

126 screen use on children and youth. This review synthesises evidence on any plausible outcome
127 of electronic media exposure. Adopting this broad approach allowed us to provide a holistic
128 perspective on the influence of screens on children's lives. By synthesising across life domains
129 (e.g., school and home), this review provides evidence to inform guidelines and advice for
130 parents, teachers, pediatricians and other professionals in order to maximise human
131 functioning.

132

Methods

133 We prospectively registered our methods on the International Prospective Register of
134 Systematic Reviews (PROSPERO; CRD42017076051).

135 **Eligibility criteria.** *Population:* To be eligible for inclusion, meta-analyses needed
136 to include meta-analytic effect sizes for children or adolescents (age 0-18 years). We included
137 meta-analyses containing studies that combined data from adults and youth if meta-analytic
138 effect size estimates specific to participants aged 18 years or less could be extracted (i.e., the
139 highest individual study from the meta-analysis had a mean age was < 18 years). We
140 excluded meta-analyses that only contained evidence gathered from adults (age >18 years).

141 *Exposure:* We included meta-analyses examining all types of electronic screens
142 including (but not necessarily limited to) television, gaming consoles, computers, tablets,
143 and mobile phones. We also included analyses of all types of content on these devices,
144 including (but not necessarily limited to) recreational content (e.g., television programs,
145 movies, games), homework, and communication (e.g., video chat). In this review we adopted
146 a population-level perspective, meaning that we examined electronic media exposure that
147 occurs during typical daily living activities (e.g., home, school-based electronic media
148 exposure). Consistent with this population-level approach, we excluded technology-based
149 treatments for clinical conditions. However, we included studies examining the effect of
150 screen exposure on non-clinical outcomes (e.g., learning) for children and youth with a
151 clinical condition. For example, a meta-analysis of the effect of television watching on
152 learning among adolescents diagnosed with depression would be included. However, a
153 meta-analysis of interventions designed to *treat* clinical depression delivered by a mobile
154 phone app would be excluded.

155 *Outcomes:* We included all reported outcomes.

156 *Publications:* We included meta-analyses (or meta-regressions) of quantitative evidence.
157 To be included, meta-analyses needed to analyse data from studies identified in a systematic

158 review. For our purposes, a systematic review was one in which the authors attempted to
159 acquire all the research evidence that pertained to their research question(s). We excluded
160 meta-analyses that did not attempt to summarise all the available evidence (e.g., a
161 meta-analysis of all studies from one laboratory). We included meta-analyses regardless of
162 the study designs included in the review (e.g., laboratory-based experimental studies,
163 randomised controlled trials, non-randomised controlled trials, longitudinal, cross-sectional,
164 case studies), as long as the studies in the review collected quantitative evidence. We
165 excluded systematic reviews of qualitative evidence. We did not formulate
166 inclusion/exclusion criteria related to the risk of bias of the review. We did, however, employ
167 a risk of bias tool to help interpret the results. We included full-text, peer-reviewed
168 meta-analyses published or ‘in-press’ in English. We excluded conference abstracts and
169 meta-analyses that were unpublished.

170 **Information sources.** We searched records contained in the following databases:
171 Pubmed, MEDLINE, CINAHL, PsycINFO, SPORTDiscus, Education Source, Embase,
172 Cochrane Library, Scopus, Web of Science, ProQuest Social Science Premium Collection, and
173 ERIC. We conducted an initial search on August 17, 2018 and refreshed the search on May
174 13, 2020. We searched reference lists of included papers in order to identify additional
175 eligible meta-analyses. We also searched PROSPERO to identify relevant protocols and
176 contacted authors to determine if these reviews have been completed and published.

177 **Search strategy.** The search strategy associated with each of the 12 databases can
178 be found in Supplementary File 1. We hand searched reference lists from any relevant
179 umbrella reviews to identify systematic meta-analyses that our search may have missed.

180 **Selection process.** Using Covidence software (Veritas Health Innovation,
181 Melbourne, Australia), two researchers independently screened all titles and abstracts. Two
182 researchers then independently reviewed full-text articles. We resolved disagreements at each
183 stage of the process by consensus, with a third researcher employed, when needed.

184 **Data collection process.** From each included meta-analysis, two researchers

185 independently extracted data into a custom-designed database.

186 **Data items.** From each meta-analysis we extracted the following items: First author,

187 year of publication, study design restrictions (e.g., cross-sectional, observational,

188 experimental), region restrictions (e.g., specific countries), earliest and latest study

189 publication dates, sample age (mean), lowest and highest mean age reported, outcomes

190 reported, and exposures reported.

191 **Study risk of bias assessment.** For each meta-analysis, two researchers

192 independently completed the National Health, Lung and Blood Institute's Quality

193 Assessment of Systematic Reviews and Meta-Analyses tool²¹ (see Table 1). We resolved

194 disagreements by consensus, with a third researcher employed when needed. We did not

195 assess risk of bias in the individual studies that were included in each meta-analysis.

196 **Effect measures.** Two researchers independently extracted all quantitative

197 meta-analytic effect sizes, including moderation results. Where possible, they also extracted

198 effect sizes from primary studies included in each meta-analysis. To facilitate comparisons,

199 we converted effect sizes to Pearson's r using established formulae.²²⁻²⁴ We excluded relative

200 risk ratios from this conversion because meta-analyses did not contain sufficient information

201 to meaningfully convert. Effect sizes on the original metric are provided in Supplementary

202 File 2.

203 **Synthesis methods.** After extracting data, we examined the combinations of

204 exposure and outcomes and removed any effects that appeared more than once, keeping the

205 effect with the largest total sample size. In instances where effect sizes from the same

206 combination of exposure and outcome were drawn from different populations (e.g., children

207 vs adolescents) we retained both estimates in our dataset.

208 We excluded effect size estimates when the authors did not provide a sample size. We

209 descriptively present the remaining meta-analytic effect sizes. To remove the differences in

approach to meta-analyses across the reviews, we reran the effect size estimate using a random effects meta-analysis via the metafor package²⁵ in R²⁶ (version 4.2.2) when the meta-analysis's authors provided primary study data associated with these effects. When required, we imputed missing sample sizes using mean imputation from the other studies within that review. From our reanalysis we also extracted I^2 values. To test for publication bias, we conducted Egger's test²⁷ when the number of studies within the review was ten or more,²⁸ and conducted a test of excess significance.²⁹ We contacted authors who did not provide primary study data in their published article. Where authors did not provide data in a format that could be re-analysed, we used the published results of their original meta-analysis.

Evidence assessment criteria. *Statistical Credibility.* We employed a statistical classification approach to grade the credibility of the effect sizes in the literature. To be considered 'credible' an effect needed to be derived from a combined sample of $>1,000^{30}$ and have non-significant tests of publication bias (i.e., Egger's test and excess significance test). We performed these analyses, and therefore the review needed to provide usable study-level data in order to be included.

Consistency of Effect within the Population. We also examined the consistency of the effect size using the I^2 measure. We considered $I^2 < 50\%$ to indicate effects that were relatively consistent across the population of interest. I^2 values of $> 50\%$ were taken to indicate an effect was potentially heterogeneous within the population.

Direction of Effect. Finally, we examined the extent to which significance testing suggested screen exposure was associated with benefit, harm, or no effect on outcomes. We used thresholds of $P < .05$ for weak evidence and $P < 10^{-3}$ for strong evidence. An effect that was neither significant at $P < .05$ or 10^{-3} that also passed the criteria for statistical credibility was taken to indicate no association of interest.

235 **Deviations from protocol.** We initially planned to include systematic reviews

236 without meta-analyses in a narrative summary alongside the main meta-analytic findings.

237 However, we determined that combining results from the meta-analyses allowed readers to

238 compare relative strength of associations more easily. Readers interested in the relevant

239 systematic reviews (i.e., without meta-analysis) can consult the list of references in

240 Supplementary File 3.

241 We altered our evidence assessment plan when we identified that, as written, it could

242 not classify precise evidence of null effects (i.e., from large reviews with low heterogeneity

243 and low risk of publication bias) as ‘credible’ because a highly-significant *P*-value was a

244 criteria. This would have significantly harmed knowledge gained from our review as it would

245 have restricted our ability to show where the empirical evidence strongly indicated that there

246 was no association between screen time and a given outcome.

247 Results

248 **Search Results.** The searches yielded 50,656 results, of which 28,675 were

249 duplicates. After screening titles and abstracts, we assessed 2,557 full-texts for inclusion. Of

250 those, 224 met the inclusion criteria and we extracted the data from all of these

251 meta-analyses. Figure 1 presents the full results of the selection process.

252 The most frequently reported exposures were general screen use ($n = 45$), general TV

253 programs and movies ($n = 28$), physically active video games ($n = 22$), and literacy

254 (abracadabra; in schools) intervention ($n = 15$). Supplementary File 4 provides a list of all

255 exposures identified. The most frequently reported outcomes were general learning ($n = 46$),

256 body composition ($n = 37$), general physical activity ($n = 22$), depression psychological

257 health ($n = 17$), and sleep duration ($n = 15$). In 175 cases there was only one

258 exposure/outcome combination for an age group, with 37 appearing twice, and 26 appearing

259 three or more times. Full characteristics of the included studies are provided in Table 1.




Figure 1. PRISMA Diagram

260 After removing reviews with duplicate exposure/outcome combinations, our process yielded
 261 275 unique effect/outcome combinations contributed from 118 reviews. These effects
 262 represent the findings of 3,103 primary studies comprised of 3,141,213 participants.

Review characteristics for studies providing unique effects

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Abrami	2020	Include: Experimental designs	None specified	2009 - 2019	Pre K to Grade 3	Literacy: Listening comprehension Literacy: Phonics Literacy: Phonemic awareness Literacy: Reading comprehension Literacy: Reading fluency Literacy: Vocabulary knowledge	Intervention: Literacy (Abracadabra; in schools)
Adelantado-Renau	2019	Include: Cross-sectional studies	None specified	1982 - 2019	Children; Adolescents	Learning: General Literacy: General Numeracy: General	Screen use: General TV programs and movies; General Video games: General
Aghassi	2020	Include: Observational	None specified	2007 - 2016	All	Body composition	Internet use: General
Andrade	2019	Include: Interventions	None specified	2010 - 2017	Children; Adolescents	Healthy behavior: Self-efficacy Psychological health: Depression Psychological health: Enjoyment	Video games: Physically active Video games: Educational (with competition)
Arztmann	2022	None specified	None specified	2008 - 2020	K - Grade 8	Learning: Behavior Learning: Motivation	Video games: Educational (with competition)
Aspiranti	2020	Include: Interventions	None specified	2013 - 2015	School-age Children (Primary/Elementary)	Learning: General	Intervention: Education (via touch screen)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Baradaran Mahdavi	2021	Include: Observational Exclude: Experimental	None specified	1999 - 2019	None specified	Physical health: Lower back pain	Screen use: General (excluding TV) TV programs and movies; General
Bartel	2015	None	None specified	2004 - 2014	Adolescents	Sleep: Bedtime Sleep: Duration Sleep: Time to fall asleep	Computer use: General Internet use: General Screen use: General (mobile phone) TV programs and movies; General Video games: General
Beck Silva	2022	Include: Randomised controlled trials and quasi-RCTs.	None specified	1999 - 2019	10 - 19 years	Diet: Fat consumption	Intervention: Nutrition (in schools)
Benavides-Varela	2020	Include: Randomised controlled trials	None specified	2006 - 2018	Children	Numeracy: Mathematics	Intervention: Mathematics
Blok	2002	None	None specified	1990 - 2000	All	Literacy: Reading fluency	Intervention: Literacy
Bossem	2020	Include: Randomised controlled trials	None specified	2011 - 2018	Children	Body composition Cardiometabolic health: Fitness Physical activity: General Physical health: Muscular fitness	Video games: Health promoting content
Boyland	2016	Include: Experimental	None specified	2004 - 2015	Children; Adolescents	Diet: Food intake	Advertising: Unhealthy food

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Byun	2018	Include: All quantitative designs	None specified	2006 - 2014	School-age Children	Numeracy: General	Video games: Numeracy
Cao	2020	Include: designs with control groups	None specified	2002 - 2019	3-12 years	Cognition: Executive functioning Cognition: Executive Functioning (cognitive flexibility) Cognition: Executive Functioning (inhibition) Cognition: Executive Functioning (working memory)	Computer use: Executive functioning training
Carter	2016	Include: All quantitative designs	None specified	2011 - 2015	Children; Adolescents	Sleep: Inadequate duration Sleep: Lethargy Sleep: Poor quality	Screen use: General (mobile phone at bed time)
Champion	2019	Include: Randomised controlled trials	None specified	2003 - 2017	School-age Children	Body composition Diet: Fat consumption Diet: Fruit and vegetable intake Diet: Fruit intake Diet: Sugary drinks and snacks	Intervention: Lifestyle risk behaviour (at school)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Chan	2014	Include: Experimental; Quasi-experimental	None specified	2002 - 2012	School-age Children	Numeracy: General	Intervention: Dynamic geometry software
Chauhan	2017	Include: pre-post designs with or without control group	None specified	2001 - 2016	Elementary school students	Learning: General	Screen use: General (in schools)
Chen	2020	Include: Experimental designs	None specified	2008 - 2019	None specified	Learning: General (with competition)	Video games: Educational (with competition)
Cheung	2012	Include: Randomised controlled trials	None specified	1982 - 2010	School-age Children	Literacy: Reading	Intervention: Reading (in schools)
Cheung	2013	Include: Quasi-experimental	None specified	1980 - 2010	School-age Children	Numeracy: General	Intervention: Mathematics (in schools)
Cho	2018	Include: Experimental;	None specified	2008 - 2013	None specified	Learning: Second language	Screen use: General (mobile phone for language learning)
Claussen	2022	Include: Longitudinal; Retrospective	None specified	2004 - 2018	None specified	Psychological health: ADHD Psychological health: ADHD Symptoms (Inattention)	Screen use: General Screen use: General
Clinton	2019	Include: randomised experimental designs	None specified	2011 - 2016	None specified	Literacy: Reading performance	Screen use: Reading (vs paper)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Comeras-Chueca	2021	include: randomized and non-randomized controlled trials (control group with no intervention or traditional exercise intervention)	None specified	2008 - 2019	Under 18	Body composition: BMI Cardiometabolic health: Fitness	Video games: Physically active
Comeras-Chueca	2021	Include: randomized and non-randomized controlled with control group with no intervention or traditional exercise intervention	None specified	2010 - 2020	Under 18	Body composition: BMI Body composition: BMI z-score	Video games: Physically active
Coyne	2018	None	None specified	1975 - 2017	Children; Adolescents	Prosocial Behavior: General content	Screen use: Prosocial content
Cushing	2010	Include: All quantitative designs; Experimental	None specified	1989 - 2009	Children; Adolescents	Healthy behavior: General behaviours	Intervention: Health behaviours
Darling	2017	Include: Intervention	None specified	2006 - 2016	Children; Adolescents	Body composition Diet: Healthy dietary behaviour	Intervention: To promote health (via mobile phone) Physical activity: General

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Eirich	2022	Include: experimental or observational	None specified	1978 - 2021	12 or under	Psychological health: Externalizing Psychological health: Internalizing	Screen use: General
Fang	2019	Include: Cohort; Case-control; Cross-sectional	None specified	2006 - 2019	Children; Adolescents	Body composition	Computer use: General
Feng	2021	Include: Quantitative designs	None specified	2017 - 2019	1 month - 4.99 years old	Body composition: BMI z-score	Screen use: General (meeting guidelines)
Ferguson	2017	None	None specified	2005 - 2017	Children; Adolescents	Risky behavior: Sexual activity Risky behavior: Sexual activity (initiation of sex)	Screen use: Sexual content
Ferguson	2020	Include: Experimental, correlational, or longitudinal	None specified	2009 - 2013	None specified	Aggression: General	Video games: Violent content
Folkvord	2018	Include: Interventions	None specified	2007 - 2018	Children; Adolescents	Diet: Food intake (calories)	Advertising: Advergames
Foreman	2021	Include: observational and intervention studies	None specified	2015 - 2020	None specified	Eye health: Myopia	Screen use: General Screen use: General (phone or tablet)
Furenes	2021	Include: experimental or quasi-experimental	None specified	2002 - 2019	1-8 years old	Literacy: Reading comprehension Literacy: Vocabulary learning	e-Books: General

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
Restrictions							
Gardella	2017	Include: Cross-sectional	Include: North America	2006 - 2014	Adolescents	Learning: Educational achievement problems Learning: School attendance problems	Internet use: Cyberbullying victimization
Garzón	2019	Include: Experimental with control group	None specified	NA - NA	None specified	Learning: General reality (in schools)	Intervention: Augmented reality (in schools)
Globaadi	2018	Include: Cohort; Case-control; Cross-sectional Exclude: Interventions	None specified	2009 - 2014	Children; Adolescents	Body composition	TV programs and movies; Mealtime
Graham	2015	Include: Experimental; Quasi-experimental	None specified	2004 - 2011	School-age Children (Primary/Elementary/Middle School)	Literacy: Writing feedback	Intervention: Writing feedback
Haghjooy	2022	Include: observational designs	None specified	2008 - 2021	10-20 years old	Body composition: Overweight/obesity	Screen use: General
Hammersley	2016	Include: Randomised controlled trials	None specified	2003 - 2013	Children; Adolescents	Body composition	Intervention: To promote healthy weight (obesity prevention)
Hao	2021	Include: Experimental with control group	None specified	2012 - 2018	preschool-college	Learning: Second language vocabulary	Intervention: English as foreign language
Hassan-Saleh	2019	Include: Experimental; Quasi-experimental	None specified	2008 - 2016	Children; Adolescents	Literacy: Pronunciation	Intervention: Pronunciation

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
He	2021	Include: Randomised controlled trials	None specified	2009 - 2018	6-18 years	Physical activity: General	Intervention: To promote physical activity (via mobile phone)
Hernandez-Jimenez	2019	Include: Experimental; Quasi-experimental	None specified	2009 - 2017	Children; Adolescents	Body composition	Video games: Physically active
Hurwitz	2018	None	Include: North America	1997 - 2018	Early childhood/pre-school; School-age Children (Early Primary/Elementary)	Literacy: General	Intervention: Literacy videos
Ivie	2020	Include: Correlational studies	None specified	2012 - 2019	11-18 years	Psychological health: Depression	Social Media: General
Janssen	2020	Include: Experimental; Cross-sectional; Longitudinal	None specified	2007 - 2019	Children	Sleep: Duration	Screen use: General
Kates	2018	None	None specified	2008 - 2016	School-age Children	Learning: General	Screen use: General (mobile phone)
Kim	2021	Include: experimental or quasi-experimental	None specified	2010 - 2018	Preschool to Grade 3 (3-9 years old)	Learning: Literacy and numeracy Literacy: General	Screen use: Educational apps Numeracy: General
Kroesbergen	2003	Include: Within subject design; between subject design	None specified	1985 - 1999	School-age Children (Primary/Elementary)	Numeracy: General	Intervention: Mathematics (via computer in classrooms)
Kucukalkan	2019	Include: Experimental	None specified	2007 - 2016	School-age Children (Primary/Elementary)	Numeracy: General	Intervention: Mathematics

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Lanca	2020	Include: Cohort; Case-control; Cross-sectional; Intervention trials. Exclude: Case reports; Retrospective studies.	None specified	2007 - 2016	Children; Adolescents	Eye health: Myopia	Screen use: General
Li	2010	Include: Experimental; Quasi-experimental	None specified	1991 - 2005	School-age Children	Numeracy: General	Intervention: Mathematics
Li	2020	None specified	None specified	2005 - 2019	Infants, toddlers, and preschoolers (0-7 years)	Body composition: Overweight/obesity Sleep: Duration	Screen use: General
Li	2022	Include: Randomised controlled trials	None specified	2012 - 2020	3-18 years	Developmental: Gross motor (locomotor) Developmental: Gross motor (non-locomotor) Developmental: Gross motor (object control skills)	Intervention: Active video games for motor skills
Li	2022	Include: experimental or quasi-experimental	None specified	2014 - 2021	None specified	Learning: Computational thinking	Computer use: Programming exercises
Liao	2008	Include: All quantitative designs	Include: Taiwan	1990 - 2003	School-age Children (Primary/Elementary)	Learning: General	Intervention: Education (via computer)
Liao	2014	Include: Randomised controlled trials	None specified	1999 - 2012	Children; Adolescents	Body composition	Intervention: Screen time reduction

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Liu	2016	Include: Cross-sectional; Case-control; Longitudinal	None specified	2001 - 2014	All	Psychological health: Depression	Screen use: General
Liu	2019	Include: All quantitative designs	None specified	2007 - 2014	All	Psychological health: Anxiety Psychological health: Depression Psychological health: Satisfaction	Social Media: Instant messaging Video games: General
Liu	2022	Include: studies with control group	None specified	NA - NA	None specified	Cognition: Creativity	Screen use: General
Liu	2022	Include: Observational	None specified	2012 - 2021	10-19 years	Psychological health: Depression	Social Media: General (duration)
Lu	2021	Include: Cross-sectional only	China	2014 - 2018	Adolescents	Psychological health: Negative coping style Psychological health: Positive coping style	Screen use: General (mobile phone addiction)
Madigan	2020	Include: Observational Exclude: Qualitative	None specified	1973 - 2019	Children	Literacy: General	Intervention: Education (general) Screen use: General (coviewing) TV programs and movies; Educational TV programs and movies; General TV programs and movies; General (in background)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Major	2021	Include: Randomised controlled trials	Low- or middle-income per World Bank	2007 - 2020	5-18 years	Learning: General	Intervention: Literacy (Abracadabra; in schools)
Mallawaarachchi	2022	Include: Cross-sectional or longitudinal	None specified	2014 - 2020	1-6 years and prior to school entry	Cognition: Cognitive Functioning Cognition: Executive Functioning Developmental: General Developmental: Language or speech Psychological health: Psychosocial factors Psychosocial factors Psychological health: Psychosocial factors Self-regulation Sleep: General	Screen use: General (mobile phone or tablet)
Mares	2005	None	None specified	1969 - 1989	Children	Aggression: Towards peers Cognition: Reducing stereotypes Prosocial Behavior: Altruism Social interactions: General	TV programs and movies; General
Mares	2013	Exclude: Experimental	Exclude: North America	1973 - 2010	Children	Cognition: Moral reasoning and perception of out-groups Learning: General Learning: Literacy and numeracy Learning: Physical and social environment	Intervention: Sesame Street
Marker	2022	None specified	None specified	2001 - 15	None specified	Body composition	Video games: General

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Marshall	2004	None	None specified	1985 - 2002	Children; Adolescents	Body composition Physical activity: General	TV programs and movies; General Video games: General
Martins	2019	Include: All quantitative designs	None specified	2003 - 2018	All	Aggression: Towards peers	Screen use: General
Martins	2022	Include: Cross-over or parallel randomized controlled trials	None specified	2006 - 2017	1-18 years	Diet: Food intake (calories)	TV programs and movies; Mealtimes
Mazeas	2022	Include: Randomised controlled trials	None specified	2015 - 2019	None specified	Physical activity: General	Intervention: To promote physical activity (via gamification)
McArthur	2012	Include: Randomised controlled trials and quasi-RCTs.	None specified	1994 - 2009	All	Literacy: Phonics	Intervention: Literacy (phonics; via computer)
McArthur	2018	Include: Randomised controlled trials and quasi-RCTs.	Include: English speaking countries	1994 - 2015	Children; Adolescents	Literacy: General	Intervention: Literacy
Mei	2018	Include: cross-sectional, case-control, and cohort studies	None specified	2004 - 2018	11-20	Sleep: Duration Sleep: Problems Sleep: Time to fall asleep	Screen use: General (excessive)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Merchant	2014	Include: Experimental with control group	None specified	NA - NA	K-12	Learning: General Screen use: Virtual reality simulations (Educational) Screen use: Virtual reality worlds (Educational) Video games: Virtual reality (Educational)	Screen use: Virtual reality simulations (Educational)
Mori	2019	None specified	None specified	2013 - 2018	<18 years	Psychological health: Internalizing Risky behavior: Alcohol consumption Risky behavior: Delinquency Risky behavior: Drug use activity Risky behavior: Sexual activity (contraception use) Risky behavior: Sexual activity (multiple partners) Risky behavior: Smoking	Screen use: Sexting
Neitzel	2022	Include: random assignment or quasi-experimental	Include: United States, Europe, Israel, Australia, and New Zealand	2004 - 2020	Kindergarten- Grade 6	Literacy: Reading	Intervention: Reading (technology supported)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Oldrati	2020	Include: Group-control experimental design	None specified	2006 - 2018	School-age Children	Cognition: Cognitive Functioning Cognition: Executive Functioning Cognition: Verbal skills Cognition: Visuospatial skills Numeracy: General Psychological health: Adjustment	Intervention: Cognitive training
Pak	1994	None	None specified	NA - NA	Children; Adolescents	Antisocial Behaviour: General	TV programs and movies; Violent content
Pearce	2016	Include: All quantitative designs	None specified	1986 - 2012	Children; Adolescents	Psychological health: Internalizing	TV programs and movies; Scary content
Peng	2011	None	None specified	2001 - 2010	Children; Adolescents	Cardiometabolic health: Maximum oxygen consumption Physical activity: Energy expenditure Physical activity: Heart rate	Video games: Physically active
Poorolajai	2020	Include: Observational	None specified	1995 - 2018	Children; Adolescents	Body composition	TV programs and movies; General Video games: General
Powers	2013	Include: Experimental or quasi-experimental designs	None specified	1985 - 2012	None specified	Cognition: Information processing	Video games: General
Prescott	2018	Include: Longitudinal	None specified	2008 - 2017	All	Aggression: Towards peers	Video games: Violent content

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Reynard	2022	None specified	None specified	2016 - 2020	8-14 years	Psychological health: Emotion experience Psychological health: Emotion regulation	Intervention: To improve emotional regulation Intervention: To improve emotional regulation (via digital games)
Rodriguez-Rocha	2019	Include: Experimental; Quasi-experimental	None specified	1999 - 2018	All	Diet: Fruit and vegetable intake	Intervention: Fruit and vegetable
Sadeghirad	2016	Include: Randomised controlled trials	None specified	1978 - 2014	Children; Adolescents	Diet: Unhealthy food choice	Advertising: Unhealthy food
Scherer	2020	Include: Experimental or quasi-experimental designs	None specified	1973 - 2017	None specified	Learning: Programming skills	Intervention: Education (programming)
Schroeder	2013	Include: Experimental; Quasi-experimental	None specified	2001 - 2009	All	Learning: General characters	Intervention: With digital characters
Scionti	2019	Include: Interventions	None specified	2009 - 2019	Children	Cognition: Executive functioning	Intervention: Cognitive training
Shin	2019	Include: Interventions	None specified	2013 - 2018	Children; Adolescents	Body composition Diet: Sugary drinks Physical activity: General Screen time: General	Intervention: To promote health (via mobile phone app) Intervention: To promote health (via mobile phone) Intervention: To promote health (via text message)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Slavin	2014	Include: Randomised controlled trials; Quasi- experimental; Observational	None specified	2000 - 2011 (Primary/Elementary)	School-age Children (Primary/Elementary)	Science: General	Intervention: Science (in schools)
Strouse	2021	Include: experimental and quasi-experimental designs	None specified	1994 - 2019 less than 8 years	Average 6 years, all must be less than 8 years	Learning: General	Screen use: Video (vs face-to-face)
Takacs	2014	Include: Experimental; Quasi- experimental	None specified	1980 - 2014	All	Learning: General	e-Books: Narration
Takacs	2019	Include: Randomised controlled trials and quasi-RCTs.	None specified	2001 - 2016	Children	Cognition: Executive Functioning (accuracy) Cognition: Executive Functioning (cognitive flexibility) Cognition: Executive Functioning (inhibition) Cognition: Executive Functioning (working memory)	Intervention: Education (via computer)
Tekedere	2016	None	None specified	2010 - 2015	All	Learning: General	Intervention: Augmented reality (in schools)
Tokac	2019	Include: designs with a control group	None specified	2006 - 2016	PreK-12th grade	Numeracy: Mathematics Video games: Educational	Video games: Educational

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
Restrictions							
Vahedi	2018	Include: Interventions (pre-post or controlled). Exclude: Cross-sectional	None specified	2015 - 2016	School-age Children (Middle/High School)	Risky behavior: Media literacy	Intervention: Media literacy (web-based)
						Risky behavior: Risk taking (attitude)	
Vannucci	2020	Exclude: Qualitative; Case studies	None specified	2011 - 2018	Adolescents	Risky behavior: Risk taking (general)	Social Media: General
						Risky behavior: Risky sexual behaviour	
						Risky behavior: Substance abuse	
Wang	2020	Include: longitudinal, cohort, case-control, cross-sectional, or controlled trials	None specified	2016 - 2020	<=18 years	Eye health: Visual impairment	Screen use: General (mobile phone)
Wouters	2013	Include: experimental designs	None specified	2005 - 2012	None specified	Learning: Motivation	Video games: Educational
Wouters	2013	Include: Experimental with control group	None specified	1993 - 2007	None specified	Learning: General	Video games: Educational (with instructional support)
Xie	2018	Include: Experimental; Quasi- experimental; Pre-test post-test	None specified	2010 - 2018	Children	Learning: General	Intervention: Education (via touch screen)

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Xie	2018	Include: experimental, quasi-experimental, or pre-post test	None specified	2010 - 2018	0-5	Learning: General	Screen use: Touchscreens
Yin	2019	None specified	None specified	2006 - 2016	None specified	Psychological health: General Psychological health: Positive mental health	Social Media: General
Zhang	2016	Include: Cohort; Case-control; Cross-sectional	None specified	2001 - 2014	Children	Body composition	TV programs and movies; General
Zhang	2022	Include: longitudinal or cohort designs	None specified	2001 - 2021	2-19 years	Psychological health: Other mental health problems	Screen use: General
Zhang	2022	Include: Observational or experimental designs	Mainland China, Hong Kong, Macau and Taiwan	2009 - 2020	6-18 years (or grade 1-12)	Body composition Cardiometabolic health: Poor fitness Risks Eye health: Myopia Physical health: Health Issues Psychological health: Emotion problems	Screen use: General
Zhou	2020	Exclude: Non-empirical studies; Qualitative: Systematic reviews or meta-analyses	None specified	2009 - 2018	All	Healthy behavior: General Healthy behavior: Self-efficacy Psychological health: Enjoyment	Video games: Health promoting content

Review characteristics for studies providing unique effects (continued)

First Author	Year	Design	Regions	Study Range	Sample Age Restrictions	Outcomes Assessed	Exposures Assessed
		Restrictions	Restrictions				
Zou	2021	Include: observational cross-sectional, case-control, or longitudinal designs	None specified	2009 - 2021	<20 years	Psychological health: Depression	Computer use: General Screen use: General
Zucker	2009	Include: Randomised controlled trials; Quasi- experimental; Observational	None specified	1997 - 2006	School-age Children (Primary/Elementary)	Literacy: Decoding Literacy: Reading comprehension	e-Books: General
de Oliveira	2016	Include: Observational	None specified	2010 - 2014	Adolescents	Cardiometabolic health: Metabolic Syndrome	Screen use: General

*

The quality of the included meta-analyses was mixed (see Table 1). Most assessed heterogeneity (n low risk = 110/118, 93% of meta-analyses), reported the characteristics of the included studies (n low risk = 102/118, 86%), and used a comprehensive and systematic search strategy (n low risk = 86/118, 73%). Most reviews did not clearly report if their eligibility criteria were predefined (n unclear = 84/118, 71%). Many papers also did not complete dual independent screening of abstracts and full text (n high risk = 21/118, 18%) or did not clearly report the method of screening (n unclear = 42/118, 36%). A similar trend was observed for dual independent quality assessment (n high risk = 54/118, 46%; n high risk = 28/118, 24%). Overall, only 8 meta-analyses were graded as low risk of bias on all criteria.

Education Outcomes. There were 80 unique effects associated with education outcomes, including general learning outcomes, literacy, numeracy, and science. We removed 20 effects that did not provide individual study-level data, 19 effects with samples < 1,000, and 17 effects with a significant Egger's test or insufficient studies to conduct the test. Effects not meeting one or more of these standards are presented in Supplementary File 5. The remaining 28 effects met our criteria for statistical credibility and are described in Figure 2. These 28 effects came from 19 meta-analytic reviews analysing data from 372 empirical studies with 265,648 individual participants.

Among the statistically credible effects, general screen use, television viewing, and video games were all negatively associated with learning. E-books that included narration, as well as touch screen education interventions, and augmented reality education interventions were positively associated with learning. General screen use was negatively associated with literacy outcomes. However, if the screen use involved co-viewing (e.g., watching with a parent), or the content of television programs was educational, the association with literacy was positive and significant at the 95% confidence level (weak evidence). Numeracy outcomes were positively associated with screen-based mathematics interventions and video games that contained numeracy content.

As shown in Figure 2, most of the credible results (16 of 28 effects) showed statistically

Associations Between Exposures and Education Outcomes




Figure 2. Education outcomes

290 significant associations, with 99.9% confidence intervals not encompassing zero (strong
 291 evidence). The remaining nine associations were significant at the 95% confidence level
 292 (weak evidence). All credible effects related to education outcomes were small-to-moderate.
 293 Screen-based interventions designed to influence an outcome (e.g., a computer based
 294 program designed to enhance learning³¹) tended to have larger effect sizes than exposures
 295 that were not specifically intended to influence any of the measured outcomes (e.g., the
 296 association between television viewing and learning³²). The largest effect size observed was
 297 for augmented reality-based education interventions on general learning
 298 ($r = 0.33, k = 15, N = 1,474$). Most effects showed high levels of heterogeneity (24 of 28
 299 with $I^2 > 50\%$).

300 **Health and Health-related Behaviours.** We identified 195 unique
 301 outcome-exposure combinations associated with health or health-related behaviour outcomes.
 302 We removed 35 effects that did not provide individual study-level data, 50 effects with
 303 samples < 1,000, and 81 effects with a significant Egger's test or insufficient studies to
 304 conduct the test. No remaining studies showed evidence of excessive significance. Effects not
 305 meeting one or more of these standards are presented in Supplementary File 6. The
 306 remaining 40 meta-analytic associations met our criteria for credible evidence and are
 307 described below (see also Figure 3). These 40 effects came from 24 meta-analytic reviews
 308 analysing data from 449 empirical studies with 1,293,284 individual participants.

Associations Between Exposures and Health-related Outcomes




Figure 3. Health and health-related behaviour outcomes

309 Digital advertising of unhealthy foods—both traditional advertising and video games

310 developed by a brand for promotion—were associated with higher unhealthy food intake.

311 Social media use and sexual content were positively associated with risky behaviors (e.g.,
312 sexual activity, risk taking, and substance abuse). General screen use was positively
313 associated with depression, with stronger associations observed for adolescents than other
314 groups. Television viewing was negatively correlated with sleep duration, but with stronger
315 evidence only observed for younger children. All forms of screen use (general, television, and
316 video games) were associated with body composition (e.g., higher BMI). Screen-based
317 interventions which target health behaviours appeared mostly effective.

318 Across the health outcomes, most (25 of 40) effects were statistically significant at the
319 99.9% confidence interval level, with the remaining ten significant at 95% confidence.
320 However, most of the credible effects exhibited high levels of heterogeneity, with all but two
321 having $I^2 > 75\%$. Additionally, most effects were small, with the association between screen
322 use and sleep duration the largest at $r = -0.37$ ($k = 10, N = 56,720$). Most of the effect
323 sizes (36/40) had an absolute value of $r < 0.2$.

324

Discussion

325 The primary goal of this review was to provide a holistic perspective on the influence
326 of screens on children's lives across a broad range of outcomes. We found that when
327 meta-analyses examined general screen use, and did not specify the content, context or
328 device, there was strong evidence showing potentially harmful associations with general
329 learning, literacy, body composition, and depression. However, when meta-analyses included
330 a more nuanced examination of exposures, a more complex picture appeared.

331 As an example, consider children watching television programs—an often cited form of
332 screen time harm. We found robust evidence for a small association with poorer academic
333 performance and literacy skills for general television watching³². However, we also found
334 evidence that if the content of the program was educational, or the child was watching the
335 program with a parent (i.e., co-viewing), this exposure was instead associated with better

literacy.³³ Thus, parents may play an important role in selecting content that is likely to benefit their children or, perhaps, interact with their children in ways that may foster literacy (e.g., asking their children questions about the program). Similar nuanced findings were observed for video games. The credible evidence we identified showed that video game playing was associated with poorer body composition and learning.^{32,34} However, when the video game were designed specifically to teach numeracy, playing these games showed learning benefits.³⁵ One might expect that video games designed to be physically active could confer health benefits, but none of the meta-analyses examining this hypothesis met our thresholds for statistical credibility (see Supplementary Files 5 & 6) therefore this hypothesis could not be addressed.

Social media was one type of exposure that showed consistent risks to health, with no indication of potential benefit. Social media showed strong evidence of harmful associations with risk taking in general, as well as unsafe sex and substance abuse.³⁶ These results align with meta-analytic evidence from adults indicating that social media use is also associated with increased risk of depression.^{37,38} Recent evidence from social media companies themselves suggest there may also be negative effects of social media on the mental health of young people, especially teenage girls.³⁹

One category of exposure appeared to consistently confer benefits: screen-based interventions designed to promote learning or health behaviours. This finding indicates that interventions can be effectively delivered using electronic media platforms, but does not necessarily indicate that screens are more effective than other methods (e.g., face-to-face, printed material). Rather, it reinforces that the content of the screen time may be the most important aspect. The way that a young person interacts with digital screens may also be important. We found evidence that touch screens had strong evidence for benefits on learning,³¹ as did augmented reality.⁴⁰

Largely owing to a small number of studies or missing individual study data, there

362 were few age-based conclusions that could be drawn from reviews which met our criteria for
363 statistical certainty. If we expand to include those reviews which did not meet this threshold,
364 there remained no clear pattern although there were some age-specific differences in
365 associations (data available in Supplementary Materials). For example, advertising of
366 unhealthy food was associated with unhealthy food choice for young children, but was not
367 statistically significant for other age groups.⁴¹ Conversely, TV programs and movies were
368 more strongly associated with lower physical activity for adolescents than for younger age
369 groups.⁴²

370 Among studies that met our criteria for statistical certainty heterogeneity was high,
371 with almost all effects having $I^2 > 50\%$. Much of this heterogeneity is likely explained by
372 differences in measures across pooled studies, or in some cases, the generic nature of some of
373 the exposures. For example, “TV programs and movies” covers a substantial range of
374 content, which may explain the heterogeneous association with education outcomes.

375 Implications for Policy and Practice

376 Broadly, our findings align with the recommendations of others who suggest that
377 current guidelines may be too simplistic, mischaracterise the strength of the evidence, or do
378 not acknowledge the important nuances of the issue.^{43–45} Our findings suggest that screen
379 use is a complex issue, with associations based not just on duration and device type, but also
380 on the content and the environment in which the exposure occurs. Many current guidelines
381 simplify this complex relationship as something that should be minimised in all
382 instances.^{12,13} We suggest that future guidelines need to embrace the complexity of the issue,
383 to give parents and clinicians specific information to weigh the pros and cons of interactions
384 with screens.

385 Implications for Future Research

386 Screen use research is extensive, varied, and rapidly growing. Reviews tended to be
387 general (e.g., all screen time) and even when more targeted (e.g., social media) nuances
388 related to specific content (e.g., Instagram vs Facebook) have not been meta-analysed or
389 have not produced credible evidence. Fewer than 20% of the effects identified met our
390 criteria for statistical credibility. Most studies which did not meet our critiera failed to
391 provide study-level data (or did not provide sufficient data, such as including effect estimates
392 but not sample sizes). Newer reviews were more likely to provide this information than older
393 reviews, but it highlights the importance of data and code sharing as recommended in the
394 PRISMA guidelines.⁴⁶ When study level data was available, many effects were removed
395 because the pooled sample size was small, or because there were fewer than ten studies on
396 which to perform an Egger's test. It seems that much of the current screen time research is
397 small in scale, and there is a need for larger, high-quality studies.

398 Our results highlight the need for the field to more carefully consider if the term 'screen
399 time' remains appropriate for providing advice to parents. Instead, our results suggest that
400 more nuanced and detailed descriptions of the behaviours to be modified may be required.
401 Rather than suggesting parents limit 'screen time', for example, it may be better to suggest
402 that parents promote interactive educational experiences but limit exposure to advertising.

403 Screen time research has a well-established measurement problem, which impacts the
404 individual studies of this umbrella review. The vast majority of screen time research relies on
405 self-reported data, which not only lacks the nuance required for understanding the effects of
406 screen time, but may also be inaccurate. In one systematic review on screen time and sleep,⁷
407 66 of the 67 included studies used self-reported data for *both* the exposure and outcome
408 variable. It has been established that self-reported screen time data has questionable
409 validity. In a meta-analysis of 47 studies comparing self-reported media use with logged
410 measures, Parry et al⁴⁷ found that the measures were only moderately correlated ($r = 0.38$),

411 with self-reported problematic usage fairing worse ($r = 0.25$). Indeed, of 622 studies which
412 measured the screen time of 0—6 year-olds, only 69 provided any sort of psychometric
413 properties for their measure, with only 19 studies reporting validity.⁴⁸ While some
414 researchers have started using newer methods of capturing screen behaviours—such as
415 wearable cameras⁴⁹ or device-based loggers⁵⁰—these are still not widely adopted. It may be
416 that the field of screen time research cannot be sufficiently advanced until accurate,
417 validated, and nuanced measures are more widely available and adopted.

418 **Strengths and Limitations**

419 Our primary goal for this umbrella review was to provide a high-level synthesis of
420 screen time research, by examining a range of exposures and the associations with a broad
421 scope of outcomes. Our results represent the findings from 3,103 primary studies comprised
422 of 3,141,213 participants. To ensure findings could be compared on a common metric, we
423 extracted and reanalysed individual study data where possible.

424 Our high-level approach limits the feasibility of examining fine-grained details of the
425 individual studies. For example, we did not examine moderators beyond age, nor did we rate
426 the risk of bias for the individual studies. Thus, our assessment of evidence quality was
427 restricted to statistical credibility, rather than a more complete assessment of quality (e.g.,
428 GRADE⁵¹). As such, we made decisions regarding the credibility of evidence, where others
429 may have used different thresholds or metrics. For this reason, we provide the complete
430 results in the supplementary material, along with the dataset for others to consider
431 alternative criteria. In addition, reviews provide only historical evidence which may not keep
432 up with the changing ways children can engage with screens. While our synthesis of the
433 existing evidence provides information about how screens might have influenced children in
434 the past, it is difficult to know if these findings will translate to new forms of technology in
435 the future.

436 Conclusions

437 Screen time is a topic of significant interest, as shown by the wide variety of academic
438 domains involved, parents' concerns, and the growing pervasiveness into society. Our
439 findings showed that the impact of screen time can be both positive (e.g., educational video
440 games were associated with improved literacy) and negative (e.g., general screen use was
441 associated with poorer body composition). The interplay of these findings show that parents,
442 teachers, and other caregivers need to carefully weigh the pros and cons of each specific
443 activity for potential harms and benefits. However, our findings also suggest that in order to
444 aid caregivers to make this judgement, researchers need to conduct more careful and nuanced
445 measurement and analysis of screen time, with less emphasis on measures that aggregate
446 screen time and instead focus on the content, context, and environment in which the
447 exposure occurs.

448

References

- 449 1. The Lancet. Social media, screen time, and young people's mental health. *The
450 Lancet* **393**, 611 (2019).
- 451 2. Blair, A. Reading Strategies for Coping With Information Overload ca.1550-1700.
452 *Journal of the History of Ideas* **64**, 11–28 (2003).
- 453 3. Bell, A. N. *The sanitarian*. vol. 11 (AN Bell, 1883).
- 454 4. Dill, K. E. *The Oxford handbook of media psychology*. (Oxford University Press,
455 2013).
- 456 5. Wartella, E. A. & Jennings, N. Children and computers: New technology. Old
457 concerns. *The future of children* 31–43 (2000).
- 458 6. Rhodes, A. *Top ten child health problems: What the public thinks*. (2015).
- 459 7. Hale, L. & Guan, S. Screen time and sleep among school-aged children and
460 adolescents: A systematic literature review. *Sleep Medicine Reviews* **21**, 50–58 (2015).
- 461 8. Sweetser, P., Johnson, D., Ozdowska, A. & Wyeth, P. Active versus passive screen
462 time for young children. *Australasian Journal of Early Childhood* **37**, 94–98 (2012).
- 463 9. Li, X. & Atkins, M. S. Early childhood computer experience and cognitive and
464 motor development. *Pediatrics* **113**, 1715–1722 (2004).
- 465 10. Warburton, W. & Highfield, K. Children and technology in a smart device world.
466 in *Children, Families and Communities* 195–221 (Oxford University Press, 2017).
- 467 11. Nature Human Behaviour. Screen time: How much is too much? *Nature* **565**,
468 265–266 (2019).
- 469 12. World Health Organization. *Guidelines on physical activity, sedentary behaviour
470 and sleep for children under 5 years of age*. 33 p. (World Health Organization, 2019).

- 471 13. Australian Government. *Physical activity and exercise guidelines for all*
- 472 *Australians*. (2021).
- 473 14. Canadian Society for Exercise Physiology. *Canadian 24-Hour Movement*
- 474 *Guidelines for Children and Youth: An Integration of Physical Activity, Sedentary Behaviour,*
- 475 *and Sleep*. (2016).
- 476 15. Council On Communication and Media. Media Use in School-Aged Children and
- 477 Adolescents. *Pediatrics* **138**, e20162592 (2016).
- 478 16. Ferguson, C. J. Everything in Moderation: Moderate Use of Screens Unassociated
- 479 with Child Behavior Problems. *Psychiatric Quarterly* **88**, 797–805 (2017).
- 480 17. Przybylski, A. K. & Weinstein, N. A Large-Scale Test of the Goldilocks Hypothesis:
- 481 Quantifying the Relations Between Digital-Screen Use and the Mental Well-Being of
- 482 Adolescents. *Psychological Science* **28**, 204–215 (2017).
- 483 18. Sanders, T., Parker, P. D., del Pozo-Cruz, B., Noetel, M. & Lonsdale, C. Type of
- 484 screen time moderates effects on outcomes in 4013 children: Evidence from the Longitudinal
- 485 Study of Australian Children. *International Journal of Behavioral Nutrition and Physical*
- 486 *Activity* **16**, 117 (2019).
- 487 19. Kaye, L. K., Orben, A., Ellis, D. A., Hunter, S. C. & Houghton, S. The Conceptual
- 488 and Methodological Mayhem of ‘Screen Time’. *International Journal of Environmental*
- 489 *Research and Public Health* **17**, 3661 (2020).
- 490 20. Chassiakos, Y. L. R. *et al.* Children and Adolescents and Digital Media. *Pediatrics*
- 491 **138**, e20162593 (2016).
- 492 21. National Health, Lung, and Blood Institute. *Quality Assessment of Systematic*
- 493 *Reviews and Meta-Analyses*. (2014).
- 494 22. Bonett, D. G. Transforming odds ratios into correlations for meta-analytic research.
- 495 *American Psychologist* **62**, 254–255 (2007).

- 496 23. Bowman, N. A. Effect Sizes and Statistical Methods for Meta-Analysis in Higher
497 Education. *Research in Higher Education* **53**, 375–382 (2012).
- 498 24. Jacobs, P. & Viechtbauer, W. Estimation of the biserial correlation and its
499 sampling variance for use in meta-analysis: Biserial Correlation. *Research Synthesis Methods*
500 **8**, 161–180 (2017).
- 501 25. Viechtbauer, W. *Metafor: Meta-analysis package for r*. (2022).
- 502 26. R Core Team. *R: A language and environment for statistical computing*. (R
503 Foundation for Statistical Computing, 2022).
- 504 27. Egger, M., Smith, G. D., Schneider, M. & Minder, C. Bias in meta-analysis
505 detected by a simple, graphical test. *BMJ* **315**, 629–634 (1997).
- 506 28. Page, M. J., Higgins, J. P. & Sterne, J. A. Chapter 13: Assessing risk of bias due
507 to missing results in a synthesis. in *Cochrane Handbook for Systematic Reviews of
508 Interventions* (eds. Higgins, J. P. et al.) (Cochrane, 2021).
- 509 29. Ioannidis, J. P. & Trikalinos, T. A. An exploratory test for an excess of significant
510 findings. *Clinical Trials* **4**, 245–253 (2007).
- 511 30. Papadimitriou, N. *et al.* An umbrella review of the evidence associating diet and
512 cancer risk at 11 anatomical sites. *Nature Communications* **12**, 4579 (2021).
- 513 31. Xie, H. *et al.* Can Touchscreen Devices be Used to Facilitate Young Children's
514 Learning? A Meta-Analysis of Touchscreen Learning Effect. *Frontiers in Psychology* **9**, 2580
515 (2018).
- 516 32. Adelantado-Renau, M. *et al.* Association Between Screen Media Use and Academic
517 Performance Among Children and Adolescents: A Systematic Review and Meta-analysis.
518 *JAMA Pediatrics* **173**, 1058 (2019).
- 519 33. Madigan, S., McArthur, B. A., Anhorn, C., Eirich, R. & Christakis, D. A.
520 Associations Between Screen Use and Child Language Skills: A Systematic Review and

- 521 Meta-analysis. *JAMA Pediatrics* **174**, 665 (2020).
- 522 34. Poorolajal, J., Sahraei, F., Mohammadi, Y., Doosti-Irani, A. & Moradi, L.
- 523 Behavioral factors influencing childhood obesity: A systematic review and meta-analysis.
- 524 *Obesity Research & Clinical Practice* **14**, 109–118 (2020).
- 525 35. Byun, J. & Joung, E. Digital game-based learning for K-12 mathematics education:
- 526 A meta-analysis. *School Science and Mathematics* **118**, 113–126 (2018).
- 527 36. Vannucci, A., Simpson, E. G., Gagnon, S. & Ohannessian, C. M. Social media use
- 528 and risky behaviors in adolescents: A meta-analysis. *Journal of Adolescence* **79**, 258–274
- 529 (2020).
- 530 37. Yoon, S., Kleinman, M., Mertz, J. & Brannick, M. Is social network site usage
- 531 related to depression? A meta-analysis of FacebookDepression relations. *Journal of Affective*
- 532 *Disorders* **248**, 65–72 (2019).
- 533 38. Vahedi, Z. & Zannella, L. The association between self-reported depressive
- 534 symptoms and the use of social networking sites (SNS): A meta-analysis. *Current Psychology*
- 535 **40**, 2174–2189 (2021).
- 536 39. Seetharaman, G. W., Jeff Horwitz and Deepa. Facebook Knows Instagram Is Toxic
- 537 for Teen Girls, Company Documents Show. *Wall Street Journal* (2021).
- 538 40. Tekedere, H. & Göke, H. Examining the Effectiveness of Augmented Reality
- 539 Applications in Education: A Meta-Analysis. *International Journal of Environmental and*
- 540 *Science Education* **11**, 9469–9481 (2016).
- 541 41. Sadeghirad, B., Duhaney, T., Motaghpisheh, S., Campbell, N. R. C. & Johnston,
- 542 B. C. Influence of unhealthy food and beverage marketing on children's dietary intake and
- 543 preference: A systematic review and meta-analysis of randomized trials. *Obesity Reviews* **17**,
- 544 945–959 (2016).
- 545 42. Marshall, S. J., Biddle, S. J. H., Gorely, T., Cameron, N. & Murdey, I.

- 546 Relationships between media use, body fatness and physical activity in children and youth:
547 A meta-analysis. *International Journal of Obesity* **28**, 1238–1246 (2004).
- 548 43. Elson, M. *et al.* Do policy statements on media effects faithfully represent the
549 science? *Advances in Methods and Practices in Psychological Science* **2**, 12–25 (2019).
- 550 44. Ashton, J. J. & Beattie, R. M. Screen time in children and adolescents: Is there
551 evidence to guide parents and policy? *The Lancet Child & Adolescent Health* **3**, 292–294
552 (2019).
- 553 45. Royal College of Paediatrics and Child Health. *The health impacts of screen time:*
554 *A guide for clinicians and parents.* (2019).
- 555 46. Page, M. J. *et al.* *The PRISMA 2020 statement: An updated guideline for*
556 *reporting systematic reviews.* (2020) doi:10.31222/osf.io/v7gm2.
- 557 47. Parry, D. A. *et al.* A systematic review and meta-analysis of discrepancies between
558 logged and self-reported digital media use. *Nature Human Behaviour* **5**, 1535–1547 (2021).
- 559 48. Byrne, R., Terranova, C. O. & Trost, S. G. Measurement of screen time among
560 young children aged 0 years: A systematic review. *Obesity Reviews* **22**, (2021).
- 561 49. Smith, C., Galland, B. C., de Bruin, W. E. & Taylor, R. W. Feasibility of
562 automated cameras to measure screen use in adolescents. *American journal of preventive*
563 *medicine* **57**, 417–424 (2019).
- 564 50. Ryding, F. C. & Kuss, D. J. Passive objective measures in the assessment of
565 problematic smartphone use: A systematic review. *Addictive Behaviors Reports* **11**, 100257
566 (2020).
- 567 51. Guyatt, G. *et al.* GRADE guidelines: 1. IntroductionGRADE evidence profiles
568 and summary of findings tables. *Journal of Clinical Epidemiology* **64**, 383–394 (2011).