


# Inspiring Excellence

Course Code:	CSE111
Course Title:	Programming Language II
Classwork No:	08
Topic:	OOP (inheritance)
Number of tasks:	4

A multinational company has two special types of regular employees. One is Foreign employees and another one is Part time employees. Design the Employee (parent), Foreign\_employee(child) and Parttime\_employee(child) classes so that the following output is produced. The Foreign\_employee and Parttime\_employee classes should inherit the Employee class. Note that:

- Basic salary of a Regular, Foreign employee is 30,000 and for Part-time employees basic is 15,000.
- Regular employees get 10% increment on their salary and Foreign employees get 15% increment on their basic salary.
- Employees from the HR department will collect their work distribution load from the manager, and others will collect their work distribution load from the HR department.

Driver Code	Output
print("1") emp1=Employee("Nawaz Ali", 102, "Marketing") print("2") emp1.employeeDetails() print("3") emp1.workDistribution("Marketing") print("4") emp1.increment() emp1.employeeDetails() print("5") f_emp=Foreign_employee("Nadvi", 311, "Human Resource") f_emp.employeeDetails() print("6") f_emp.workDistribution("Human Resource") print("7") f_emp.increment() f_emp.employeeDetails() print("8") p1_emp=Part_time_employee("Asif", 210, "Sales") p2_emp=Part_time_employee("Olive", 223, "Accounts") print("9") p1_emp.employeeDetails() print("10") p1_emp.workDistribution("Sales") print("11") p2_emp.increment() print("12")	1



You are given the parent class Point:

```
class Point:

def __init__(self, x=0, y=0):

self.x = x

self.y = y

self.area = 0

def calculate_area(self):

return self.area

def print_details(self):

print("------- Printing details ------")

print(f'Co-ordinate: ({self.x},{self.y})')

print(f'Area: {self.area}')
```

Some information about calculating the area of circle and sphere: Area of a circle:  $\pi r^2$ 

Area of a sphere:  $4\pi r^2$ Here, Inheritance tree will be Point=>Circle=>Sphere

Write **Circle** and **Sphere** classes to generate the following output.

Driver Code	Output
print("") p1 = Point(2,3) print(f'Area of p1: {p1.calculate_area()}') print("") p1.print_details() print("") p2 = Point() p2.print_details() print("") c1 = Circle(4,0,3) print(f'Area of c1: {c1.calculate_area()}') print("") c1.print_details() print("") c2 = Circle(7) print(f'Area of c2: {c2.calculate_area()}') print(f'Area of c3,0,2) print(f'Area of c4,0,2) print(f'Area of c5,0,2)	Area of p1: 0

A bank has two types of accounts: Savings account and Fixed-deposit account. Some features of these accounts are:

- Savings account:
  - An interest rate can be applied
  - You can deposit money anytime you want.
  - Withdrawal can be made unless its crosses the lower limit of the account
- Fixed deposits account:
  - You can not deposit money anytime you want.
  - Withdrawal can be made after the account is matured.

The parent class Account is given below:

```
class Account:
  def __init__(self, account_number, balance):
   self.account number = account number
   self.balance = balance
   self.account type = "General"
   self.maturity = 0
  def print_details(self):
   print("----- Account details -----")
   print(f"Account Type: {self.account_type}, Maturity: {self.maturity} years")
   print(f"Account Number: {self.account_number}, Balance: ${self.balance:.2f}")
  def deposit(self, amount):
   self.balance += amount
   print(f"Deposited ${amount:.2f}. New Balance: ${self.balance:.2f}")
  def withdraw(self, amount):
   if self.balance >= amount:
      self.balance -= amount
      print(f"Withdrew ${amount:.2f}. New Balance: ${self.balance:.2f}")
   else:
      print("Insufficient funds.")
  def year_passed(self, year):
   self.maturity += year
   print(f"Maturity of the account: {self.maturity} years")
```

Write the classes **SavingsAccount** and **FixedDepositAccount** derived from the **Account** class to generate the following output.

Driver Code	Output
print("")	1
account = Account("A203", 2000)	Account details
account.print_details()	Account Type: General, Maturity: 0 years Account Number: A203, Balance: \$2000.00
print("")	2
account.deposit(400)	Deposited \$400.00. New Balance: \$2400.00 Withdrew \$1500.00. New Balance: \$900.00
account.withdraw(1500)	Maturity of the account: 2 years
account.year_passed(2)	3
print("")	Account details Account Type: General, Maturity: 2 years
account.print_details()	Account Number: A203, Balance: \$900.00
print("")	4
savings_account = SavingsAccount("Savings","SA123",	Account details Account Type: Savings, Maturity: 0 years
1000, 0.05, 500)	Account Number: SA123, Balance: \$1000.00
savings_account.print_details()	Interest Rate: 0.05, Minimum Limit: \$500
print("")	5
savings_account.deposit(400)	6
print("6")	Insufficient funds.
savings_account.withdraw(1000)	Withdrew \$800.00. New Balance: \$600.00
print("")	8
savings_account.withdraw(800)	Interest applied. New Balance: \$630.00
print("8")	Account details
savings_account.apply_interest()	Account Type: Savings, Maturity: 0 years
print("9")	Account Number: SA123, Balance: \$630.00 Interest Rate: 0.05, Minimum Limit: \$500
savings_account.print_details()	10
print("10")	Account details
fixed_account1= FixedDepositAccount("Fixed	Account Type: Fixed Deposit, Maturity: 0 years Account Number: FDA321, Balance: \$10000.00
Deposit","FDA321", 10000, 5)	11
fixed_account1.print_details()	You can not deposit in a fixed deposit account.
print("11")	Maturity of the account: 6 years
fixed_account1.deposit(400)	13
print("12")	Withdrew \$10000.00. New Balance: \$0.00
fixed_account1.year_passed(6)	Account details

```
print("-----")
                                                  Account Type: Fixed Deposit, Maturity: 6 years
                                                  Account Number: FDA321, Balance: $0.00
fixed account1.withdraw(10000)
                                                  -----15-----
print("-----")
                                                  ----- Account details -----
fixed account1.print details()
                                                  Account Type: Fixed Deposit, Maturity: 0 years
                                                  Account Number: FDA300, Balance: $50000.00
print("-----")
                                                  -----16-----
fixed_account2 = FixedDepositAccount("Fixed
                                                  Can not withdraw, Account is not matured
Deposit", "FDA300", 50000, 7)
fixed account2.print details()
print("-----")
fixed_account2.withdraw(10000)
```

```
1
   class A:
2
       temp = 4
3
       def init (self):
4
            self.sum = 0
5
           self.y = 0
6
            self.y = A.temp - 2
7
            self.sum = A.temp + 1
8
           A.temp -= 2
9
       def methodA(self, m,
                              n):
10
           x = 0
11
            self.y = self.y + m + (A.temp)
12
           A.temp += 1
13
            x = x + 1 + n
            self.sum = self.sum + x + self.y
14
```

```
15
           print(x, self.y, self.sum)
16
17
   class B(A):
18
       x = 0
       def init (self,b=None):
19
20
           super().__init__()
21
           self.sum = 0
           if b==None:
22
23
                self.y = A.temp + 3
               self.sum = 3 + A.temp + 2
24
25
               A.temp -= 2
26
           else:
27
                self.sum = b.sum
28
               B.x = b.x
29
               b.methodB(2, 3)
30
       def methodB(self, m, n):
           y = 0
31
32
           y = y + self.y
33
           B.x = self.y + 2 + A.temp
34
           self.methodA(B.x, y)
35
           self.sum = B.x + y + self.sum
           print(B.x, y, self.sum)
36
```

Write the output of the following code:

a1 = A()	Output:		
b1 = B()			
b2 = B(b1)	x	У	sum
b1.methodA(1, 2)			
b2.methodB(3, 2)			