

COMP4 Coursework

Joel Butcher

November 15, 2014

Contents

| | | |
|----------|---|----------|
| 1 | Analysis | 5 |
| 1.1 | Introduction | 5 |
| 1.1.1 | Client Identification | 5 |
| 1.1.2 | Define the current system | 6 |
| 1.1.3 | Describe the problems | 6 |
| 1.1.4 | Section appendix | 6 |
| 1.1.5 | The current system | 10 |
| 1.1.6 | The proposed system | 14 |
| 1.2 | Objectives | 26 |
| 1.2.1 | General Objectives | 26 |
| 1.2.2 | Specific Objectives | 26 |
| 1.2.3 | Core Objectives | 27 |
| 1.2.4 | Other Objectives | 27 |
| 1.3 | ER Diagrams and Descriptions | 28 |
| 1.3.1 | ER Diagram | 28 |
| 1.3.2 | Entity Descriptions | 29 |
| 1.4 | Object Analysis | 29 |
| 1.4.1 | Object Listing | 29 |
| 1.4.2 | Relationship diagrams | 30 |
| 1.4.3 | Class definitions | 31 |
| 1.5 | Other Abstractions and Graphs | 32 |
| 1.6 | Constraints | 32 |
| 1.6.1 | Hardware | 32 |
| 1.6.2 | Software | 33 |
| 1.6.3 | Time | 33 |
| 1.6.4 | User Knowledge | 33 |
| 1.6.5 | Access restrictions | 34 |
| 1.7 | Limitations | 34 |
| 1.7.1 | Areas which will not be included in computerisation . . | 34 |
| 1.7.2 | Areas considered for future computerisation | 34 |

| | | |
|----------|---|-----------|
| 1.8 | Solutions | 35 |
| 1.8.1 | Alternative solutions | 35 |
| 1.8.2 | Justification of chosen solution | 36 |
| 2 | Design | 38 |
| 2.1 | Overall System Design | 38 |
| 2.1.1 | Short description of the main parts of the system . . . | 38 |
| 2.1.2 | System flowcharts showing an overview of the complete system | 42 |
| 2.2 | User Interface Designs | 48 |
| 2.3 | Hardware Specification | 49 |
| 2.4 | Program Structure | 49 |
| 2.4.1 | Top-down design structure charts | 49 |
| 2.4.2 | Algorithms in pseudo-code for each data transforma- tion process | 49 |
| 2.4.3 | Object Diagrams | 49 |
| 2.4.4 | Class Definitions | 49 |
| 2.5 | Prototyping | 50 |
| 2.6 | Definition of Data Requirements | 50 |
| 2.6.1 | Identification of all data input items | 50 |
| 2.6.2 | Identification of all data output items | 50 |
| 2.6.3 | Explanation of how data output items are generated . | 50 |
| 2.6.4 | Data Dictionary | 50 |
| 2.6.5 | Identification of appropriate storage media | 50 |
| 2.7 | Database Design | 50 |
| 2.7.1 | Normalisation | 50 |
| 2.8 | Security and Integrity of the System and Data | 57 |
| 2.8.1 | Security and Integrity of Data | 57 |
| 2.8.2 | System Security | 57 |
| 2.9 | Validation | 57 |
| 2.10 | Testing | 57 |
| 2.10.1 | Outline Plan | 58 |
| 2.10.2 | Detailed Plan | 58 |
| 3 | Testing | 59 |
| 3.1 | Test Plan | 59 |
| 3.1.1 | Original Outline Plan | 60 |
| 3.1.2 | Changes to Outline Plan | 60 |
| 3.1.3 | Original Detailed Plan | 60 |
| 3.1.4 | Changes to Detailed Plan | 61 |
| 3.2 | Test Data | 62 |

| | | |
|----------|--------------------------------------|-----------|
| 3.2.1 | Original Test Data | 62 |
| 3.2.2 | Changes to Test Data | 62 |
| 3.3 | Annotated Samples | 62 |
| 3.3.1 | Actual Results | 62 |
| 3.3.2 | Evidence | 62 |
| 3.4 | Evaluation | 63 |
| 3.4.1 | Approach to Testing | 63 |
| 3.4.2 | Problems Encountered | 63 |
| 3.4.3 | Strengths of Testing | 63 |
| 3.4.4 | Weaknesses of Testing | 63 |
| 3.4.5 | Reliability of Application | 63 |
| 3.4.6 | Robustness of Application | 63 |
| 4 | System Maintenance | 64 |
| 4.1 | Environment | 65 |
| 4.1.1 | Software | 65 |
| 4.1.2 | Usage Explanation | 65 |
| 4.1.3 | Features Used | 65 |
| 4.2 | System Overview | 65 |
| 4.2.1 | System Component | 65 |
| 4.3 | Code Structure | 65 |
| 4.3.1 | Particular Code Section | 65 |
| 4.4 | Variable Listing | 65 |
| 4.5 | System Evidence | 65 |
| 4.5.1 | User Interface | 65 |
| 4.5.2 | ER Diagram | 65 |
| 4.5.3 | Database Table Views | 65 |
| 4.5.4 | Database SQL | 65 |
| 4.5.5 | SQL Queries | 65 |
| 4.6 | Testing | 65 |
| 4.6.1 | Summary of Results | 65 |
| 4.6.2 | Known Issues | 65 |
| 4.7 | Code Explanations | 65 |
| 4.7.1 | Difficult Sections | 65 |
| 4.7.2 | Self-created Algorithms | 65 |
| 4.8 | Settings | 65 |
| 4.9 | Acknowledgements | 65 |
| 4.10 | Code Listing | 65 |
| 4.10.1 | Module 1 | 66 |
| 5 | User Manual | 67 |

| | | |
|----------|---------------------------------------|-----------|
| 5.1 | Introduction | 68 |
| 5.2 | Installation | 68 |
| 5.2.1 | Prerequisite Installation | 68 |
| 5.2.2 | System Installation | 68 |
| 5.2.3 | Running the System | 68 |
| 5.3 | Tutorial | 68 |
| 5.3.1 | Introduction | 68 |
| 5.3.2 | Assumptions | 68 |
| 5.3.3 | Tutorial Questions | 68 |
| 5.3.4 | Saving | 68 |
| 5.3.5 | Limitations | 68 |
| 5.4 | Error Recovery | 68 |
| 5.4.1 | Error 1 | 68 |
| 5.4.2 | Error 2 | 68 |
| 5.5 | System Recovery | 68 |
| 5.5.1 | Backing-up Data | 68 |
| 5.5.2 | Restoring Data | 68 |
| 6 | Evaluation | 69 |
| 6.1 | Customer Requirements | 70 |
| 6.1.1 | Objective Evaluation | 70 |
| 6.2 | Effectiveness | 70 |
| 6.2.1 | Objective Evaluation | 70 |
| 6.3 | Learnability | 70 |
| 6.4 | Usability | 70 |
| 6.5 | Maintainability | 70 |
| 6.6 | Suggestions for Improvement | 70 |
| 6.7 | End User Evidence | 70 |
| 6.7.1 | Questionnaires | 70 |
| 6.7.2 | Graphs | 70 |
| 6.7.3 | Written Statements | 70 |

Chapter 1

Analysis

1.1 Introduction

1.1.1 Client Identification

My client is Josh Campbell, he is 24 years old. He uses computers regularly for design work, so has experience of computer systems. He uses his computer to design flyers, handouts, banners and visual graphics for projection, as well as surfing the web, email and various social media networks. He rarely uses hard copies other than to preview his work before sending it off to print. Josh uses a 2012 Mac Pro with the latest version of Apple's operating system, OS X (10.9).

Josh is the head of the media department for Cambridge Community Church. This involves being responsible for the large amount of Audio and Visual equipment used on the church's Sunday services. This currently involves a spreadsheet with limited info on each item.

Josh would like to have a database management system to be able to hold information about each item and their various attributes. He would like this database to be located on the church's central server so that it can be accessed by all staff if it is deemed necessary. He would use this database to store location, value and insurance details in case of damage or theft. He would like all of the information kept as a virtual copy as well as a hard copy to be kept as a visual backup in case of hard drive failure or corruption.

He would also like to keep the location of each item as up to date as possible and if the location changes, he would like to be notified by email when it is entered/updated in the system.

1.1.2 Define the current system

The current system consists of multiple excel spread sheets. There is one spread sheet for each of three locations; main office, main church building, and storage. Each spreadsheet consists of items located there as well as information on the value of each item, the quantity and the total value for the items with multiple entries. Each spreadsheet is divided up into equipment type (i.e Cableing, lighting, audio, visual/camera's)

1.1.3 Describe the problems

There are a number of problems with the current system. One of the problems is that there is no notification system to tell you when information is getting outdated or something is changed. For example, if an item is bought or sold, the total costings for that item will be updated and no-one will be notified. Another problem is that the current system doesn't show the PAT testings for all the items, these tests go out of date every 6 months and there is no way of being notified when a new PAT test is needed on an item.

1.1.4 Section appendix

Below are the questions that I asked my client at the interview and the answers he gave to me. I have typed up the questions and answers in markdown format then imported it as a pdf document so that it is easier to read.

Figure 1.1: Interview Questions (pg 1)

Interview Questions

1. What does the current system do?
 - Multiple excel spreadsheets that list all the AV equipment
2. What are the problems or drawbacks of the current system?
 - There is no notification system
 - Data is easily out of date.
3. How much data is currently recorded?
 - Current data stored is the item name, its location, the quantity and it's value.
4. What extra data will need to be included?
 - PAT testing's
 - Current location
 - The item's usable state (working, in need of repair, being repaired etc)
5. How frequently will the data need to be updated?
 - The data will need to be updated a few times a month or so
 - Whenever the location changes.
6. Will new records need to be added or deleted? If so, how often?
 - New records will need to be entered, or some deleted every couple of months.
 - Whenever new equipment is bought or if an item is sold
7. How important is the data or information that is to be recorded?
 - Data is of high importance as it will be kept as a record for insurance in case of theft or damage
8. Are there any algorithms that are going to need to be implemented?
 - The number of a single item there is at a particular location
 - The total number of that item altogether
 - The sum of the values those individual items (value per unit * quantity)
9. When are the algorithms going to be run?
 - These will need to be run when there are new items added/removed to a group of the same item
 - If the value of an item changes

Figure 1.2: Interview Questions (pg 2)

10. What inputs are required for the proposed system?
 - Inputs are likely to be text, numbers and currency
11. What outputs are required for the proposed system?
 - Outputs are likely to be the same as the inputs
 - Notifications of when PAT tests are in need or reissue
 - Notifications when an items location or quantity is changed
 - A print function would be necessary
12. Are hard copies required?
 - Yes, hard copies would be required a visual backup.
13. Are back dated records required?
 - Yes, for insurance purposes
14. How long are these records going to be kept?
 - We will keep back dated records for a year
15. How are these records going to be stored?
 - We will store them electronically on the file server
16. How often will outputs be required?
 - Outputs will be required whenever possible
17. What computing resources do you currently possess to aid the new system's operation?
 - We currently have a Mac Pro that we use as a file server. This is where the database system will be placed.
18. Is security an issue?
 - No, security is not an issue, although the data would need to be backed up.
19. Should there be restricted access to certain areas?
 - No, restricted access is not needed.
20. What errors and exceptions will need to be reported in the new system?
 - I'm not 100% until we start testing the system.
21. How should these errors and exceptions be reported?
 - Errors should be reported to you either via email or another notification

Figure 1.3: Interview Questions (pg 3)

method.

22. Are there any constraints on hardware, software, data, cost or time?

- No budget, time deadline is flexible and we'll adapt to whatever software/hardware resource available.

1.1.5 The current system

Data sources and destinations

In the current system, there are multiple data sources. The client and his colleagues as well as members of the AV crew for the church can enter data into the spreadsheet by using a computer in the office and accessing the on the server.

Algorithms

In the current system, there are only a few algorithms in place.

Algorithm 1 Algorithm 1, When new item is bought:

```
1: IF Item = NewItem THEN  
2:   SET Action TO EnterNewItem  
3: ELSE IF Item = ItemMatch THEN  
4:   SET Action TO UpdateItem  
5: END IF
```

Algorithm 2 Algorithm 2, When an item is sold or replaced:

```
1: IF Item = Sold THEN  
2:   SET Action TO UpdateQuantity  
3: ELSE IF Item = Damaged THEN  
4:   SET Action TO UpdateQuantity  
5:   SET Action TO FileInsuranceClaim  
6: ELSE IF Item = Stolen THEN  
7:   SET Action TO FileInsuranceClaim  
8: END IF
```

Data flow diagrams



Figure 1.4: Flow Diagram Key.



Figure 1.5: Entering a new item.



Figure 1.6: Updating an item that already exists in the table.




Figure 1.7: Creating and sending the initial quote for a loan.



Figure 1.8: Creating and sending the final invoice for a loan.

Input Forms, Output Forms, Report Formats

Josh has provided me with a screenshot of him entering some data into his current system. I have boxed out confidential information such as item values and their respective sub-total values:

| | A | B | C | D | E | F | G | H | I | J |
|----|---|-------------------------------------|-------------|--------------|-----------------|------------------|---|---|---|---|
| 1 | | | | | | | | | | |
| 2 | | INSURANCE LIST FOR CINEWORLD | | | | | | | | |
| 3 | | ITEM | TYPE | PRICE | QUANTITY | SUB-TOTAL | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | HDMI CABLE 10M | CABLING | | 1 | | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 26 | | | | | | | | | | |
| 27 | | | | | | | | | | |
| 28 | | | | | | | | | | |
| 29 | | | | | | | | | | |
| 30 | | | | | | | | | | |
| 31 | | | | | | | | | | |
| 32 | | | | | | | | | | |
| 33 | | | | | | | | | | |
| 34 | | | | | | | | | | |
| 35 | | | | | | | | | | |
| 36 | | | | | | | | | | |
| 37 | | | | | | | | | | |
| 38 | | | | | | | | | | |
| 39 | | | | | | | | | | |
| 40 | | | | | | | | | | |

Figure 1.9: Josh Entering Item Name.

Here is an screen shot showing the calculation used to get the Sub-Total Value:

| | A | B | C | D | E | F | G | H | I | J |
|----|---|-------------------------------------|-------------|--------------|-----------------|------------------|---|---|---|---|
| 1 | | | | | | | | | | |
| 2 | | INSURANCE LIST FOR CINEWORLD | | | | | | | | |
| 3 | | ITEM | TYPE | PRICE | QUANTITY | SUB-TOTAL | | | | |
| 4 | | | | | | | | | | |
| 5 | | | | | | | | | | |
| 6 | | HDMI CABLE 10M | CABLING | | 1 | 40.00 | | | | |
| 7 | | | | | | | | | | |
| 8 | | | | | | | | | | |
| 9 | | | | | | | | | | |
| 10 | | | | | | | | | | |
| 11 | | | | | | | | | | |
| 12 | | | | | | | | | | |
| 13 | | | | | | | | | | |
| 14 | | | | | | | | | | |
| 15 | | | | | | | | | | |
| 16 | | | | | | | | | | |
| 17 | | | | | | | | | | |
| 18 | | | | | | | | | | |
| 19 | | | | | | | | | | |
| 20 | | | | | | | | | | |
| 21 | | | | | | | | | | |
| 22 | | | | | | | | | | |
| 23 | | | | | | | | | | |
| 24 | | | | | | | | | | |
| 25 | | | | | | | | | | |
| 26 | | | | | | | | | | |
| 27 | | | | | | | | | | |
| 28 | | | | | | | | | | |
| 29 | | | | | | | | | | |
| 30 | | | | | | | | | | |
| 31 | | | | | | | | | | |
| 32 | | | | | | | | | | |
| 33 | | | | | | | | | | |
| 34 | | | | | | | | | | |
| 35 | | | | | | | | | | |
| 36 | | | | | | | | | | |
| 37 | | | | | | | | | | |
| 38 | | | | | | | | | | |
| 39 | | | | | | | | | | |
| 40 | | | | | | | | | | |

Figure 1.10: Sub-Total Calculation.

1.1.6 The proposed system

Data sources and destinations

The Following table shows the proposed data and their respective sources and destinations.

| Source | Data | Data Type | Destination |
|---------------------------|-------------------|-----------|----------------------------|
| Generated | ItemTypeID | Integer | Database - Item-Type Table |
| User | ItemType | Text | Database - Item-Type Table |
| - | - | - | - |
| Generated | LocationID | Integer | Database - Location Table |
| User | Location | Text | Database - Location Table |
| - | - | - | - |
| Generated | ItemID | Integer | Database - Item Records |
| Database - ItemType Table | <i>ItemTypeID</i> | Integer | Database - Item Table |
| Database - Location Table | <i>LocationID</i> | Integer | Database - Item Table |
| User | ItemName | Text | Database - Item Table |
| User | Value | Real | Database - Item Table |
| User | ItemQuantity | Integer | Database - Item Table |
| User | SubTotal | Real | Database - Item Table |
| User | OnLoan | Boolean | Database - Item Table |

| Source | Data | Data Type | Destination |
|---------------------------------|-----------------------|------------|------------------------------------|
| Generated | LoanListingID | Integer | Database - LoanListing Table |
| Database - Item Table | <i>ItemID</i> | Integer | Database - LoanListing Table |
| User | LoanQuantity | Integer | Database - LoanListing Table |
| - | - | - | - |
| Generated | CustomerLoanID | Integer | Database - Loan Table |
| Database - Customer Table | <i>CustomerID</i> | Integer | Database - Loan Table |
| User | LoanRate | Real | Database - Loan Table |
| User | LoanLength(Days) | Integer | Database - Loan Table |
| Calculated | LoanCost | Real | Database - Loan Table |
| - | - | - | - |
| Generated | CustomerID | Integer | Database - Cus- tomer Table |
| User | Forename | Text | Database - Cus- tomer Table |
| User | Lastname | Text | Database - Cus- tomer Table |
| User | Company | Text | Database - Cus- tomer Table |
| User | Street | Text | Database - Cus- tomer Table |
| User | Town | Text | Database - Cus- tomer Table |
| User | County | Text | Database - Cus- tomer Table |
| User | PostCode | Text | Database - Cus- tomer Table |
| User | MobileNumber | Text | Database - Cus- tomer Table |
| User | LandLine | Text 16 | Database - Cus- tomer Table |
| User | Email | Text | Database - Cus- tomer Table |

| Source | Data | Data Type | Destination |
|----------------------------------|--------------------|-----------|-------------------------------|
| Generated | ItemTestID | Integer | Database - ItemTest Table |
| Database - PATtest Records | <i>PATtestID</i> | Integer | Database - ItemTest Table |
| User | ItemDescription | Text | Database - ItemTest Table |
| User | ItemClass | Integer | Database - ItemTest Table |
| User | FuseRating | Text | Database - ItemTest Table |
| User | TestUsed | Text | Database - ItemTest Table |
| User | ProtectiveCondTest | Integer | Database - ItemTest Table |
| User | InsulationTest | Text | Database - ItemTest Table |
| User | Leakage | Float | Database - ItemTest Table |
| User | TestResult | Boolean | Database - ItemTest Table |
| - | - | - | - |
| Generated | PATtestID | Integer | Database - PAT- test Table |
| User | TestDate | Date | Database - PAT- test Table |

Data flow diagram

Figure 1.11: Flow Diagram Key.



Figure 1.12: Enter New Item.




Figure 1.13: Enter New Item.

Data dictionary

Data dictionary

| Name | Data Type | Length | Validation | Example Data | Comment |
|------------|-----------|-----------------|------------|---------------|---|
| ItemTypeID | Integer | 1-435 | Range | 253 | This is the Primary Key for the ItemType class, and foreign key for the Item class |
| ItemType | Text | 5-40 Characters | Length | Arkaos Server | This holds the description of each type of Item. |
| LocationID | Integer | 1-3 Figures | Range | 1,300 | This is the Primary Key for the Location class and a <i>Foreign Key</i> for the Item class |
| Location | Text | 1-30 Characters | Length | Main Offices | This holds the name of the locations |

| Name | Data Type | Length | Validation | Example Data | Comment |
|--------------|-----------|-----------------|--------------|---------------|---|
| ItemID | Integer | 1-435 | Range | 253 | This is the Primary Key for the Item class, and foreign key for the Loan and PATtest classes |
| ItemName | Text | 5-40 Characters | Length | Arkaos Server | This gives the name of each item entered |
| Value | Real | 2-5 Figures | Range | 1,300 | This holds the data for the monetary value for each item |
| ItemQuantity | Integer | 0-100 | Range | 35 | This holds the data for the number of each item owned |
| SubTotal | Real | 2-8 Figures | Range | 250 | This is calculated for each item by multiplying the value by the quantity |
| OnLoan | Boolean | True/False | Status Check | True | This holds the data of whether an item is on loan or not. Will be displayed as "Yes" or "No" |

| Name | Data Type | Length | Validation | Example Data | Comment |
|-----------------|-----------|--------------|------------|--------------|--|
| LoanListingID | Integer | 1-435 | Range | 56 | This is the Primary Key for the LoanListing class |
| ListingQuantity | Integer | 1-35 | Range | 4 | This holds the data for how many of an item has been loaned out |
| CustomerLoanID | Integer | 1-435 | Range | 21 | This is the Primary Key for the Loan class |
| LoanRate | Real | 1-5 Figures | Range | 75 | Holds data for how much is charged per day for the loan of an item |
| LoanLength | Integer | 1-3 Figures | Range | 7 | Holds the data for the length of the loan |
| LoanCost | Real | 1-4 Integers | Range | 250 | Holds the data for the amount to charge before the loan |

| Name | Data Type | Length | Validation | Example Data | Comment |
|--------------|-----------|-------------------|------------|------------------------|---|
| CustomerID | Integer | 1-255 | Range | 52 | This is the Primary Key for the Customer class |
| Forename | Text | 3-20 Characters | Length | John | A field for the customers forename |
| Lastname | Text | 3-20 Characters | Length | Smith | A field for the customers surname |
| Company | Text | 3-20 Characters | Length | Digital Lighting Cambs | A field for the company's name |
| Street | Text | 3-30 Characters | Length | 129 Cedar Crescent | A field for the company's Street address |
| Town | Text | 3-30 Characters | Length | Sawston | A field for the company's Town |
| County | Text | 3-20 Characters | Length | Cambs | A field for the company's County |
| PostCode | Text | 6-7 Characters | Format | CB22 7RX | A field for the company's Postcode |
| MobileNumber | Text | 11 Characters | Format | 07891234567 | A field for the customers mobile number |
| LandLine | Text | 11 Characters | Format | 01234567890 | A field for the customers landline phone |
| Email | Text | 7 - 30 Characters | Length | john.smith@example.com | A field for the customers email address |

| Name | Data Type | Length | Validation | Example Data | Comment |
|--------------------|-----------|------------------|----------------|---------------------|---|
| ItemTestID | Integer | 1-255 | Range | 52 | This is the Primary Key for the ItemTest class |
| ItemDescription | Text | 3-400 Characters | Length | Waltham portable TV | A field that describes the item to be tested |
| ItemClass | Integer | 1 Character | Length | 2 | A field to show what class of electrical equipment the item is |
| FuseRating | Text | 1-3 Characters | Length | 5A | A field which displays the fuse rating |
| TestUsed | Text | 1-10 Characters | Length | II | A field to show what test was used on the item |
| ProtectiveCondTest | Float | 4 Characters | Length | - | A field displaying the resistance of an item, in Ohms, to a 200mA current |
| InsulationTest | Text | 3 Characters | Length | 20 | A field displaying the Insulation of an item, in Ohms, to a 250V or 500V Potential Difference |
| Leakage | Float | 4 Characters | Format | 0.03 | A field that shows the current not obtained by the item, in milliamperes |
| TestResult | Boolean | - | Presence Check | True | A field to show if an item Passed or not |

| Name | Data Type | Length | Validation | Example Data | Comment |
|-----------|-----------|---------------|------------|--------------|--|
| PATtestID | Integer | 1-255 | Range | 52 | This is the Primary Key for the PATtest class |
| TestDate | Date | 10 Characters | Format | 01/12/2014 | A field that displays the date of the PAT test |

Volumetrics

I have chosen to start off with only 20 Item Records along with 20 Loan Records and 20 PAT Test Records. In total there will be 60 Records. I have chosen this number of records as my Client and I had previously agreed that this would be a suitable number of records to start with in order for him to get used to the system and train up other colleagues to know how to use it also. This can be increased as time goes by.

The Item Records Database, Loan Records Database and the PAT Test Records Database will store 18 fields of combined data. Each field should take up 1KB of hard disk space. With this the required initial storage space will be:

$$18\text{KB} * 60 = 1080\text{KB}$$

$$1080\text{KB} / 1024 = 1.05\text{MB}$$

If the rest of database management system took up 28MB, the client would need 19.05MB of space for 60 records, with 18 fields of data

1.2 Objectives

1.2.1 General Objectives

- Easily understandable layout and structure for records.
- Data is easy to enter and edit
- Viewing of records is structured and well presented

1.2.2 Specific Objectives

Record viewing:

- Clear labels for data attributes.
- Next and Previous record buttons.
- Edit button so data cannot be changed accidentally.
- Submit button to save data changes (if any) to the current record.

- First and Last record buttons to jump to respective record.

Data input:

- Data fields become editable
- Drop down selection for location selection
- Changes saved immediately after editing has finished (i.e. submit button pressed)

Data output:

- Print button and functionality
- Export records to PDF
- Print/Export a batch of records to PDF
- Email notifications when new item is entered into database or an item is updated, the details and who entered/updated.

1.2.3 Core Objectives

- Viewing of Item/Loan/PAT-test Records
- Item/Loan/PAT-test data input
- Item/Loan/PAT-test data editing
- Sending of Loan Invoices

1.2.4 Other Objectives

- Generating and exporting of quote sheets to PDF
- Generating and exporting of invoices to PDF
- Printing and Exporting records to PDF
- Enable Full screen application on OS X

1.3 ER Diagrams and Descriptions

1.3.1 ER Diagram



Figure 1.14: Loan Item ER Diagrams.



Figure 1.15: PAT Test ER Diagrams.

1.3.2 Entity Descriptions

ItemType(ItemTypeID, ItemType)

Location(LocationID, Location)

Item(ItemID, *ItemTypeID*, *LocationID*, Name, Location, Value, ItemQuantity, SubTotal, OnLoan,)

LoanListing(LoanListingID, *ItemID*, ListingQuantity)

Loan(LoanID, *CustomerID*, LoanRate, LoanLength, LoanCost)

Customer(CustomerID, Forename, Lastname, Company, Street, Town, County, PostCode, MobileNumber, LandLine, Email)

PATtest(PATtestID, TestDate)

ItemTest(ItemTestID, *PATTestID*, ItemDescription, ItemClass, FuseRating, TestUsed, ProtectiveCondTest, InsulationTest, Leakage, TestResult)

1.4 Object Analysis

1.4.1 Object Listing

- Client
- Item
- Location

1.4.2 Relationship diagrams



Figure 1.16: Relationship Diagram.

1.4.3 Class definitions

| Label |
|-----------|
| Attribute |
| Method |

Figure 1.17: Class Diagram Key.




Figure 1.18: Class Diagrams.

1.5 Other Abstractions and Graphs

1.6 Constraints

1.6.1 Hardware

Presently, Josh uses a custom built, 2008 MacPro Desktop Computer. This is primarily used as a file server for images, audio and video files as well as a backup for his current work desktop. My system will need to be compatible with this system.

Computer Specifications:

- 2x 2.8 GHz Quad-Core Intel®Xeon™Processor
- ATI Radeon HD 2600 XT 256MB Graphics Card
- 661-4449 Apple Mac Pro A1186 Motherboard
- 16.00GB DDR3 RAM
- 1TB SATA Disk-Drive
- 6TB RAID Storage
- Apple SuperDrive
- 15" LG E1942 LCD Display. 1280 x 720 pixels

The proposed system should have little to no impact on this machine as the processing power and memory that can be dissipated by the computer, greatly exceeds the requirements for the proposed system.

One other constraint of the computer to be used is that it is a desktop computer. This means that the system is only accessible where Josh chooses to have the computer based in his place of work, as the computer is not portable. In addition to this, the computer requires a constant supply of power in order to operate as there is not internal battery.

One other constraint of the computer to be used is that it is a desktop computer. This means that the system is only accessible where Josh chooses to have the computer based in his place of work, as the computer is not

portable. In addition to this, the computer requires a constant supply of power in order to operate as there is not internal battery.

1.6.2 Software

Josh has told me that he is able to adapt to the software that is required to run the system. The current operating system in place is Apples OSX 10.8 (Mountain Lion). Josh wishes to update the software sometime in the near future to OSX 10.9 (Mavericks) and possibly update to OSX 10.10 (Yosemite). This could prove to be constraint because OSX 10.10 (Yosemite) isn't yet fully supported by some applications.

1.6.3 Time

Josh has said that there is no deadline requirement for the proposed system to be in place and doesn't need it until I have finished implementing it. The only deadline I need to meet is the project deadline set by my Computing course leader. This is Friday 13th February 2014.

1.6.4 User Knowledge

Josh posses a qualification in A level Media studies as well as 2 years use of computers during his degree. He has substantial understanding of how to use computers as his job requires he uses one most of the time. Josh also has required knowledge of how to use many varieties of applications. He uses Adobe Creative Suite for most of his job as he designs various forms of media. He also has knowledge of Apple's Final Cut Pro application as well as many others.

When designing and implementing the proposed system, Josh's experience with computers will have to be considered. Josh tends to use the internet browser Google Chrome for all his web-browsing and research as well as a third party mail application called. By designing the system similarly to these applications, it should make it easier to understand how the system works and get used to using it a lot faster than it would if the system had a

primitive design.

There will also be a full manual included to aid Josh with learning and understanding the familiar interface, the functionality of the new system and how to use certain features.

1.6.5 Access restrictions

The proposed system is primarily to be accessed by Josh himself. However, he can see it being an advantage if other people had access to the system.

For this reason, we have agreed that having the database password protected is the best way for Josh to control who can access the data. He will be able to distribute the passwords to other colleagues who he feels should have access to the database management system. This reduces the risk of records being changed or deleted by people who shouldn't need to use the system.

1.7 Limitations

1.7.1 Areas which will not be included in computerisation

Initial buying of new items will not be included in the computerisation as this is still done either in person or over the world wide web. Similarly, initial sales of items will not be included in the computerisation, it will only be once the item has been bought/sold that the data will be updated to coincide with the quantity changes and/or addition to or deduction of equipment.

1.7.2 Areas considered for future computerisation

When a customer loans out equipment, Josh sends out an initial quote, either as an email format or on paper. This could be included in the system by selecting the items the customer wants to high out, and draft a quote form for Josh. Similarly, Josh sends out an emailed invoice to the client, he does this manually by hand. It would be advantageous to include this into the system, by generating an invoice based on the attributes in Loan Records

and export it as a PDF for email or printing. These could be implemented in addition to the current database design at the end, if I have enough time to learn and understand how to enter this functionality it into the system

1.8 Solutions

1.8.1 Alternative solutions

| Alternative solution | Advantages | Disadvantages |
|-----------------------|--|---|
| Custom made database | <ul style="list-style-type: none">• No need to install additional software, only a simple database management system such as "Microsoft Access" or "Filemaker". | <ul style="list-style-type: none">• Database management systems often cost a substantial amount of money for a license. |
| Web based application | <ul style="list-style-type: none">• Easily accessible by other users. Doesn't rely on one machine.• Can have 'Cloud based' storage of files.• More than one user can be logged on at a time. | <ul style="list-style-type: none">• Website or server hosting can be expensive.• More advanced security methods will be required due to the system being constantly online and therefore vulnerable to attack.• Better networking knowledge required to compensate for the security implications and risks. |

| Alternative solution | Advantages | Disadvantages |
|---------------------------------------|--|--|
| Terminal or Command based application | <ul style="list-style-type: none"> • More power efficient as it isn't graphics heavy, much easier to design as the interface is just text. • Fast efficient operation provided the client has knowledge of terminal and shell commands. | <ul style="list-style-type: none"> • Careful error handling needed as the user could enter any known/valid command. • Training is required so that the client knows what commands to use when. • There are often commands that the client don't know about that could potentially corrupt his computer. |
| Python desktop application with a GUI | <ul style="list-style-type: none"> • Designed and layout can be client specific. • Minimal error with radio buttons and other widgets. • Easy to understand layout as data can be formatted to fit the clients requirements. • Easy to visualise what is happening with graphs and tables. | <ul style="list-style-type: none"> • More time needed to build the interface and sql database compared to a command based application. • More resources needed from the computer for graphical visualisation and database storage • Programming the graphical interface could prove a difficult task. |

1.8.2 Justification of chosen solution

I have chosen to use the *'Python Desktop Application with a GUI'* solution.

These are my reasons:

- The application takes up no physical space apart from the computer it is installed on.
- I already have the required language knowledge needed to program a

database and a GUI in Python

- Using a custom made desktop application is faster for Josh to manage his inventory than the current spreadsheet based system.
- Backup can be made and data can be restored easily in the event of corruption or unresolvable data loss

Chapter 2

Design

2.1 Overall System Design

2.1.1 Short description of the main parts of the system

- Media Inventory Database
 - General Interface
 - Adding Records
 - Displaying Records
 - Searching Records
 - Editing Records
 - Deleting Records

General Interface

- The user will be presented with a box whereby he/she will enter a password. This password will be the same for all users who have access to the system.
- Once logged in, the user will be confronted with an interface consisting of a series of menu options. These options will be "Add Record", "Display Records", "Search Records", "Edit Record", "Delete Record" and "Change Password".

- When the "Change Password" button has been clicked, the user will be taking to a box where they will be required to enter the previous password, then enter a new password twice.
- Clicking on the "Add Record" button will take the user to an interface where they will be required to select the type of record they wish to enter.
 - Clicking the "Add Loan" button will present an interface to the user where they will have a choice of selecting an existing customer specific loan or creating a new customer specific loan.
 - Selecting the "Add PAT Test" button will present the user with an interface to choose a PAT test date or to create a new PAT test date.
- Clicking on the "Display Records" button will send the user to an interface where they will have to select the table from which table they wish to see the records.
- Clicking on the "Edit Records" button will send the user to an interface where they will have to select the table from which they want to edit a record.
- Clicking on the "Delete Records" button will send the user to an interface where they will have to select the table from which they wish to delete a record.

Adding Information

- The system will present the user with a drop down menu from which the user will have to choose an option for which to enter information. After selecting the option, the user will then be presented with a group of data to add to the new record. If any of these options require the user to enter data relating to another table within the database, they will be presented with a drop down menu and will be required to select an option before they record can be created.
- Once all the required data fields have been complete, the system will add a unique identifier to the record of information and save in to the database

Displaying Records

- The system will present the user with an interface with a drop down menu, where they will have to select the database table from which they want to view the data.
- Once the table has been selected, the user will then be presented with a view table that will display all the records within that database table. They can then choose to sort this information into ascending or descending order by selecting any row for which to sort it by.

Editing Records

- The system will bring up a user interface that will present a drop down menu where the user will have to select a database table from which they wish to edit a record.
- Once a table has been selected, the user will then be confronted with a user interface which will display all the records within that table and then prompt the user to select the record they would like to edit, by enter the unique identifier of this record.
- When the record has been selected, the user will be presented with an interface similar to the one where the user enters a new record, but the fields already contain the information. The user will then have to update which field of information to update.
- Once data has been updated and a "Done" button has been clicked, the user will then be asked to confirm the updates.
- When the updates have been confirmed, the system replace the old record with the new updated record.

Deleting Records

- The system will present the user with an interface containing a drop down menu where they will have to select a database table from which they wish to delete a record.
- After the database table has been selected, the user will be presented with a view table showing all the records within the database table. Underneath the view table will be a prompt, asking the user for the unique identifier of the record they wish to delete.

- When the user has selected the record they wish to delete, they will have to confirm this by entering the system password.
- The system will then remove the record from the database permanently.

2.1.2 System flowcharts showing an overview of the complete system




Figure 2.1: Main System Flowchart.



Figure 2.2: Add Records Flowchart.



Figure 2.3: Display Records Flowchart.



Figure 2.4: Search Records Flowchart.




Figure 2.5: Edit Records Flowchart.

Page 42



Figure 2.6: Delete Records Flowchart.

2.2 User Interface Designs

48




Figure 2.7: Login and Main Menu windows.

2.3 Hardware Specification

The hardware I am going to use are for a custom built Early 2008 Mac Pro. The specifications are as follows:

- 2x 2.8 GHz Quad-Core Intel®Xeon™Processor
- ATI Radeon HD 2600 XT 256MB Graphics Card
- 661-4449 Apple Mac Pro A1186 Motherboard
- 16.00GB DDR3 RAM
- 1TB SATA Disk-Drive
- 6TB RAID Storage
- Apple SuperDrive

I have schosen to build my system for this specification as this is the computer my client is going to run the application on, it is also a low cost choice of system spec to run on as the hardware has already been bought and is therefore ready and available to use.

2.4 Program Structure

2.4.1 Top-down design structure charts

2.4.2 Algorithms in pseudo-code for each data transformation process

2.4.3 Object Diagrams

2.4.4 Class Definitions

2.5 Prototyping

2.6 Definition of Data Requirements

2.6.1 Identification of all data input items

2.6.2 Identification of all data output items

2.6.3 Explanation of how data output items are generated

2.6.4 Data Dictionary

2.6.5 Identification of appropriate storage media

2.7 Database Design

2.7.1 Normalisation

ER Diagrams




Figure 2.8: ER Diagrams.

Entity Descriptions

Item(ItemID, *ItemTypeID*, *LocationID*, Name, Location, Value, ItemQuantity, SubTotal, OnLoan)

ItemType(ItemTypeID, ItemType)

Location(LocationID, Location)

LoanListing(LoanListingID, *ItemID*, *LoanID*, LoanQuantity)

Loan(LoanID, *CustomerID*, *LoanListingID*)

UNF to 3NF

| Un-Normalised Form(UNF) |
|--------------------------------|
| <u>ItemID</u> |
| ItemName |
| ItemType |
| ItemLocation |
| Value |
| ItemQuantity |
| SubTotal |
| OnLoan |
| LoanListingID |
| LoanQuantity |
| LoanID |
| LoanRate |
| LoanLength |
| LoanCost |
| CustomerID |
| Forename |
| Lastname |
| Company |
| Street |
| Town |
| PostCode |
| MobileNumber |
| LandLine |
| Email |
| PATtestID |
| TestResult |
| TestDate |
| ItemDescription |
| ItemClass |
| FuseRating |
| TestUsed |
| ProtectiveCondTest |
| InsulationTest |
| Leakage |

| First-Normalised Form(1NF) | |
|----------------------------|----------------------|
| Non-Repeating | Repeating |
| <u>ItemID</u> | <u>LoanListingID</u> |
| ItemName | <i>ItemID</i> |
| Value | LoanQuantity |
| ItemQuantity | LoanID |
| SubTotalValue | LoanRate |
| OnLoan | LoanLength |
| ItemType | LoanCost |
| ItemLocation | Location |
| | ItemType |
| | CustomerID |
| | Forename |
| | Lastname |
| | Company |
| | Street |
| | Town |
| | PostCode |
| | MobileNumber |
| | Landline |
| | Email |
| | PATtestID |
| | TestDate |
| | ItemDescription |
| | ItemClass |
| | FuseRating |
| | TestUsed |
| | ProtectiveCondTest |
| | InsulationTest |
| | Leakage |
| | TestResult |

| Second-Normalised Form(2NF) | |
|-----------------------------|----------------------|
| Non-Repeating | Repeating |
| <u>ItemID</u> | <u>LoanListingID</u> |
| <i>ItemTypeID</i> | <i>ItemID</i> |
| <i>ItemLocationID</i> | LoanQuantity |
| ItemName | LoanID |
| Value | LoanRate |
| ItemQuantity | LoanLength |
| SubTotalValue | LoanCost |
| OnLoan | PATtestID |
| | TestDate |
| | ItemDescription |
| | ItemClass |
| | FuseRating |
| | TestUsed |
| | ProtectiveCondTest |
| | InsulationTest |
| | Leakage |
| | TestResult |
| | CustomerID |
| | Forename |
| | Surname |
| | Company |
| | Street |
| | Town |
| | PostCode |
| | MobileNumber |
| | Landline |
| | Email |
| | Location |
| | ItemType |

| Third-Normalised Form(3NF) | |
|----------------------------|----------------------|
| Non-Repeating | Repeating |
| <u>ItemID</u> | <u>LoanListingID</u> |
| <i>ItemTypeID</i> | <i>ItemID</i> |
| <i>ItemLocationID</i> | LoanQuantity |
| ItemName | <u>LoanID</u> |
| Value | LoanRate |
| ItemQuantity | LoanLength |
| SubTotalValue | LoanCost |
| OnLoan | <u>ItemTestID</u> |
| | <i>ItemID</i> |
| | TestResult |
| | <u>PATtestID</u> |
| | TestDate |
| | ItemDescription |
| | ItemClass |
| | FuseRating |
| | TestUsed |
| | ProtectiveCondTest |
| | InsulationTest |
| | Leakage |
| | <u>CustomerID</u> |
| | Forename |
| | Surname |
| | Company |
| | Street |
| | Town |
| | PostCode |
| | MobileNumber |
| | Landline |
| | Email |

2.8 Security and Integrity of the System and Data

2.8.1 Security and Integrity of Data

2.8.2 System Security

2.9 Validation

2.10 Testing

2.10.1 Outline Plan

| Test Series | Purpose of Test Series | Testing Strategy | Strategy Rationale |
|-------------|------------------------|------------------|--------------------|
| Example | Example | Example | Example |

2.10.2 Detailed Plan

| Test Series | Purpose of Test | Test Description | Test Data | Test Data Type (Normal/Erroneous/Boundary) | Expected Result | Actual Result | Evidence |
|-------------|-----------------|------------------|-----------|--|-----------------|---------------|----------|
| Example | Example | Example | Example | Example | Example | Example | Example |

Chapter 3

Testing

3.1 Test Plan

3.1.1 Original Outline Plan

| Test Series | Purpose of Test Series | Testing Strategy | Strategy Rationale |
|-------------|------------------------|------------------|--------------------|
| Example | Example | Example | Example |

3.1.2 Changes to Outline Plan

| Test Series | Purpose of Test Series | Testing Strategy | Strategy Rationale |
|-------------|------------------------|------------------|--------------------|
| Example | Example | Example | Example |

3.1.3 Original Detailed Plan

| Test Series | Purpose of Test | Test Description | Test Data | Test Data Type (Normal/Erroneous/Boundary) | Expected Result | Actual Result | Evidence |
|-------------|-----------------|------------------|-----------|--|-----------------|---------------|----------|
| Example | Example | Example | Example | Example | Example | Example | Example |

3.1.4 Changes to Detailed Plan

| Test Series | Purpose of Test | Test Description | Test Data | Test Data Type (Normal/Erroneous/Boundary) | Expected Result | Actual Result | Evidence |
|-------------|-----------------|------------------|-----------|--|-----------------|---------------|----------|
| Example | Example | Example | Example | Example | Example | Example | Example |

3.2 Test Data

3.2.1 Original Test Data

3.2.2 Changes to Test Data

3.3 Annotated Samples

3.3.1 Actual Results

3.3.2 Evidence

3.4 Evaluation

3.4.1 Approach to Testing

3.4.2 Problems Encountered

3.4.3 Strengths of Testing

3.4.4 Weaknesses of Testing

3.4.5 Reliability of Application

3.4.6 Robustness of Application

Chapter 4

System Maintenance

4.1 Environment

4.1.1 Software

4.1.2 Usage Explanation

4.1.3 Features Used

4.2 System Overview

4.2.1 System Component

4.3 Code Structure

4.3.1 Particular Code Section

4.4 Variable Listing

4.5 System Evidence

4.5.1 User Interface

4.5.2 ER Diagram 65

4.5.3 Database Table Views

4.5.4 Database SQL

4.5.5 SQL Query

4.10.1 Module 1

Chapter 5

User Manual

5.1 Introduction

5.2 Installation

5.2.1 Prerequisite Installation

Installing Python

Installing PyQt

Etc.

5.2.2 System Installation

5.2.3 Running the System

5.3 Tutorial

5.3.1 Introduction

5.3.2 Assumptions

5.3.3 Tutorial Questions

Question 1

68

Question 2

5.3.4 Saving

5.3.5 Finishing

Chapter 6

Evaluation

6.1 Customer Requirements

6.1.1 Objective Evaluation

6.2 Effectiveness

6.2.1 Objective Evaluation

6.3 Learnability

6.4 Usability

6.5 Maintainability

6.6 Suggestions for Improvement

6.7 End User Evidence

6.7.1 Questionnaires

6.7.2 Graphs

70

6.7.3 Written Statements