# X100/303

NATIONAL QUALIFICATIONS 2007 TUESDAY, 15 MAY 10.30 AM - 12.00 NOON MATHEMATICS HIGHER Units 1, 2 and 3 Paper 2

### **Read Carefully**

- 1 Calculators may be used in this paper.
- 2 Full credit will be given only where the solution contains appropriate working.
- 3 Answers obtained by readings from scale drawings will not receive any credit.





#### FORMULAE LIST

#### Circle:

The equation  $x^2 + y^2 + 2gx + 2fy + c = 0$  represents a circle centre (-g, -f) and radius  $\sqrt{g^2 + f^2 - c}$ . The equation  $(x - a)^2 + (y - b)^2 = r^2$  represents a circle centre (a, b) and radius r.

**Scalar Product:**  $a.b = |a| |b| \cos \theta$ , where  $\theta$  is the angle between a and b

or 
$$\boldsymbol{a}.\boldsymbol{b} = a_1b_1 + a_2b_2 + a_3b_3$$
 where  $\boldsymbol{a} = \begin{pmatrix} a_1 \\ a_2 \\ a_3 \end{pmatrix}$  and  $\boldsymbol{b} = \begin{pmatrix} b_1 \\ b_2 \\ b_3 \end{pmatrix}$ .

**Trigonometric formulae:**  $\sin (A \pm B) = \sin A \cos B \pm \cos A \sin B$ 

$$\cos (A \pm B) = \cos A \cos B \mp \sin A \sin B$$

$$\sin 2A = 2\sin A \cos A$$

$$\cos 2A = \cos^2 A - \sin^2 A$$

$$= 2\cos^2 A - 1$$

$$= 1 - 2\sin^2 A$$

Table of standard derivatives:

f(x)	f'(x)
$\sin ax$	$a\cos ax$
$\cos ax$	$-a\sin ax$

Table of standard integrals:

$$f(x) \qquad \int f(x) dx$$

$$\sin ax \qquad -\frac{1}{a}\cos ax + C$$

$$\cos ax \qquad \frac{1}{a}\sin ax + C$$


## ALL questions should be attempted.

Marks

1. OABCDEFG is a cube with side 2 units, as shown in the diagram.

B has coordinates (2, 2, 0).

P is the centre of face OCGD and Q is the centre of face CBFG.



(a) Write down the coordinates of G.

2

(b) Find  $\boldsymbol{p}$  and  $\boldsymbol{q}$ , the position vectors of points P and Q.


\_

1

(c) Find the size of angle POQ.

5

**2.** The diagram shows two right-angled triangles with angles *c* and *d* marked as shown.



(a) Find the exact value of  $\sin(c + d)$ .

4

- (b) (i) Find the exact value of  $\sin 2c$ .
  - (ii) Show that  $\cos 2d$  has the same exact value.

4


3. Show that the line with equation y = 6 - 2x is a tangent to the circle with equation  $x^2 + y^2 + 6x - 4y - 7 = 0$  and find the coordinates of the point of contact of the tangent and the circle.

6

3

3


**4.** The diagram shows part of the graph of a function whose equation is of the form  $y = a\sin(bx^\circ) + c$ .



- (a) Write down the values of a, b and c.
- (b) Determine the exact value of the *x*-coordinate of P, the point where the graph intersects the *x*-axis as shown in the diagram.

[Turn over

**5.** A circle centre C is situated so that it touches the parabola with equation  $y = \frac{1}{2}x^2 - 8x + 34$  at P and Q.



(a) The gradient of the tangent to the parabola at Q is 4. Find the coordinates of Q.

5

(b) Find the coordinates of P.

2


(c) Find the coordinates of C, the centre of the circle.

2

5

**6.** A householder has a garden in the shape of a right-angled isosceles triangle.

It is intended to put down a section of rectangular wooden decking at the side of the house, as shown in the diagram.



- (a) (i) Find the exact value of ST.
  - (ii) Given that the breadth of the decking is x metres, show that the area of the decking, A square metres, is given by

$$A = \left(10\sqrt{2}\right)x - 2x^2.$$

- (b) Find the dimensions of the decking which maximises its area.
- 7. Find the value of  $\int_0^2 \sin(4x+1) dx$ .
- 8. The curve with equation  $y = \log_3(x 1) 2.2$ , where x > 1, cuts the x-axis at the point (a, 0).

Find the value of a.

2


2

**9.** The diagram shows the graph of  $y = a^x$ , a > 1.

On separate diagrams, sketch the graphs of:




(b) 
$$y = a^{1-x}$$
.



10. The diagram shows the graphs of a cubic function y = f(x) and its derived function y = f'(x).

Both graphs pass through the point (0, 6).

The graph of y = f'(x) also passes through the points (2, 0) and (4, 0).



- (a) Given that f'(x) is of the form k(x-a)(x-b):
  - (i) write down the values of a and b;
  - (ii) find the value of k.

3

- (b) Find the equation of the graph of the cubic function y = f(x).
- 4

- **11.** Two variables x and y satisfy the equation  $y = 3 \times 4^x$ .
  - (a) Find the value of a if (a, 6) lies on the graph with equation  $y = 3 \times 4^x$ .
- 1

(b) If  $(-\frac{1}{2}, b)$  also lies on the graph, find b.

- 1
- (c) A graph is drawn of  $\log_{10} y$  against x. Show that its equation will be of the form  $\log_{10} y = Px + Q$  and state the gradient of this line.
  - the **4**

 $[END\ OF\ QUESTION\ PAPER]$