OUTPUT:

ember-keyboard

Multiple key combos using ember-keyboard

```
<div class="student-container">
    <div class="search-dlt-cont">
        <span>Student List</span>
        <div class="search-cd-cont">
            <div class="search-cont">
                <i class="fa-solid fa-magnifying-glass"></i></i>
                <input type="text" id="search" placeholder="Search here..."</pre>
{{on "keyup" this.handleSearch}}>
            </div>
            <button {{on "click" this.bulkDelete}} class="btn-cd dlt"</pre>
{{on-key 'Delete' this.bulkDelete}}>
               class="fa-regular fa-trash-can"></i> Delete Selected
            <LinkTo @route="students.add" class="btn-cd add" {{on-key 'alt+a'</pre>
this.addStud}}>
                <i class="fa-solid fa-user-plus"></i> Add Student
            </LinkTo>
        </div>
    </div>
    <StudentList @students={{this.students.filteredStudents}}</pre>
@deleteRow={{this.deleteRow}} @editRow={{this.editRow}}
        @updateSelection={{this.updateSelection}}
@toggleSelectAll={{this.toggleSelectAll}}}
        @selectAll={{this.selectAll}} />
</div>
```

```
<div id="formCont" {{on-key 'Enter' this.handleEnter}}
{{on-key 'Escape' @closeForm}}>
  <h5>{{if this.isEditing "Edit Student" "Add New Student"}}</h5>
  <span id="close-btn" {{on "click" @closeForm}}>
    <i class="fa-solid fa-xmark"></i></span>
```

Ember-truth helpers

```
{{#if (and @students (gt @students.length 0))}}
   <VerticalCollection</pre>
     @estimateHeight={{50}}
     @items={{@students}}
     @key="reg"
     @containerSelector=".table-container"
     as |student|
     <input type="checkbox" />
       {{student.reg}}
       {{student.name}}
       {{student.dept}}
       {{join-array student.skills ", "}}
       {{student.clg}}
         <button class="btn-ed edit" type="button" {{on "click" (fn @editRow</pre>
student.reg)}}>
          <i class="fa-solid fa-pen-to-square"></i></i>
         </button>
         <button class="btn-ed delete" type="button" {{on "click" (fn</pre>
@deleteRow student.reg)}}>
          <i class="fa-solid fa-trash"></i></i>
         </button>
       </VerticalCollection>
 {{else}}
   No students found
   {{/if}}
<div class="{{if (or (eq this.currentRoute 'students.add') (eq</pre>
this.currentRoute 'students.edit')) 'full-screen-outlet' ''}}">
   {{liquid-outlet}}
</div>
```

Ember-click-outside

index.html

```
<!DOCTYPE html>
<html>
 <head>
  <meta charset="utf-8">
  <title>Ember-Student-List</title>
  <meta name="description" content="">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  {{content-for "head"}}
  <link integrity="" rel="stylesheet" href="{{rootURL}}assets/vendor.css">
  <link integrity="" rel="stylesheet" href="{{rootURL}}assets/ember-student-list.css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/6.7.2/css/all.min.css" integrity="sha512-
Evv84Mr4kqVGRNSgIGL/F/aIDqQb7xQ2vcrdIwxfjThSH8CSR7PBEakCr51Ck+w+/U6swU2Im1v
VX0SVk9ABhg==" crossorigin="anonymous" referrerpolicy="no-referrer" />
  k rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css">
  {{content-for "head-footer"}}
 </head>
```

```
<body>
{{content-for "body"}}

<script src="{{rootURL}}assets/vendor.js"></script>
<script src="{{rootURL}}assets/ember-student-list.js"></script>
{{content-for "body-footer"}}
</body>
</html>
```

templates/application.hbs

```
{{outlet}}
<BasicDropdownWormhole />
```

templates/students.hbs

```
{{#each this.flashMessages.queue as |flash|}}

<FlashMessage @flash={{flash}} @messageStyle='bootstrap' />

{{/each}}

<div class="{{if (or (eq this.currentRoute 'students.add') (eq this.currentRoute 'students.edit')) 'full-screen-outlet' "}}">

{{liquid-outlet}}

</div>

<div class="student-container">

<div class="student-container">

<div class="search-dlt-cont">

<span>Student List</span>
```

```
<div class="search-cd-cont">
      <div class="search-cont">
        <i class="fa-solid fa-magnifying-glass"></i>
        <input type="text" id="search" placeholder="Search here..." {{on "keyup"
this.handleSearch}}>
      </div>
      <button {{on "click" this.bulkDelete}} class="btn-cd dlt" {{on-key 'Delete'
this.bulkDelete}}>
        <i class="fa-regular fa-trash-can"></i> Delete Selected
      </button>
      <LinkTo @route="students.add" class="btn-cd add" {{on-key 'alt+a' this.addStud}}>
        <i class="fa-solid fa-user-plus"></i> Add Student
      </LinkTo>
    </div>
  </div>
  <StudentList @students={{this.students.filteredStudents}} @deleteRow={{this.deleteRow}}
@editRow={{this.editRow}}
    @updateSelection={{this.updateSelection}} @toggleSelectAll={{this.toggleSelectAll}}
    @selectAll={{this.selectAll}} />
</div>
templates/students/add.hbs
<div {{on-click-outside this.closeForm}}>
  <StudentForm @addRow={{this.addRow}} @closeForm={{this.closeForm}} />
</div>
templates/students/edit.hbs
<div {{on-click-outside this.closeForm}}>
```

```
<StudentForm @editStudent={{this.model}} @students={{this.students.students}}
@saveStudent={{this.saveStudent}}
    @updateStudents={{this.updateStudents}} @closeForm={{this.closeForm}} />
</div>
```

services/students.js

```
import Service from '@ember/service';
import { tracked } from '@glimmer/tracking';
export default class StudentsService extends Service {
  @tracked students = [
    { name: "Aakash", reg: 962821205001, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"React"] },
    { name: "Abishek", reg: 962821205002, dept: "IT", clg: "UCEN", skills: ["Spring Boot",
"Flutter"] },
    { name: "Ajay", reg: 962821205003, dept: "CSE", clg: "UCEN", skills: ["Spring Boot",
"MySQL"] },
    { name: "Arun", reg: 962821205004, dept: "IT", clg: "UCEN", skills: ["React", "Spring
Boot"] },
    { name: "Aswin", reg: 962821205005, dept: "IT", clg: "UCEN", skills: ["Node.js",
"MySQL"] },
    { name: "Bala", reg: 962821205006, dept: "CSE", clg: "UCEN", skills: ["CSS", "Node.js"] },
    { name: "Bhavesh", reg: 962821205007, dept: "IT", clg: "UCEN", skills: ["Flutter", "Spring"]
Boot"] },
    { name: "Charan", reg: 962821205008, dept: "CSE", clg: "UCEN", skills: ["CSS", "MySQL"]
},
    { name: "Deepak", reg: 962821205009, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"Spring Boot"] },
    { name: "Dev", reg: 962821205010, dept: "IT", clg: "UCEN", skills: ["React", "HTML"] },
```

```
{ name: "Dinesh", reg: 962821205011, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"HTML"] },
    { name: "Ethan", reg: 962821205012, dept: "CSE", clg: "UCEN", skills: ["Node.js",
"JavaScript"] },
    { name: "Elavarasan", reg: 962821205013, dept: "IT", clg: "UCEN", skills: ["HTML",
"React"] },
    { name: "Faiz", reg: 962821205014, dept: "IT", clg: "UCEN", skills: ["Spring Boot", "CSS"]
},
    { name: "Gokul", reg: 962821205015, dept: "CSE", clg: "UCEN", skills: ["MySQL",
"Flutter"] },
    { name: "Guhan", reg: 962821205016, dept: "CSE", clg: "UCEN", skills: ["Flutter",
"React"] },
    { name: "Hari", reg: 962821205017, dept: "CSE", clg: "UCEN", skills: ["CSS", "HTML"] },
    { name: "Harish", reg: 962821205018, dept: "IT", clg: "UCEN", skills: ["Node.js", "CSS"] },
    { name: "Harsha", reg: 962821205019, dept: "IT", clg: "UCEN", skills: ["MySQL", "HTML"]
},
    { name: "Imran", reg: 962821205020, dept: "CSE", clg: "UCEN", skills: ["Node.is",
"JavaScript"] },
    { name: "Irfan", reg: 962821205021, dept: "CSE", clg: "UCEN", skills: ["Spring Boot",
"JavaScript"] },
    { name: "Jagan", reg: 962821205022, dept: "IT", clg: "UCEN", skills: ["React", "Spring
Boot"]},
    { name: "Jeeva", reg: 962821205023, dept: "IT", clg: "UCEN", skills: ["HTML", "Node.js"]
},
    { name: "Karthik", reg: 962821205024, dept: "IT", clg: "UCEN", skills: ["Flutter", "React"]
},
    { name: "Keerthi", reg: 962821205025, dept: "IT", clg: "UCEN", skills: ["React", "CSS"] },
    { name: "Kiran", reg: 962821205026, dept: "IT", clg: "UCEN", skills: ["CSS", "Flutter"] },
    { name: "Kavin", reg: 962821205027, dept: "CSE", clg: "UCEN", skills: ["Spring Boot",
"React"] },
    { name: "Lalith", reg: 962821205028, dept: "CSE", clg: "UCEN", skills: ["HTML",
"MySQL"] },
```

```
{ name: "Lokesh", reg: 962821205029, dept: "CSE", clg: "UCEN", skills: ["Flutter",
"MySQL"] },
    { name: "Manoj", reg: 962821205030, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"React"] },
    { name: "Muhamad", reg: 962821205031, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"React"] },
    { name: "Naveen", reg: 962821205032, dept: "CSE", clg: "UCEN", skills: ["Spring Boot",
"Node.js"] },
    { name: "Nithin", reg: 962821205033, dept: "IT", clg: "UCEN", skills: ["Node.js", "CSS"] },
    { name: "Omprakash", reg: 962821205034, dept: "IT", clg: "UCEN", skills: ["CSS",
"HTML"] },
    { name: "Pranav", reg: 962821205035, dept: "CSE", clg: "UCEN", skills: ["MySQL",
"JavaScript"] },
    { name: "Praveen", reg: 962821205036, dept: "CSE", clg: "UCEN", skills: ["MySQL",
"HTML"] },
    { name: "Raj", reg: 962821205037, dept: "IT", clg: "UCEN", skills: ["React", "Flutter"] },
    { name: "Ragul", reg: 962821205038, dept: "IT", clg: "UCEN", skills: ["Node.is", "Flutter"]
},
    { name: "Ruban", reg: 962821205039, dept: "CSE", clg: "UCEN", skills: ["HTML", "CSS"] },
    { name: "Sanjay", reg: 962821205040, dept: "IT", clg: "UCEN", skills: ["Node.js", "Spring"
Boot"] },
    { name: "Sathish", reg: 962821205041, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"Node.js"] },
    { name: "Suriya", reg: 962821205042, dept: "IT", clg: "UCEN", skills: ["HTML",
"JavaScript"] },
    { name: "Surya", reg: 962821205043, dept: "CSE", clg: "UCEN", skills: ["React", "Flutter"]
},
    { name: "Tharun", reg: 962821205044, dept: "CSE", clg: "UCEN", skills: ["HTML", "CSS"]
},
    { name: "Udhay", reg: 962821205045, dept: "IT", clg: "UCEN", skills: ["JavaScript",
"MySQL"] },
    { name: "Venkatesh", reg: 962821205046, dept: "CSE", clg: "UCEN", skills: ["React",
"Flutter"] },
```

```
{ name: "Vijay", reg: 962821205047, dept: "IT", clg: "UCEN", skills: ["Flutter", "MySQL"]
},
    { name: "Vimal", reg: 962821205048, dept: "CSE", clg: "UCEN", skills: ["React", "CSS"] },
    { name: "Yogesh", reg: 962821205049, dept: "IT", clg: "UCEN", skills: ["Spring Boot",
"CSS"] },
    { name: "Zaid", reg: 962821205050, dept: "CSE", clg: "UCEN", skills: ["Node.js", "HTML"]
},
   ];
  @tracked filteredStudents = this.students;
  addStudent(student) {
    this.students = [...this.students, student];
    this.filteredStudents = this.students;
  }
  searchStudents(query) {
    query = query.toLowerCase();
    this.filteredStudents = this.students.filter(student => {
      const reg = student.reg ? student.reg.toString().toLowerCase() : ";
      return student.name.toLowerCase().includes(query) ||
         reg.includes(query) ||
         student.dept.toLowerCase().includes(query) | |
         student.clg.toLowerCase().includes(query);
    });
  }
}
```

```
routes/students.js
```

```
import Route from '@ember/routing/route';
export default class StudentsRoute extends Route {}
```

routes/students/add.js

```
import Route from '@ember/routing/route';
import { inject as service } from '@ember/service';
export default class StudentsAddRoute extends Route {
    @service students;
    model() {
        return { students:this.students.students, newStudent: { name: ", reg: ", dept: ", clg: " } };
    }
}
```

routes/students/edit.js

```
import Route from '@ember/routing/route';
import { inject as service } from '@ember/service';
export default class StudentsEditRoute extends Route {
    @service students;
    model(params) {
      return this.students.students.find(student => student.reg == Number(params.reg));
    }
}
```

controllers/students.js

```
import Controller from '@ember/controller';
import { action } from '@ember/object';
import { tracked } from '@glimmer/tracking';
import { service } from '@ember/service';
import { task, timeout } from 'ember-concurrency';
export default class StudentsController extends Controller {
  @service router;
  @service students;
  @service flashMessages;
  @tracked isFormVisible = false;
  @tracked editStudent = null;
  @tracked selectAll = false;
  get currentRoute() {
    return this.router.currentRouteName;
 }
  @action addStud() {
    this.router.transitionTo('students.add');
 }
  @action toggleSelectAll(event) {
    this.selectAll = event.target.checked;
    let checkboxes = document.querySelectorAll("#table input[type='checkbox']");
    checkboxes.forEach(checkbox => {
```

```
checkbox.checked = this.selectAll;
    });
  }
  @task
  *searchTable(event) {
    let input = event.target.value.toLowerCase();
    yield timeout(300);
    this.students.searchStudents(input);
  }
  @action handleSearch(event) {
    this.searchTable.perform(event);
  }
  @action bulkDelete() {
    let checkboxes = document.querySelectorAll("#table input[type='checkbox']:checked");
    if (!checkboxes.length) {
      this.flashMessages.warning('Select one or more rows to bulk delete', { timeout: 2000
});
      return;
    }
    let selectedRegs = Array.from(checkboxes).map(checkbox => {
      let row = checkbox.closest("tr");
      return row.cells[1].textContent.trim();
    });
```

```
this.students.filteredStudents = this.students.filteredStudents.filter(
      student => !selectedRegs.includes(String(student.reg)));
    this.selectAll = false;
    checkboxes.forEach(checkbox => checkbox.checked = false);
    this.flashMessages.success('Selected students deleted successfully', { timeout: 2000 });
  }
  @action deleteRow(reg) {
    this.students.filteredStudents = this.students.filteredStudents.filter(student =>
student.reg !== reg);
  }
  @action editRow(reg) {
    this.editStudent = this.students.filteredStudents.find(student => student.reg === reg);
    this.router.transitionTo('students.edit', reg);
  }
}
controllers/students/add.js
import Controller from '@ember/controller';
import { service } from '@ember/service';
import { action } from '@ember/object';
export default class StudentsAddController extends Controller {
  @service router;
```

```
@service students;
  @service flashMessages;
  @action addRow(student) {
    this.students.addStudent(student);
    this.router.transitionTo('students');
    this.flashMessages.success("Student added succcessfully!");
  }
  @action closeForm() {
    this.router.transitionTo('students');
  }
}
controllers/students/edit.js
import Controller from '@ember/controller';
import { service } from '@ember/service';
import { action } from '@ember/object';
export default class StudentsEditController extends Controller {
  @service router;
  @service students;
  @service flashMessages;
  @action updateStudents(updatedStudents) {
    this.students.filteredStudents = updatedStudents;
```

this.router.transitionTo('students');

```
this.flashMessages.success("Student updated succcessfully!");
}
@action closeForm() {
   this.router.transitionTo('students');
}
```

components/student-form.hbs

```
<div id="formCont" {{on-key 'Enter' this.handleEnter}} {{on-key 'Escape' @closeForm}}>
 <h5>{{if this.isEditing "Edit Student" "Add New Student"}}</h5>
 <span id="close-btn" {{on "click" @closeForm}}>
  <i class="fa-solid fa-xmark"></i>
 </span>
 <label for="name">Name</label>
 <input id="name" type="text" value={{this.name}} {{on "input" this.updateName}}</pre>
placeholder="Enter Name">
 <label for="reg">Registration Number</label>
 <input id="reg" type="number" value={{this.reg}} {{on "input" this.updateReg}}</pre>
placeholder="Enter Reg No">
 <label for="clg">College</label>
 <input id="clg" type="text" value={{this.clg}} {{on "input" this.updateClg}}
placeholder="Enter College">
```

```
<label for="dept">Department</label>
<PowerSelect
 @options={{this.departments}}
 @selected={{this.dept}}
 @searchEnabled={{true}}
 @onChange={{this.updateDept}}
 @placeholder="Select dept..."
 @triggerId="dept" as |department|>
{{department}}
</PowerSelect>
<label for="skills">Skills</label>
<PowerSelectMultiple
 @options={{this.skills}}
 @selected={{this.selectedSkills}}
 @searchEnabled={{true}}
 @onChange={{this.updateSkills}}
 @placeholder="Select skills..."
 @triggerId="skills" as |skill|>
{{skill}}
</PowerSelectMultiple>
<div class="decision">
 <button class="btn-cd cancel" type="button" {{on "click" @closeForm}}>Cancel</button>
 <button class="btn-cd uc" type="button" {{on "click" this.saveStudent}}>
 {{if this.isEditing "Update" "Create"}}
 </button>
```

```
</div>
```

components/student-list.hbs

```
<div class="table-container">
 <thead>
     <input type="checkbox" {{on "change" @toggleSelectAll}}</pre>
checked={{@selectAII}} />
      Reg No
      Name
      Department
      Skills
      College
      Action
     </thead>
   {{#if (and @students (gt @students.length 0))}}
 <VerticalCollection
  @estimateHeight={{60}}
  @items={{@students}}
  @key="reg"
  @containerSelector=".table-container"
  as |student|
```

```
<input type="checkbox" />
   {{student.reg}}
   {{student.name}}
   {{student.dept}}
   {{join-array student.skills ", "}}
   {{student.clg}}
   <button class="btn-ed edit" type="button" {{on "click" (fn @editRow student.reg)}}>
    <i class="fa-solid fa-pen-to-square"></i>
    </button>
    <button class="btn-ed delete" type="button" {{on "click" (fn @deleteRow
student.reg)}}>
    <i class="fa-solid fa-trash"></i>
    </button>
   </VerticalCollection>
{{else}}
 No students found
 {{/if}}
</div>
```

components/student-form.js

```
import Component from '@glimmer/component';
import { action } from '@ember/object';
import { tracked } from '@glimmer/tracking';
import { service } from '@ember/service';
export default class StudentFormComponent extends Component {
  @service flashMessages;
  @tracked name = this.args.editStudent?.name | | ";
  @tracked reg = this.args.editStudent?.reg || ";
  @tracked selectedSkills = this.args.editStudent?.skills | | [];
  @tracked dept = this.args.editStudent?.dept || null;
  @tracked clg = this.args.editStudent?.clg | | ";
  @tracked isEditing = !!this.args.editStudent;
  skills = ['JavaScript', 'React', 'Spring Boot', 'Flutter', 'MySQL', 'Node.js', 'CSS', 'HTML'];
  @action updateSkills(selected) {
    this.selectedSkills = selected;
    console.log(this.selectedSkills);
  }
  departments = ['IT', 'CSE', 'ECE', 'MECH'];
  @action updateDept(selectedDept) {
    this.dept = selectedDept;
  }
  @action updateName(event) {
```

```
this.name = event.target.value;
  }
  @action updateReg(event) {
    this.reg = event.target.value;
  }
  @action updateClg(event) {
    this.clg = event.target.value;
  }
  @action saveStudent() {
    if (!this.name | | !this.reg | | !this.dept | | !this.clg | | this.selectedSkills.length === 0) {
      this.flashMessages.warning("Fill all the details");
      return;
    }
    if (this.isEditing) {
      let updatedStudents = this.args.students.map(student =>
         student.reg === this.reg
           ? { ...student, name: this.name, dept: this.dept, skills: this.selectedSkills, clg:
this.clg }
           : student
      );
      this.args.updateStudents(updatedStudents);
    } else {
```

```
this.args.addRow({
         name: this.name,
         reg: this.reg,
         dept: this.dept,
         skills: this.selectedSkills,
         clg: this.clg
      });
    }
    this.args.closeForm();
  }
  @action
  handleEnter(event) {
    event.preventDefault();
    if (event.key === "Enter") {
      this.saveStudent();
    }
  }
}
styles/app.css
/* Ember supports plain CSS out of the box. More info:
https://cli.emberjs.com/release/advanced-use/stylesheets/ */
body {
```

```
display: flex;
  justify-content: center;
  align-items: center;
  flex-direction: column;
  height: 100vh;
  font-family: Arial, Helvetica, sans-serif;
}
.flash-message {
  text-align: center;
  min-width: 250px !important;
  border-radius: 10px !important;
  padding: 0.5rem !important;
  z-index: 1050;
  position: fixed !important;
  top: 1rem;
  right: 2rem;
  opacity: 1;
  animation: bounceIn 0.6s ease-out, fadeOut 0.5s ease-in 2s forwards;
 }
 @keyframes bounceIn {
  0% {
   transform: scale(0.5);
   opacity: 0;
  }
  60% {
   transform: scale(1.1);
```

```
opacity: 1;
  }
  100% {
   transform: scale(1);
   opacity: 1;
  }
 @keyframes fadeOut {
  to {
   opacity: 0;
   transform: translateY(-20px);
  }
.student-container {
  display: flex;
  align-items: center;
  flex-direction: column;
  border: 1px solid #dddddd;
  border-radius: 10px;
  height: 80vh;
  width: 80%;
}
.full-screen-outlet {
  position: fixed;
  top: 0;
```

```
left: 0;
  height: 100%;
  width: 100%;
  background: linear-gradient(to bottom, rgba(50, 50, 50, 0.7), rgba(45, 45, 45, 0.3));
  z-index: 1000;
}
#formCont {
  display: flex;
  flex-direction: column;
  gap: 0.5rem;
  left: 35%;
  background-color: #fff;
  padding: 2.5rem;
  border-radius: 10px;
  width: 30%;
  z-index: 2000;
  position: relative;
  margin: 4% 0;
}
label {
  font-weight: 600;
  color: #444;
  margin: 0.3rem 0;
}
input {
```

```
padding: 0.5rem 1rem;
  border: 1px solid #c3c3c3;
  border-radius: 5px;
  background-color: #fff;
  outline: none;
  height: 35px;
}
input:focus {
  border: 1px solid #868686;
}
input[type="checkbox"] {
  cursor: pointer;
  height: auto;
}
.search-dlt-cont span {
  font-size: 24px;
  font-weight: 700;
}
.table-container {
  overflow: auto;
  width: 100%;
  box-shadow: 3px 2px 10px #d3d3d3;
  background: white;
  border: 1px solid #e4e4e4;
```

```
scrollbar-width: thin;
  margin: 0.5rem 0;
}
.table-container tr {
  height: auto;
  min-height: 40px;
}
table {
  background-color: #fff;
  border-radius: 10px;
  border-collapse: collapse;
  color: #3e3e3e;
  width: 100%;
  min-width: 1400px;
  table-layout: fixed;
}
thead {
  position: sticky;
  top: 0;
  background-color: #f8f9fa;
  color: #343a40;
  z-index: 10;
  text-align: center;
  font-size: 14px;
}
```

```
tbody {
  overflow-y: auto;
  width: 100%;
  scrollbar-width: thin;
  background-color: #ffffff;
  color: #555555;
  font-weight: 600;
}
tr th {
  padding: 0.5rem;
}
table tr {
  border-bottom: 1px solid #eeeded;
}
tr:hover {
  background-color: #f5f5f5;
}
td {
  padding: 0.8rem;
  font-size: 14px;
  text-align: center;
  word-wrap: break-word;
}
```

```
th:first-child {
  background-color: #f8f9f8;
}
td:first-child {
  background-color: #ffffff;
}
th:first-child,
td:first-child {
  position: sticky;
  left: 0;
  top: 0;
  z-index: 5;
  width: 100px;
}
th:first-child::after,
td:first-child::after {
  content: "";
  position: absolute;
  top: 0;
  right: -5px;
  width: 5px;
  height: 100%;
  background: linear-gradient(to right, rgba(0, 0, 0, 0.05), transparent);
  pointer-events: none;
```

```
}
.btn-cd {
  padding: 0.5rem 0.8rem;
  border-radius: 5px;
  border: none;
  background-color: #4f8091;
  color: white;
  cursor: pointer;
  font-size: 14px;
  margin-left: 10px;
  text-decoration: none;
}
.btn-cd i {
  font-size: 12px;
  margin-right: 5px;
}
.cancel,
.uc {
  margin: 1rem 0;
}
.add {
  background: linear-gradient(135deg, #4f8091, #2b5a68);
}
```

```
.dlt {
  background: linear-gradient(135deg, #e37272, #c94b4b);
}
.cancel {
  background-color: white;
  color: black;
  border: 1px solid #c8c8c8;
}
.btn-ed {
  background: transparent;
  border: none;
  cursor: pointer;
  margin: 0 0.3rem;
}
.btn-ed i {
  font-size: 14px;
}
.delete {
  color: #d84949;
}
.edit {
  color: #535353;
}
```

```
button i {
  font-size: 12px;
}
.decision {
  display: flex;
  width: 100%;
  gap: 1rem;
}
.decision button {
  width: 100%;
}
#close-btn {
  cursor: pointer;
  position: absolute;
  top: 2rem;
  right: 2rem;
  color: #3e3e3e;
  font-size: 20px;
}
.title-cont {
  display: flex;
  justify-content: center;
  align-items: center;
```

```
}
.search-dlt-cont {
  width: 95%;
  display: flex;
  justify-content: space-between;
  align-items: center;
  margin: 1rem;
  gap: 1rem;
}
#search {
  padding: 5px 0;
  border: none;
  width: 100%;
}
.search-cont {
  display: flex;
  align-items: center;
  border: 1px solid #ccc;
  width: 40%;
  color: #878787;
  padding: 0 1rem;
  border-radius: 5px;
}
.search-cont i {
```

```
font-size: 14px;
  margin-right: 10px;
}
.search-cd-cont {
  display: flex;
  justify-content: flex-end;
  width: 70%;
}
```

package.json

```
"ember-auto-import": "^2.10.0'
"ember-cli": "~5.9.0",
"ember-cli-app-version": "^7.6
```

```
"ember-source": "~5.9.0",
```