

Qvestioo 4: •

itiali2ation)

addi \$to, \$200, 5 # s (R-bit) init in \$to

addi \$ti \$2er0, 20 # \$t, = 20 ()

addi sta, \$2es, -I # \$ta = -I

Loop?

beq \$b\$tas #if (i ") ,czit laop

Load x[r-1) from RAM

adclt # tz = -1

SLl \$t, \$t3, 2 # ty t3X4

Rw

adc \$,Gs, \$ty #add boe addhoM xc

(et
-(o 0_- 2

|w \$t3: o(\$t4)#oad xC(-3 \$ts

Loodl (t0

S SL 2 time is eual

SLl \$ts #, 2 #te IX 4

we calclate

dcld. 5te, \$te S2 #ddd babe adde

addsba t t)

lw \$t c(5tc # Loac YCJ \$t,

YLJ|aaslie cnd ten

ohile loadrng
Cwe give Oadlre

mal \$t, \$to, bt

already
done hot

in e tetton am

|doig he oTher mal
in oyeh affetaoes

t xCi-3+ s* YC)

Store fta at wCi+)

oJdi t3, \$t, 1 # t3=i

sul 3t, \$t3, 2 se ty4

add stg,so,sty tt add hase cdehey WC

t# i>(-

+ jump back O loop Proedwre

#i;½2cuk

Exdi # Ez t from code

find-max':

lw tto, 0(%60) #SSoS bay-address) t lala
F he 44 'index, let t be xCo)
to = xCoJ, asinig sto as mat
\$e/ = =|.

loop:

bge \$t>%S, Ezit # \$S=sie if (iy_{size}) eit
SLL\$, \$, 32 fet - if4
\$tusftsC S) t sty-N(74- (oaded from mem.
be \$t ,4to, els&#f_xli] L max i
else

mar - ci)

Else:

Exit:

move St, # movin \$16(\$ra) to rdtun ualae
reide

jr Sra

which redrect fonton to man eontert

main:

thitIALIZation 4 vayiabey

hd-nax # colng fanion fron main

QUotion 2:

inita vaue gver in ausstion follacwd in belbw cods

F# i;1/2lock glocat

#see ai;1/2h XC]adres in faek

addi \$S, \$a,)-1 # \$Si= Sugh: i;1/2Z-1 Sa=size

bge # (le> rit exl
\$ta.

add # add base addss XC)

\$to, 0C6t2) # \$to =teny = [le

sL sts, Si,2

add add bax addhcs q XL

Lw

stoop logic

Now:fto XCles)
swap to 713 to F

move \$t,\$o *swap logic
ove to jt
nhoue Gt

soe 03Ha in mernes
Sw , cC\$h)#dhne dato valae
Sw t# The rejste

addi \$\$ soBss,I
addi qs,\$s

loof t loop repeat

Exit:

}ao,oC\$p) restoe bae adehes
ass XC 1 from slack
adde tt dellocate <tael

jr \$ra

Since The function is 0aid cwe dont h we to retm
but we CCUn al notwen ba addhem Bao xC JI

That we (an access he fell asay te