

HATiAD

Muhammad Ahamd

FA23-BCE-13

ASSIC,NMENT-01

$$a) \quad t) \cos /t +_4$$

2

hear

doe, t eket oh Risd

Priodie Signal

$$X(4)=\sinh \frac{27}{3}4$$

2743

T-3

$$\begin{aligned} (c) \quad & \neq \cos(\quad + \sin \\ & T_{21} [\end{aligned}$$

$$T = 2T$$

$$T \; 3$$

$$T, \; = \; 6$$

$$\text{Funeleimentol}_{\text{Pehiael}} \quad k \; T$$

$$T \; (8) = \; _T \; (6)$$

$$\begin{aligned} K = & 69) \; 84) \\ & 87 \quad \text{uiodhe} \quad \text{had} \end{aligned}$$

$$) \quad t) \; \cos t) \; + \sin Vz \; t)$$

$$T_{22}T$$

$$K = T_{21}$$

$$k = a \text{ Aeriadic gnal}$$

$$le_{zln}] = \cos \frac{1}{3} Cn^t \sin T_n$$

$$21$$

$$12K_{T43}$$

$$Tz$$

$$K = Tr_3$$

$$Ke4T_3,$$

$Y(t) = (t) \cos \omega t$
a memayless:

$4 \cos(0) \ddot{x} \frac{1}{2} \cos \omega t, a$

)
(-) -- (0 sda

System Ohy depend h present
value 4 inpt So he
is memosuyles

(6) Ceen ali

Syslon is couyal

mmemosuy less So k y.

define On present Voue

input

c) ie es

$$y_{ct1} = \frac{x}{X} \left(\right) \cos w, t \quad (\cos w, t$$

s

$$4) - a4t)_{td} y \left(\right. \\ 4 a_i \quad (\cos aot + a^2 t)_{ocuat}$$

RHS

$$(f) \cos t(at)te.xtt \\ t) > 0, t \cos uttattUsast$$

$$S - i; \frac{1}{2}HS$$

So, (he **cyemy** lineas

d) time-invasient:

LHS

$$tt) \quad xCt-t) \quad o\text{saet}$$

S:

$$owolt-t)$$

eHs

So sylem is inVaient

(e)staler

letz(t)) =

So

4t y | stable

3:

0(1-t) (-f+1)

ut)

2

3

$$u(t) = u_C t -)$$

$$Z(t) \times l_{uct} - vt -)$$

$$(C) \quad t)_{6/t-} \quad)$$