

LAB #05

Spectral Analysis of a random signal using MATLAB



Fall 2023

CSE-402L Digital Signal Processing Lab

Submitted by: MUHAMMAD SADEEQ

Registration No.: 21PWCSE2028

Section: C

“On my honor, as a student of the University of Engineering and Technology, I have neither given nor received unauthorized assistance on this academic work”

Submitted to:

Dr. Yasir Saleem Afridi

(26 Nov 2023)

Department of Computer systems engineering
University of Engineering and Technology,
Peshawar

Task 1

Code:


```
% Set the sampling frequency
fs = 1000; % Hz

% Create a time vector from 0 to 0.25 seconds with steps of 1 millisecond
t = 0:1/fs:0.25; % seconds

% Create a signal, x, containing sine waves at 50 Hz and 120 Hz
x = sin(2*pi*50*t) + sin(2*pi*120*t); % volts

% Plot the signal
plot(t,x)
xlabel('Time (s)')
ylabel('Voltage (V)')
title('Signal with sine waves at 50 Hz and 120 Hz')
```

Output:



Task 2

Code:


```
% Set the standard deviation of the noise
sigma = 2; % volts

% Generate a random noise vector with the same size as t
noise = sigma * randn(size(t)); % volts

% Add the noise to the signal x to get the noisy signal y
y = x + noise; % volts

% Plot the noisy signal y
plot(t,y)
xlabel('Time (s)')
ylabel('Voltage (V)')
title('Noisy signal with sine waves at 50 Hz and 120 Hz')
```

Output:



Task 3


Code:

```
% Set the number of points for the DFT
N = 251; % samples

% Compute the DFT of the noisy signal y using the fft function
Y = fft(y,N); % volts

% Plot the magnitude spectrum of the DFT
f = (0:N-1) * fs / N; % frequency vector in Hz
plot(f,abs(Y))
xlabel('Frequency (Hz)')
ylabel('Magnitude (V)')
title('Magnitude spectrum of the noisy signal y')
```

Output:



Task 4


Code:

```
% Compute the PSD of the noisy signal y using the CONJ function
Pyy = Y.*conj(Y)/N; % power per frequency in V^2/Hz

% Form a frequency axis for the first 127 points
f = fs/N * (0:127); % frequency vector in Hz

% Plot the PSD of the noisy signal y
plot(f,Pyy(1:128))
xlabel('Frequency (Hz)')
ylabel('Power (V^2/Hz)')
title('Power spectral density of the noisy signal y')
```

Output:




Task 5

Code:

```
figure;  
plot(f, Pyy(1:128), 'b'); % PSD using complex conjugate  
hold on;  
plot(w, 10*log10(Pyy2), 'r--'); % PSD using periodogram  
hold off;  
xlabel('Frequency (Hz)');  
ylabel('Power (V^2/Hz)');  
title('Power spectral density of the noisy signal y');  
legend('Complex conjugate', 'Periodogram');
```

Output:



Task 6

Code:

```
% Set the frequency limit
fmax = 200; % Hz

% Find the index of the frequency vector that corresponds to the limit
imax = find(f <= fmax, 1, 'last');

% Plot the PSD of the noisy signal y up to 200 Hz
plot(f(1:imax), Pyy(1:imax))
xlabel('Frequency (Hz)')
ylabel('Power (V^2/Hz)')
title('Power spectral density of the noisy signal y up to 200 Hz')
```

Output:

