

```
In [1]: import pandas as pd  
import numpy as np  
import matplotlib.pyplot as plt  
import seaborn as sns
```

```
In [2]: df=pd.read_csv("17_student_marks.csv")  
df
```

Out[2]:

	Student_ID	Test_1	Test_2	Test_3	Test_4	Test_5	Test_6	Test_7	Test_8	Test_9	Test_10	Test_11	Te
0	22000	78	87	91	91	88	98	94	100	100	100	100	
1	22001	79	71	81	72	73	68	59	69	59	60	61	
2	22002	66	65	70	74	78	86	87	96	88	82	90	
3	22003	60	58	54	61	54	57	64	62	72	63	72	
4	22004	99	95	96	93	97	89	92	98	91	98	95	
5	22005	41	36	35	28	35	36	27	26	19	22	27	
6	22006	47	50	47	57	62	64	71	75	85	87	85	
7	22007	84	74	70	68	58	59	56	56	64	70	67	
8	22008	74	64	58	57	53	51	47	45	42	43	34	
9	22009	87	81	73	74	71	63	53	45	39	43	46	
10	22010	40	34	37	33	31	35	39	38	40	48	44	
11	22011	91	84	78	74	76	80	80	73	75	71	79	
12	22012	81	83	93	88	89	90	99	99	95	85	75	
13	22013	52	50	42	38	33	30	28	22	12	20	19	
14	22014	63	67	65	74	80	86	95	96	92	83	75	
15	22015	76	82	88	94	85	76	70	60	50	58	49	
16	22016	83	78	71	71	77	72	66	75	66	61	61	
17	22017	55	45	43	38	43	35	44	37	45	37	45	
18	22018	71	67	76	74	64	61	57	64	61	51	51	
19	22019	62	61	53	49	54	59	68	74	65	55	60	
20	22020	44	38	36	34	26	34	39	44	36	45	35	
21	22021	50	56	53	46	41	38	47	39	44	36	43	
22	22022	57	48	40	45	43	36	26	19	9	12	22	
23	22023	59	56	52	44	50	40	45	46	54	57	52	
24	22024	84	92	89	80	90	80	84	74	68	73	81	
25	22025	74	80	86	87	90	100	95	87	85	79	85	
26	22026	92	84	74	83	93	83	75	82	81	73	70	
27	22027	63	70	74	65	64	55	61	58	48	46	46	
28	22028	78	77	69	76	78	74	67	69	78	68	65	
29	22029	55	58	59	67	71	62	53	61	67	76	75	
30	22030	54	54	48	38	35	45	46	47	41	37	30	
31	22031	84	93	97	89	86	95	100	100	100	99	100	
32	22032	95	100	94	100	98	99	100	90	80	84	75	
33	22033	64	61	63	73	63	68	64	58	50	51	56	
34	22034	76	79	73	77	83	86	95	89	90	95	100	
35	22035	78	71	61	55	54	48	41	32	41	40	48	
36	22036	95	89	91	84	89	94	85	91	100	100	100	
37	22037	99	89	79	87	87	81	82	74	64	54	51	

	Student_ID	Test_1	Test_2	Test_3	Test_4	Test_5	Test_6	Test_7	Test_8	Test_9	Test_10	Test_11	Te
38	22038	82	83	85	86	89	80	88	95	87	93	90	
39	22039	65	56	64	62	58	51	61	68	70	70	63	
40	22040	100	93	92	86	84	76	82	74	79	72	79	
41	22041	78	72	73	79	81	73	71	77	83	92	97	
42	22042	98	100	100	93	94	92	100	100	98	94	97	
43	22043	58	62	67	77	71	63	64	73	83	76	86	
44	22044	96	92	94	100	99	95	98	92	84	84	84	
45	22045	86	87	85	84	85	91	86	82	85	87	84	
46	22046	48	55	46	40	34	29	37	34	39	41	31	
47	22047	56	52	54	47	40	35	43	44	40	39	47	
48	22048	42	44	46	53	62	59	57	53	43	35	37	
49	22049	64	54	49	59	54	55	57	59	63	73	78	
50	22050	50	44	37	29	37	46	53	57	55	61	64	
51	22051	70	60	70	62	67	67	68	67	72	69	64	
52	22052	63	73	70	63	60	67	61	59	52	58	56	
53	22053	92	100	100	100	100	100	92	87	94	100	94	
54	22054	64	55	54	61	63	57	47	37	44	48	54	
55	22055	60	66	68	58	49	47	39	29	39	44	39	

In [3]: df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 56 entries, 0 to 55
Data columns (total 13 columns):
#   Column      Non-Null Count  Dtype
---  -
0   Student_ID  56 non-null    int64
1   Test_1      56 non-null    int64
2   Test_2      56 non-null    int64
3   Test_3      56 non-null    int64
4   Test_4      56 non-null    int64
5   Test_5      56 non-null    int64
6   Test_6      56 non-null    int64
7   Test_7      56 non-null    int64
8   Test_8      56 non-null    int64
9   Test_9      56 non-null    int64
10  Test_10     56 non-null    int64
11  Test_11     56 non-null    int64
12  Test_12     56 non-null    int64
dtypes: int64(13)
memory usage: 5.8 KB
```


```
In [4]: df.describe()
```

Out[4]:

	Student_ID	Test_1	Test_2	Test_3	Test_4	Test_5	Test_6	Test_7
count	56.000000	56.000000	56.000000	56.000000	56.000000	56.000000	56.000000	56.000000
mean	22027.500000	70.750000	69.196429	68.089286	67.446429	67.303571	66.000000	66.160714
std	16.309506	17.009356	17.712266	18.838333	19.807179	20.746890	21.054043	21.427914
min	22000.000000	40.000000	34.000000	35.000000	28.000000	26.000000	29.000000	26.000000
25%	22013.750000	57.750000	55.750000	53.000000	54.500000	53.750000	50.250000	47.000000
50%	22027.500000	70.500000	68.500000	70.000000	71.500000	69.000000	65.500000	64.000000
75%	22041.250000	84.000000	83.250000	85.000000	84.000000	85.250000	83.750000	85.250000
max	22055.000000	100.000000	100.000000	100.000000	100.000000	100.000000	100.000000	100.000000


```
In [5]: sns.pairplot(df)
```

```
Out[5]: <seaborn.axisgrid.PairGrid at 0x20815f0a9d0>
```



```
In [6]: sns.displot(df['Test_12'])
```

```
Out[6]: <seaborn.axisgrid.FacetGrid at 0x2081bf16730>
```



```
In [7]: df1=df.drop(['Student_ID'],axis=1)  
df1
```




Out[7]:

	Test_1	Test_2	Test_3	Test_4	Test_5	Test_6	Test_7	Test_8	Test_9	Test_10	Test_11	Test_12
0	78	87	91	91	88	98	94	100	100	100	100	93
1	79	71	81	72	73	68	59	69	59	60	61	67
2	66	65	70	74	78	86	87	96	88	82	90	86
3	60	58	54	61	54	57	64	62	72	63	72	76
4	99	95	96	93	97	89	92	98	91	98	95	88
5	41	36	35	28	35	36	27	26	19	22	27	31
6	47	50	47	57	62	64	71	75	85	87	85	89
7	84	74	70	68	58	59	56	56	64	70	67	59
8	74	64	58	57	53	51	47	45	42	43	34	24
9	87	81	73	74	71	63	53	45	39	43	46	38
10	40	34	37	33	31	35	39	38	40	48	44	50
11	91	84	78	74	76	80	80	73	75	71	79	70
12	81	83	93	88	89	90	99	99	95	85	75	84
13	52	50	42	38	33	30	28	22	12	20	19	20
14	63	67	65	74	80	86	95	96	92	83	75	81
15	76	82	88	94	85	76	70	60	50	58	49	59
16	83	78	71	71	77	72	66	75	66	61	61	66
17	55	45	43	38	43	35	44	37	45	37	45	54
18	71	67	76	74	64	61	57	64	61	51	51	58
19	62	61	53	49	54	59	68	74	65	55	60	61
20	44	38	36	34	26	34	39	44	36	45	35	44
21	50	56	53	46	41	38	47	39	44	36	43	46
22	57	48	40	45	43	36	26	19	9	12	22	27
23	59	56	52	44	50	40	45	46	54	57	52	47
24	84	92	89	80	90	80	84	74	68	73	81	74
25	74	80	86	87	90	100	95	87	85	79	85	88
26	92	84	74	83	93	83	75	82	81	73	70	73
27	63	70	74	65	64	55	61	58	48	46	46	51
28	78	77	69	76	78	74	67	69	78	68	65	68
29	55	58	59	67	71	62	53	61	67	76	75	70
30	54	54	48	38	35	45	46	47	41	37	30	25
31	84	93	97	89	86	95	100	100	100	99	100	100
32	95	100	94	100	98	99	100	90	80	84	75	80
33	64	61	63	73	63	68	64	58	50	51	56	64
34	76	79	73	77	83	86	95	89	90	95	100	100
35	78	71	61	55	54	48	41	32	41	40	48	38
36	95	89	91	84	89	94	85	91	100	100	100	92
37	99	89	79	87	87	81	82	74	64	54	51	50

	Test_1	Test_2	Test_3	Test_4	Test_5	Test_6	Test_7	Test_8	Test_9	Test_10	Test_11	Test_12
38	82	83	85	86	89	80	88	95	87	93	90	89
39	65	56	64	62	58	51	61	68	70	70	63	73
40	100	93	92	86	84	76	82	74	79	72	79	85
41	78	72	73	79	81	73	71	77	83	92	97	99
42	98	100	100	93	94	92	100	100	98	94	97	100
43	58	62	67	77	71	63	64	73	83	76	86	91
44	96	92	94	100	99	95	98	92	84	84	84	91
45	86	87	85	84	85	91	86	82	85	87	84	83
46	48	55	46	40	34	29	37	34	39	41	31	40
47	56	52	54	47	40	35	43	44	40	39	47	43
48	42	44	46	53	62	59	57	53	43	35	37	43
49	64	54	49	59	54	55	57	59	63	73	78	88
50	50	44	37	29	37	46	53	57	55	61	64	68
51	70	60	70	62	67	67	68	67	72	69	64	65
52	63	73	70	63	60	67	61	59	52	58	56	46
53	92	100	100	100	100	100	92	87	94	100	94	98
54	64	55	54	61	63	57	47	37	44	48	54	54
55	60	66	68	58	49	47	39	29	39	44	39	45

In [8]: `sns.heatmap(df1.corr())`

Out[8]: <AxesSubplot:>



In [9]: `from sklearn.model_selection import train_test_split`  
`from sklearn.linear_model import LinearRegression`

```
In [10]: y=df['Test_12']  
x=df1.drop(['Test_12'],axis=1)  
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.3)  
print(x_train)
```

	Test_1	Test_2	Test_3	Test_4	Test_5	Test_6	Test_7	Test_8	Test_9	\
18	71	67	76	74	64	61	57	64	61	
29	55	58	59	67	71	62	53	61	67	
7	84	74	70	68	58	59	56	56	64	
1	79	71	81	72	73	68	59	69	59	
39	65	56	64	62	58	51	61	68	70	
34	76	79	73	77	83	86	95	89	90	
41	78	72	73	79	81	73	71	77	83	
15	76	82	88	94	85	76	70	60	50	
16	83	78	71	71	77	72	66	75	66	
19	62	61	53	49	54	59	68	74	65	
21	50	56	53	46	41	38	47	39	44	
10	40	34	37	33	31	35	39	38	40	
49	64	54	49	59	54	55	57	59	63	
26	92	84	74	83	93	83	75	82	81	
53	92	100	100	100	100	100	92	87	94	
42	98	100	100	93	94	92	100	100	98	
48	42	44	46	53	62	59	57	53	43	
0	78	87	91	91	88	98	94	100	100	
32	95	100	94	100	98	99	100	90	80	
17	55	45	43	38	43	35	44	37	45	
47	56	52	54	47	40	35	43	44	40	
52	63	73	70	63	60	67	61	59	52	
38	82	83	85	86	89	80	88	95	87	
37	99	89	79	87	87	81	82	74	64	
55	60	66	68	58	49	47	39	29	39	
54	64	55	54	61	63	57	47	37	44	
2	66	65	70	74	78	86	87	96	88	
51	70	60	70	62	67	67	68	67	72	
23	59	56	52	44	50	40	45	46	54	
46	48	55	46	40	34	29	37	34	39	
40	100	93	92	86	84	76	82	74	79	
25	74	80	86	87	90	100	95	87	85	
28	78	77	69	76	78	74	67	69	78	
13	52	50	42	38	33	30	28	22	12	
22	57	48	40	45	43	36	26	19	9	
6	47	50	47	57	62	64	71	75	85	
30	54	54	48	38	35	45	46	47	41	
36	95	89	91	84	89	94	85	91	100	
9	87	81	73	74	71	63	53	45	39	

	Test_10	Test_11
18	51	51
29	76	75
7	70	67
1	60	61
39	70	63
34	95	100
41	92	97
15	58	49
16	61	61
19	55	60
21	36	43
10	48	44
49	73	78
26	73	70
53	100	94
42	94	97
48	35	37
0	100	100
32	84	75

17	37	45
47	39	47
52	58	56
38	93	90
37	54	51
55	44	39
54	48	54
2	82	90
51	69	64
23	57	52
46	41	31
40	72	79
25	79	85
28	68	65
13	20	19
22	12	22
6	87	85
30	37	30
36	100	100
9	43	46

```
In [11]: model=LinearRegression()
model.fit(x_train,y_train)
model.intercept_
```

```
Out[11]: 5.6040087055494325
```


```
In [12]: coeff=pd.DataFrame(model.coef_,x.columns,columns=["Coefficient"])
coeff
```

```
Out[12]:
```

	Coefficient
Test_1	0.004721
Test_2	-0.364389
Test_3	0.006931
Test_4	0.431207
Test_5	0.141337
Test_6	-0.484374
Test_7	0.406537
Test_8	-0.194767
Test_9	0.214479
Test_10	-0.028789
Test_11	0.806927

```
In [13]: prediction=model.predict(x_test)
plt.scatter(y_test,prediction)
```

```
Out[13]: <matplotlib.collections.PathCollection at 0x2081fe5a130>
```



```
In [14]: model.score(x_test,y_test)
```

```
Out[14]: 0.933328456603787
```

```
In [15]: from sklearn.linear_model import Ridge,Lasso
```

```
In [16]: rr = Ridge(alpha=10)
rr.fit(x_train,y_train)
```

```
Out[16]: Ridge(alpha=10)
```

```
In [17]: rr.score(x_test,y_test)
```

```
Out[17]: 0.9339458759829211
```

```
In [18]: la = Lasso(alpha=10)
la.fit(x_train,y_train)
```

```
Out[18]: Lasso(alpha=10)
```

```
In [19]: la.score(x_test,y_test)
```

```
Out[19]: 0.9118038939366082
```

```
In [20]: from sklearn.linear_model import ElasticNet
en=ElasticNet()
en.fit(x_train,y_train)
print(en.coef_)
print(en.intercept_)
print(en.predict(x_test))
print(en.score(x_test,y_test))
from sklearn import metrics
print("Mean Absolute Error:",metrics.mean_absolute_error(y_test,prediction))
print("Mean Squared Error:",metrics.mean_squared_error(y_test,prediction))
print("Root Mean Squared Error:",np.sqrt(metrics.mean_squared_error(y_test,prediction)))

[-0.          -0.31793381 -0.          0.38346955  0.1215728  -0.41540918
 0.33071772 -0.13598643  0.17881554  0.          0.79244638]
5.745682458395585
[45.46522246 92.25283604 50.67123882 60.3527555 76.24940631 81.88399024
 97.89733878 58.59481916 81.06949362 88.90014936 78.94706054 75.96762608
 94.67976456 82.23500315 24.5248093 36.39094685 36.8267143 ]
0.9370265493867106
Mean Absolute Error: 4.473020062459557
Mean Squared Error: 32.636758630665206
Root Mean Squared Error: 5.7128590592334065
```