


HQ000679
CAMBRIDGE 2BT-NOTCH
BLOCK

Style
Overview



Comments
2 Button Notch

Size Range	
Size Range	Body Type
MJVSRR	MODERN
MJVSTGR	MODERN


Product Attributes	
Placeholder No	HQ000679
Design Ref Number	JACKETS 07
Style Description	CAMBRIDGE 2BT-NOTCH
Chief Value Fiber	
Purchase Type	BLOCK
Buy Type	
Model Code	
JAMCO Model Code	
Block(1)	
Block(2)	
Block(3)	
Drop Size	
Packaging Instructions	

Owners & Status	
Product Developer	
Tech Designer	
Designer	
Style Status	WIP
Costing Status	NEW
Created	
Last Modified	08/22/2023

GARMENT TREATMENT	Treatment Type
No Treatments available	

Hierarchy Information	
Product Assortment	
Season	BLOCK
Brand	
Buyer by Div/Cats	
Label	
Category	1-JACKET
Subcategory	
Gender	
Start In DC Date	
End In DC Date	

Colorway Table				
Color	Color Name	UCC	Care Label	Color Status
No Colorways available				



HQ000679
CAMBRIDGE 2BT-NOTCH
BLOCK

Style
Bill of Material

HQ000679
CAMBRIDGE 2BT-NOTCH
BLOCK

Style
Bill of Material

Model Name																			
Page Name		CABRIDGE 2BT NOTCH REGULAR																	
Grading Method/UM		Incremental /		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
POM Code	POM Description	TOL (-)	TOL (+)																
ASH-01	ACROSS SHOULDER NATURAL	-1/4	1/4	17	17 1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4
ABK-21	ACROSS BACK 7" DOWN FROM HPS	-1/4	1/4	16 1/2	16 3/4	17	17 1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4
BDL-16	BACK BODY LENGTH FROM CB - SHORT	-1/4	1/4	27 1/2	27 5/8	27 3/4	27 7/8	28	28 1/8	28 1/4	28 3/8	28 1/2	28 5/8	28 3/4	28 7/8	29	29 1/8	29 1/4	29 3/8
BDL-16	BACK BODY LENGTH FROM CB - REGULAR	-1/4	1/4	28 3/4	28 7/8	29	29 1/8	29 1/4	29 3/8	29 1/2	29 5/8	29 3/4	29 7/8	30	30 1/8	30 1/4	30 3/8	30 1/2	30 5/8
BDL-16	BACK BODY LENGTH FROM CB - LONG	-1/4	1/4	30	30 1/8	30 1/4	30 3/8	30 1/2	30 5/8	30 3/4	30 7/8	31	31 1/8	31 1/4	31 3/8	31 1/2	31 5/8	31 3/4	31 7/8
BDL-16	BACK BODY LENGTH FROM CB - X LONG	-1/4	1/4	31 1/4	31 3/8	31 1/2	31 5/8	31 3/4	31 7/8	32	32 1/8	32 1/4	32 3/8	32 1/2	32 5/8	32 3/4	32 7/8	33	33 1/8
BDV-01	BODY VENT LENGTH FROM CENTER - SHORT	-1/8	1/8	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4
BDV-01	BODY VENT LENGTH FROM CENTER - REGULAR	-1/8	1/8	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4
BDV-01	BODY VENT LENGTH FROM CENTER - LONG	-1/8	1/8	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4
BDV-01	BODY VENT LENGTH FROM CENTER - X LONG	-1/8	1/8	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4
BDV-02	BODY VENT LENGTH FROM SIDE - SHORT	-1/8	1/8	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
BDV-02	BODY VENT LENGTH FROM SIDE - REGULAR	-1/8	1/8	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
BDV-02	BODY VENT LENGTH FROM SIDE - LONG	-1/8	1/8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
BDV-02	BODY VENT LENGTH FROM SIDE - X LONG	-1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - SHORT	-1/4	1/4	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - REGULAR	-1/4	1/4	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - LONG	-1/4	1/4	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - X LONG	-1/4	1/4	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2
SLV-59	SLEEVE VENT	-1/4	1/4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
SLV-11	SLEEVE OPENING AT HEM	-1/8	1/8	11 1/4	11 3/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8

Model Name																			
Page Name		CABRIDGE 2BT NOTCH REGULAR																	
Grading Method/UM		Incremental /		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
POM Code	POM Description	TOL (-)	TOL (+)																
WST-08	NATURAL HALF WAIST	-1/4	1/4	16 1/2	17	17 1/2	18	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22	22 1/2	23	23 1/2	24
SEA-13	NATURAL HALF SEAT	-1/4	1/4	18	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22	22 1/2	23	23 1/2	24	24 1/2	25	25 1/2
BTN-25	BUTTON STANCE - SHORT	-1/8	1/8	15 1/2	15 5/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8
BTN-25	BUTTON STANCE - REGULAR	-1/8	1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8
BTN-25	BUTTON STANCE - LONG	-1/8	1/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8
BTN-25	BUTTON STANCE - X LONG	-1/8	1/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8
BTN-08	BUTTON SPACING - VERTICAL - SHORT	-1/8	1/8	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
BTN-08	BUTTON SPACING - VERTICAL - REGULAR	-1/8	1/8	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
BTN-08	BUTTON SPACING - VERTICAL - LONG	-1/8	1/8	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4
BTN-08	BUTTON SPACING - VERTICAL - X LONG	-1/8	1/8	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
CLR-41	COLLAR HEIGHT AT CB	0	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
CLR-28	LAPEL WIDTH NOTCH	-1/8	1/8	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
PKT-82	BREAST POCKET FROM SHOULDER NECK SEAM	-1/8	1/8	8	8 1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8
PKT-35	BREAST POCKET HEIGHT	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - SHORT	-1/8	1/8	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - REGULAR	-1/8	1/8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - LONG	-1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - X LONG	-1/8	1/8	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
PKT-09	FLAP POCKET HEIGHT LOWER	0	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
SLV-05	BICEP CIRCUMFERENCE	-1/8	1/4	13 7/8	14 1/8	14 3/8	14 5/8	14 7/8	15 1/8	15 3/8	15 5/8	15 7/8	16 1/8	16 3/8	16 5/8	16 7/8	17 1/8	17 3/8	17 5/8
PPKT-09	PATCH POCKET HEIGHT LOWER AT CENTER	0	0	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2

Model Name																			
Page Name		CABRIDGE 2BT NOTCH REGULAR																	
Grading Method/UM		Incremental /		32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47
POM Code	POM Description	TOL (-)	TOL (+)																
PPKT-29	FRONT LOWER PATCH POCKET OPENING	0	0	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - SHORT	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - REGULAR	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - LONG	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - X LONG	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - SHORT	1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - REGULAR	1/8	1/8	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - LONG	1/8	1/8	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - X LONG	1/8	1/8	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12

Model Name																				
Page Name		CHAMBRIDGE 2BT NOTCH BIG AND TALL																		
Grading Method/UM		Incremental /		34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
POM Code	POM Description	TOL (-)	TOL (+)																	
ASH-01	ACROSS SHOULDER NATURAL	-1/4	1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21	21 1/4	21 1/2
ABK-21	ACROSS BACK 7" DOWN FROM HPS	-1/4	1/4	17	17 1/4	17 1/2	17 3/4	18	18 1/4	18 1/2	18 3/4	19	19 1/4	19 1/2	19 3/4	20	20 1/4	20 1/2	20 3/4	21
BDL-16	BACK BODY LENGTH FROM CB - SHORT	-1/4	1/4	27 3/4	27 7/8	28	28 1/8	28 1/4	28 3/8	28 1/2	28 5/8	28 3/4	28 7/8	29	29 1/8	29 1/4	29 3/8	29 1/2	29 5/8	29 3/4
BDL-16	BACK BODY LENGTH FROM CB - REGULAR	-1/4	1/4	29	29 1/8	29 1/4	29 3/8	29 1/2	29 5/8	29 3/4	29 7/8	30	30 1/8	30 1/4	30 3/8	30 1/2	30 5/8	30 3/4	30 7/8	31
BDL-16	BACK BODY LENGTH FROM CB - LONG	-1/4	1/4	30 1/4	30 3/8	30 1/2	30 5/8	30 3/4	30 7/8	31	31 1/8	31 1/4	31 3/8	31 1/2	31 5/8	31 3/4	31 7/8	32	32 1/8	32 1/4
BDL-16	BACK BODY LENGTH FROM CB - X LONG	-1/4	1/4	31 1/2	31 5/8	31 3/4	31 7/8	32	32 1/8	32 1/4	32 3/8	32 1/2	32 5/8	32 3/4	32 7/8	33	33 1/8	33 1/4	33 3/8	33 1/2
BDV-01	BODY VENT LENGTH FROM CENTER - SHORT	-1/8	1/8	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4
BDV-01	BODY VENT LENGTH FROM CENTER - REGULAR	-1/8	1/8	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4
BDV-01	BODY VENT LENGTH FROM CENTER - LONG	-1/8	1/8	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4
BDV-01	BODY VENT LENGTH FROM CENTER - X LONG	-1/8	1/8	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4
BDV-02	BODY VENT LENGTH FROM SIDE - SHORT	-1/8	1/8	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
BDV-02	BODY VENT LENGTH FROM SIDE - REGULAR	-1/8	1/8	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
BDV-02	BODY VENT LENGTH FROM SIDE - LONG	-1/8	1/8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
BDV-02	BODY VENT LENGTH FROM SIDE - X LONG	-1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - SHORT	-1/4	1/4	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - REGULAR	-1/4	1/4	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - LONG	-1/4	1/4	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - X LONG	-1/4	1/4	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2
SLV-59	SLEEVE VENT	-1/4	1/4	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
SLV-11	SLEEVE OPENING AT HEM	-1/8	1/8	11 1/2	11 5/8	11 3/4	11 7/8	12	12 1/8	12 1/4	12 3/8	12 1/2	12 5/8	12 3/4	12 7/8	13	13 1/8	13 1/4	13 5/16	13 3/8

Model Name																				
Page Name		CHAMBRIDGE 2BT NOTCH BIG AND TALL																		
Grading Method/UM		Incremental /		34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
POM Code	POM Description	TOL (-)	TOL (+)																	
WST-08	NATURAL HALF WAIST	-1/4	1/4	17 1/2	18	18 1/2	19	19 1/2	20	20 1/2	21	21 1/2	22	22 1/2	23	23 1/2	24	24 1/2	25	25 1/2
SEA-13	NATURAL HALF SEAT	-1/4	1/4	19	19 1/2	20	20 1/2	21	21 1/2	22	22 1/2	23	23 1/2	24	24 1/2	25	25 1/2	26	26 1/2	27
BTN-25	BUTTON STANCE - SHORT	-1/8	1/8	15 3/4	15 7/8	16	16 1/8	16 1/4	16 3/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4
BTN-25	BUTTON STANCE - REGULAR	-1/8	1/8	16 1/2	16 5/8	16 3/4	16 7/8	17	17 1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2
BTN-25	BUTTON STANCE - LONG	-1/8	1/8	17 1/4	17 3/8	17 1/2	17 5/8	17 3/4	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4
BTN-25	BUTTON STANCE - X LONG	-1/8	1/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20
BTN-08	BUTTON SPACING - VERTICAL - SHORT	-1/8	1/8	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
BTN-08	BUTTON SPACING - VERTICAL - REGULAR	-1/8	1/8	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
BTN-08	BUTTON SPACING - VERTICAL - LONG	-1/8	1/8	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4
BTN-08	BUTTON SPACING - VERTICAL - X LONG	-1/8	1/8	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
CLR-41	COLLAR HEIGHT AT CB	0	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
CLR-28	LAPEL WIDTH NOTCH	-1/8	1/8	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
PKT-82	BREAST POCKET FROM SHOULDER NECK SEAM	-1/8	1/8	8 1/4	8 3/8	8 1/2	8 5/8	8 3/4	8 7/8	9	9 1/8	9 1/4	9 3/8	9 1/2	9 5/8	9 3/4	9 7/8	10	10 1/8	10 1/4
PKT-35	BREAST POCKET HEIGHT	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - SHORT	-1/8	1/8	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - REGULAR	-1/8	1/8	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - LONG	-1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - X LONG	-1/8	1/8	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
PKT-09	FLAP POCKET HEIGHT LOWER	0	0	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
SLV-05	BICEP CIRCUMFERENCE	-1/8	1/4	14 3/8	14 5/8	14 7/8	15 1/8	15 3/8	15 5/8	15 7/8	16 1/8	16 3/8	16 5/8	16 7/8	17 1/8	17 3/8	17 5/8	17 7/8	18 1/8	18 3/8
PPKT-09	PATCH POCKET HEIGHT LOWER AT CENTER	0	0	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	8	8	8

Model Name																				
Page Name		CHAMBRIDGE 2BT NOTCH BIG AND TALL																		
Grading Method/UM		Incremental /		34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
POM Code	POM Description	TOL (-)	TOL (+)																	
PPKT-29	FRONT LOWER PATCH POCKET OPENING	0	0	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7 1/2	7 1/2	7 1/2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - SHORT	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - REGULAR	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - LONG	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - X LONG	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - SHORT	1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - REGULAR	1/8	1/8	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - LONG	1/8	1/8	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - X LONG	1/8	1/8	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12

Model Name														
Page Name		CHAMBRIDGE 2BT NOTCH BIG AND TALL												
Grading Method/UM		Incremental /		51	52	53	54	55	56	57	58	59	60	62
POM Code	POM Description	TOL (-)	TOL (+)											
ASH-01	ACROSS SHOULDER NATURAL	-1/4	1/4	21 3/4	22	22 1/4	22 1/2	22 3/4	23	23 1/4	23 1/2	23 3/4	24	24 1/2
ABK-21	ACROSS BACK 7" DOWN FROM HPS	-1/4	1/4	21 1/4	21 1/2	21 3/4	22	22 1/4	22 1/2	22 3/4	23	23 1/4	23 1/2	24
BDL-16	BACK BODY LENGTH FROM CB - SHORT	-1/4	1/4	29 7/8	30	30 1/8	30 1/4	30 3/8	30 1/2	30 5/8	30 3/4	30 7/8	31	31 1/4
BDL-16	BACK BODY LENGTH FROM CB - REGULAR	-1/4	1/4	31 1/8	31 1/4	31 3/8	31 1/2	31 5/8	31 3/4	31 7/8	32	32 1/8	32 1/4	32 1/2
BDL-16	BACK BODY LENGTH FROM CB - LONG	-1/4	1/4	32 3/8	32 1/2	32 5/8	32 3/4	32 7/8	33	33 1/8	33 1/4	33 3/8	33 1/2	33 3/4
BDL-16	BACK BODY LENGTH FROM CB - X LONG	-1/4	1/4	33 5/8	33 3/4	33 7/8	34	34 1/8	34 1/4	34 3/8	34 1/2	34 5/8	34 3/4	35
BDV-01	BODY VENT LENGTH FROM CENTER - SHORT	-1/8	1/8	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4	9 3/4
BDV-01	BODY VENT LENGTH FROM CENTER - REGULAR	-1/8	1/8	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4	10 1/4
BDV-01	BODY VENT LENGTH FROM CENTER - LONG	-1/8	1/8	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4	10 3/4
BDV-01	BODY VENT LENGTH FROM CENTER - X LONG	-1/8	1/8	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4	11 1/4
BDV-02	BODY VENT LENGTH FROM SIDE - SHORT	-1/8	1/8	9	9	9	9	9	9	9	9	9	9	9
BDV-02	BODY VENT LENGTH FROM SIDE - REGULAR	-1/8	1/8	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
BDV-02	BODY VENT LENGTH FROM SIDE - LONG	-1/8	1/8	10	10	10	10	10	10	10	10	10	10	10
BDV-02	BODY VENT LENGTH FROM SIDE - X LONG	-1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - SHORT	-1/4	1/4	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2	15 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - REGULAR	-1/4	1/4	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2	16 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - LONG	-1/4	1/4	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2	17 1/2
SLV-32	SLEEVE INSEAM AH TAILORED - X LONG	-1/4	1/4	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2	18 1/2
SLV-59	SLEEVE VENT	-1/4	1/4	5	5	5	5	5	5	5	5	5	5	5

Model Name														
Page Name		CHAMBRIDGE 2BT NOTCH BIG AND TALL												
Grading Method/UM		Incremental /		51	52	53	54	55	56	57	58	59	60	62
POM Code	POM Description	TOL (-)	TOL (+)											
SLV-11	SLEEVE OPENING AT HEM	-1/8	1/8	13 7/16	13 1/2	13 9/16	13 5/8	13 11/16	13 3/4	13 13/16	13 7/8	13 15/16	14	14 1/8
WST-08	NATURAL HALF WAIST	-1/4	1/4	26	26 1/2	27	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31 1/2
SEA-13	NATURAL HALF SEAT	-1/4	1/4	27 1/2	28	28 1/2	29	29 1/2	30	30 1/2	31	31 1/2	32	33
BTN-25	BUTTON STANCE - SHORT	-1/8	1/8	17 7/8	18	18 1/8	18 1/4	18 3/8	18 1/2	18 5/8	18 3/4	18 7/8	19	19 1/4
BTN-25	BUTTON STANCE - REGULAR	-1/8	1/8	18 5/8	18 3/4	18 7/8	19	19 1/8	19 1/4	19 3/8	19 1/2	19 5/8	19 3/4	20
BTN-25	BUTTON STANCE - LONG	-1/8	1/8	19 3/8	19 1/2	19 5/8	19 3/4	19 7/8	20	20 1/8	20 1/4	20 3/8	20 1/2	20 3/4
BTN-25	BUTTON STANCE - X LONG	-1/8	1/8	20 1/8	20 1/4	20 3/8	20 1/2	20 5/8	20 3/4	20 7/8	21	21 1/8	21 1/4	21 1/2
BTN-08	BUTTON SPACING - VERTICAL - SHORT	-1/8	1/8	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4	4 1/4
BTN-08	BUTTON SPACING - VERTICAL - REGULAR	-1/8	1/8	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2	4 1/2
BTN-08	BUTTON SPACING - VERTICAL - LONG	-1/8	1/8	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4	4 3/4
BTN-08	BUTTON SPACING - VERTICAL - X LONG	-1/8	1/8	5	5	5	5	5	5	5	5	5	5	5
CLR-41	COLLAR HEIGHT AT CB	0	0	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
CLR-28	LAPEL WIDTH NOTCH	-1/8	1/8	3	3	3	3	3	3	3	3	3	3	3
PKT-82	BREAST POCKET FROM SHOULDER NECK SEAM	-1/8	1/8	10 3/8	10 1/2	10 5/8	10 3/4	10 7/8	11	11 1/8	11 1/4	11 3/8	11 1/2	11 3/4
PKT-35	BREAST POCKET HEIGHT	0	0	1	1	1	1	1	1	1	1	1	1	1
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - SHORT	-1/8	1/8	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - REGULAR	-1/8	1/8	10	10	10	10	10	10	10	10	10	10	10
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - LONG	-1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
PKT-27	POCKET POSITION FRONT FLAP OR BESOM - X LONG	-1/8	1/8	11	11	11	11	11	11	11	11	11	11	11
PKT-09	FLAP POCKET HEIGHT LOWER	0	0	2	2	2	2	2	2	2	2	2	2	2
SLV-05	BICEP CIRCUMFERENCE	-1/8	1/4	18 5/8	18 7/8	19 1/8	19 3/8	19 5/8	19 7/8	20 1/8	20 3/8	20 5/8	20 7/8	21 3/8

Model Name														
Page Name		CHAMBRIDGE 2BT NOTCH BIG AND TALL												
Grading Method/UM		Incremental /		51	52	53	54	55	56	57	58	59	60	62
POM Code	POM Description	TOL (-)	TOL (+)											
PPKT-09	PATCH POCKET HEIGHT LOWER AT CENTER	0	0	8	8	8	8	8	8	8	8	8	8	8
PPKT-29	FRONT LOWER PATCH POCKET OPENING	0	0	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2	7 1/2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - SHORT	-1/8	1/8	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2	1 1/2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - REGULAR	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - LONG	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2
PPKT-10	FRONT PATCH POCKET PLACEMENT FROM FINISHED BOTTOM - X LONG	-1/8	1/8	2	2	2	2	2	2	2	2	2	2	2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - SHORT	1/8	1/8	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2	10 1/2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - REGULAR	1/8	1/8	11	11	11	11	11	11	11	11	11		11
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - LONG	1/8	1/8	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2	11 1/2
PKT-28	SLANT POCKET POSITION FRONT FLAP OR BESOM - X LONG	1/8	1/8	12	12	12	12	12	12	12	12	12	12	12