

Ex 1 $\sum_{n=0}^{\infty} \frac{2^n}{(2n)!}$

Sol:

$$a_n = \frac{2^n}{(2n)!} ; a_{n+1} = \frac{2^{n+1}}{(2n+2)!}$$

$$\lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n} = \lim_{n \rightarrow \infty} \frac{2^{n+1}}{(2n+2)!} \times \frac{(2n)!}{2^n}$$

$$= \lim_{n \rightarrow \infty} \frac{2}{(2n+2)(2n+1)} = 0 < 1$$

So the given series is convergent by ratio test.

Ex 2 $\sum_{n=1}^{\infty} \frac{n!}{n^n}$

Sol: $a_n = \frac{n!}{n^n}$

$$a_{n+1} = \frac{(n+1)!}{(n+1)^{n+1}}$$

$$\lim_{n \rightarrow \infty} \frac{a_{n+1}}{a_n} = \lim_{n \rightarrow \infty} \frac{(n+1)!}{(n+1)^{n+1}} \times \frac{n^n}{n!}$$

$$= \lim_{n \rightarrow \infty} \frac{(n+1)}{(n+1)} \times \left(\frac{n}{n+1}\right)^n$$

$$= \lim_{n \rightarrow \infty} \frac{1}{\left(1 + \frac{1}{n}\right)^n} = \frac{1}{e} < 1$$

$$(*) \sum_{n=1}^{\infty} \frac{7^n}{n \cdot 5^{n+1}}$$

$$(*) \sum_{n=1}^{\infty} \frac{2^n}{n(n+2)}$$

$$(*) \sum_{n=1}^{\infty} \frac{n}{n^2+1}$$

$$(*) \sum_{n=1}^{\infty} \frac{1}{n^n}$$

$$(*) \sum_{n=1}^{\infty} \frac{(2n)!}{4^n}$$

$$(*) \sum_{n=1}^{\infty} \frac{\ln n}{e^n}$$

Ex. $\sum_{n=1}^{\infty} \left(\frac{3n+2}{2n-1} \right)^n$

$$a_n = \left(\frac{3n+2}{2n-1} \right)^n$$

$$\lim_{n \rightarrow \infty} (a_n)^{1/n} = \lim_{n \rightarrow \infty} \left(\frac{3n+2}{2n-1} \right)$$

$$= \lim_{n \rightarrow \infty} \frac{3+2/n}{2-1/n}$$

$$= 3/2 > 1$$

Hence the given series is divergent by root test.

Ex. $\sum_{n=1}^{\infty} \frac{1}{n^n}$

$$a_n = \frac{1}{n^n}$$

$$\lim_{n \rightarrow \infty} (a_n)^{1/n} = \lim_{n \rightarrow \infty} \frac{1}{n} = 0 < 1$$

$$(*) \sum_{n=1}^{\infty} \frac{3^n}{n^3}$$

$$(*) \sum_{n=1}^{\infty} \frac{e^n}{(\ln n)^n}$$

$$(*) \sum_{n=1}^{\infty} n \cdot \left(\frac{\pi}{n}\right)^n$$

$$(*) \sum_{n=1}^{\infty} \frac{(n!)^2 2^n}{(2n+1)!}$$

Ex. $\sum_{n=1}^{\infty} \frac{e^{\tan^{-1} n}}{1+n^2}$

$$f(x) = \frac{e^{\tan^{-1} x}}{1+x^2}$$

$$f'(x) = \frac{(1+x^2) e^{\tan^{-1} x} \cdot \frac{1}{1+x^2} - e^{\tan^{-1} x} \cdot 2x}{(1+x^2)^2}$$

$$= \frac{e^{\tan^{-1} x} (1-2x)}{(1+x^2)^2} < 0, \quad \forall x \geq 1$$

Now we calculate

$$\int_1^{\infty} \frac{e^{\tan^{-1} x}}{1+x^2} dx = \lim_{t \rightarrow \infty} \left| e^{\tan^{-1} x} \right|_1^t = e^{\pi/2} - e^{\pi/4}$$

By integral test given series is convergent.

Ex. $\sum_{n=2}^{\infty} \frac{1}{n\sqrt{n^2-1}}$

$$f(x) = \frac{1}{x\sqrt{x^2-1}}$$

$$f'(x) = \frac{1-2x^2}{x^2(x^2-1)} < 0 \quad \forall x \in [2, \infty)$$

$$\int_2^{\infty} \frac{dx}{x\sqrt{x^2-1}} = \lim_{t \rightarrow \infty} \left| \sec^{-1} x \right|_2^t = \sec^{-1} \infty - \sec^{-1} 2$$

$$= \frac{\pi}{2} - \frac{\pi}{6} = \frac{\pi}{6} \text{ cgt.}$$

$$(*) \sum_{n=1}^{\infty} \frac{n^2}{e^n}$$

$$(*) \sum_{n=1}^{\infty} \frac{1}{(n+1) (\ln(n+1))^2}$$



$$\text{Ex. } \sum_{n=1}^{\infty} (-1)^{n-1} \left(\frac{n+2}{3n-1} \right)^n$$

$$|a_n| = \left| \frac{n+2}{3n-1} \right|^n$$

$$\lim_{n \rightarrow \infty} (a_n)^{1/n} = \lim_{n \rightarrow \infty} \left| \frac{n+2}{3n-1} \right|$$

$$= \lim_{n \rightarrow \infty} \left(\frac{1 + 2/n}{3 - 1/n} \right) = 1/3 < 1 \quad \text{cgt. absolute}$$

$$\text{Ex. } \sum_{n=1}^{\infty} (-1)^{n-1} \frac{n^2}{(n+2)!}$$

$$|a_n| = \left| \frac{n^2}{(n+2)!} \right|$$

$$|a_{n+1}| = \left| \frac{(n+1)^2}{(n+3)!} \right|$$

$$\lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \rightarrow \infty} \frac{(n+1)^2}{(n+3)!} \times \frac{(n+2)!}{n^2}$$

$$= \lim_{n \rightarrow \infty} \left(\frac{n+1}{n} \right)^2 \times \frac{1}{n+3}$$

$$= 0 < 1$$

Hence

A.C

Ex. $\sum_{n=1}^{\infty} \frac{(-1)^{n-1} \sqrt{n}}{n+1}$

$$|a_n| = \left| \frac{\sqrt{n}}{n+1} \right|$$

$$|a_{n+1}| = \frac{\sqrt{n+1}}{n+2}$$

$$\lim_{n \rightarrow \infty} \left| \frac{a_{n+1}}{a_n} \right| = \lim_{n \rightarrow \infty} \frac{\sqrt{n+1}}{n+2} \times \frac{n+1}{\sqrt{n}}$$

$$1 \neq \frac{1}{2}$$

$$= \lim_{n \rightarrow \infty} \frac{(n+1)^{3/2}}{n^{3/2} + 2n^{1/2}}$$

$$n^{1/2} - 3/2$$

$$\frac{1-3}{2} = -1$$

$$= \lim_{n \rightarrow \infty} \frac{(1 + 1/n)^{3/2}}{1 + \frac{2}{n}}$$

$$= 1 \quad \text{test fail.}$$

(X) $\sum_{n=0}^{\infty} \frac{(-1)^n x^{2n}}{2^{2n} (n!)^2}$