# **PCAP Investigation using Security Onion**

### **Objectives**

- 1. Import .pcap file
- 2. Investigate .pcap file
- 3. Provide an analysis of what probably occurred

#### Introduction

Security Onion is a free open source Linux distribution for network security monitoring, intrusion detection and log management. It integrated powerful like Suricata, Zeek, Wazuh and the ELK stack to capture and analyse network traffic.

In the security industry Security Onion plays a critical role by providing SOCs, incident responders and threat hunters with a comprehensive platform for real-time monitoring and forensic analysis. Its ability to correlate data from multiple sources enables organisations to quickly identify, investigate and mitigate potential threats, thereby enhancing their overall security posture.

In this demonstration, a. pcap will be ingested into security onion and an investigation will be done to determine the nature of the captured network traffic.

Log on the console of security onion. Create a directory into which the pcap will be downloaded using mkdir command e.g. **mkdir Malware** 

```
[mike@sec-onion ~1$ 11
total 4
drwxr-xr-x. 10 mike mike 4096 Feb 15 17:04 SecurityOnion

[mike@sec-onion ~1$ mkdir Malware

[mike@sec-onion ~1$
Imike@sec-onion ~1$
Imike@sec-onion ~1$ 11
total 4
drwxr-xr-x. 2 mike mike 6 Feb 16 09:24 Malware drwxr-xr-x. 10 mike mike 4096 Feb 15 17:04 SecurityOnion [mike@sec-onion ~1$ cd Malware/
[mike@sec-onion Malware]$ 11
total 0
[mike@sec-onion Malware]$ wget https://www.malware-traffic-analysis.net/2022/01/07/2022-01-07-traff
c-analysis-exercise.pcap.zip
--2025-02-16 09:29:16-- https://www.malware-traffic-analysis.net/2022/01/07/2022-01-07-traffic-anal
ysis-exercise.pcap.zip
Resolving www.malware-traffic-analysis.net (www.malware-traffic-analysis.net)... 199.201.110.204
.:.Connecting to www.malware-traffic-analysis.net (www.malware-traffic-analysis.net)|199.201.110.204
43... connected.
HTTP request sent, awaiting response... 200 OK
Length: 2641838 (2.5M) [application/zip]
Saving to: '2022-01-07-traffic-analysis-exercise.pcap.zip'
2.52M
                                                                                     997KB/s
                                                                                                  in 2.6s
2025-02-16 09:29:20 (997 KB/s) - '2022-01-07-traffic-analysis-exercise.pcap.zip' saved [2641838/2641
8381
[mike@sec-onion Malware]$ 11
total 2580
 -rw-r--r-. 1 mike mike 2641838 May 9 2024 2022-01-07-traffic-analysis-exercise.pcap.zip
[mike@sec-onion Malware]$
```

Figure 1

use the command wget to download an infected pcap from the website as shown in figure 1 https://www.malware-traffic-analysis.net/2022/01/07/2022-01-07-traffice-analysis-exercise.pcap.zip

When the zipped pcap is downloaded use the unzip command to decompress the pcap. Visit the about page of Traffic analysis to obtain the password

```
Imike@sec-onion Malware |$
Imike@sec-onion Malware |$ unzip 2022-01-07-traffic-analysis-exercise.pcap.zip
Archive: 2022-01-07-traffic-analysis-exercise.pcap.zip
I2022-01-07-traffic-analysis-exercise.pcap.zip 2022-01-07-traffic-analysis-exercise.pcap password:
password incorrect--reenter:
   inflating: 2022-01-07-traffic-analysis-exercise.pcap
Imike@sec-onion Malware |$ 11
total 7196
   -rw-r--r--. 1 mike mike 4722992 Jan 7 2022 2022-01-07-traffic-analysis-exercise.pcap
   -rw-r--r--. 1 mike mike 2641838 May 9 2024 2022-01-07-traffic-analysis-exercise.pcap.zip
Imike@sec-onion Malware |$ _
```

Figure 2

Next is to import the pcap suing the command so-import-pcap <name of pcap>

```
[mike@sec-onion Malware]
[mike@sec-onion Malware]$ sudo so-import-pcap 2022-01-07-traffic-analysis-exercise.pcap
[sudo] password for mike:
Processing Import: /home/mike/Malware/2022-01-07-traffic-analysis-exercise.pcap
  verifying file
  assigning unique identifier to import: e687298812366f48eab16e2676dd765a
  analyzing traffic with Suricata
  analyzing traffic with Zeek
  found PCAP data spanning dates 1984-11-11 through 2022-01-07
Import complete!
Use the following hyperlink to view the imported data. Triple-click to quickly highlight the entire
hyperlink and then copy it into a browser:
https://172.20.10.4/#/dashboards?q=import.id:e687298812366f48eab16e2676dd765a%20%7C%20groupby%20even
t.module*%20%7C%20groupby%20-sankey%20event.module*%20event.dataset%20%7C%20groupby%20event.dataset%
20%7C%20groupby%20source.ip%20%7C%20groupby%20destination.ip%20%7C%20groupby%20destination.port%20%7
C%20groupby%20network.protocol%20%7C%20groupby%20rule.name%20rule.category%20event.severity_label%20
%7C%20groupby%20dns.query.name%20%7C%20groupby%20file.mime_type%20%7C%20groupby%20http.virtual_host%
20http.uri%20%7C%20groupby%20notice.note%20notice.message%20notice.sub_message%20%7C%20groupby%20ssl
.server_name%20%7C%20groupby%20source_geo.organization_name%20source.geo.country_name%20%7C%20groupb
y%20destination_geo.organization_name%20destination.geo.country_name&t=1984%2F11%2F11%2000%3A00%3A00
./.20AM/.20-/.2020227.2F01/.2F08/.2000/.3A00/.3A00/.20AM&z=UTC
or, manually set the Time Range to be (in UTC):
From: 1984-11-11
                       To: 2022-01-08
Note: It can take 30 seconds or more for events to appear in Security Onion Console.
[mike@sec-onion Malware]$
```

Figure 3

With the import complete log on the web console. To examine the pcap change time to a period the pcap was captured in this case 2022-01-07-2022-01-31




Figure 4

Take note of the query that was generated by changing the time. The wildcard \* to select everything grouped by the different options

\* | groupby event.category | groupby -sankey event.category event.module | groupby event.module | groupby -sankey event.module event.dataset | groupby event.dataset | groupby observer.name | groupby host.name | groupby source.ip | groupby destination.ip | groupby destination.port

Specify a query in Onion Query Language (OQL)

Figure 5

Scrolling to the Event alerts by Suricata and Zeek at the time. Under event dataset Suricata and Zeek flagged some packets




Figure 6

In the Alerts tab 9 counts Malware Vider are shown




Figure 7




Figure 8

The source IP address 2.56.57.108 could give some more information. Using OSINT tools to find out more about the source IP address.

Using AbuseIP.com, the source IP based in singapore was reported several times. It was has associated with multiple cases of misuse

## AbuseIPDB » 2.56.57.108




Figure 9

Checking on Virus Total, 4 security vendors flagged the IP address.




Figure 10

Expanding the event. Under network data decoded. Notice content Type jpeg




Figure 11

But compared to Gary Kessler Magic number MZ are associated with .exe or DLLs. Jpegs are as shown in the figure 12.

```
00 00 00 0C 6A 50 20 20 ...jP
0D 0A ..
JP2 Various JPEG-2000 image file formats
```

Figure 12

Further scrutiny shows that Suricata flagged a Privacy Violation, and this would warrant further investigation.



Figure 13

From the brief analysis, it would seem that the source IP address had access and was able to download a file.

### Conclusion.

Multiple tools installed in Security Onion make the investigation of cases easier, enabling the security team to identify anomalies in the traffic flow, ultimately confirming the presence of suspicious behaviour. The Security team can have a comprehensive analysis of network traffic and underscores the importance of continuous network monitoring and reinforces the need for proactive threat detection and response measures

#### Lessons Learned

- 1. Importing a peap into Security Onion
- 2. Searching for anomalies
- 3. Using OSINT tools to get more details
- 4. Using Gary Kessler Magic number to identify discrepancies in file extensions