The "skleptestarmy@gmail.com" link

The test aims to check the correct operation of the "skleptestarmy@gmail.com" hyperlink located under the header

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Deprecated	No		

Pre-conditions

- A browser is run
- $\bullet \ \ \text{The page} \ \underline{\text{https://skleptest.pl/}} \ \text{is open}$

Post-conditions

The message sending form is open

Tags

website, skleptest, home page, link, desktop

Step	1
Action	Click the "skleptestarmy@gmail.com" link
Input data	
Expected result	The message sending form has been opened

The logo

The test aims to verify the correctness of the hyperlink functionality to the homepage, activated by clicking the logo located in the header of the page

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The **home page** is open

Tags

home page, skleptest, website, logo, the logo, desktop

Step	1
Action	Click the logo
Input data	
Expected result	The home page has been opened

The "Account" button

The test aims to check the correct operation of the "Account" button located under the header

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/ is open

Post-conditions

The page https://skleptest.pl/my-account/ is open

Tags

home page, skleptest, desktop, website, account, header, home

Step	1
Action	Click the "Account" button
Input data	
Expected result	The page https://skleptest.pl/my-account/ has been opened

The "My Cart" button

The test aims to check the correct operation of the "My Cart" button located under the header

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/ is open

Post-conditions

The page https://skleptest.pl/cart/ is open

Tags

home page, skleptest, desktop, website, account, header, shopping cart

Step	1
Action	Click the "My Cart" button
Input data	
Expected result	The page https://skleptest.pl/cart/ has been opened

Verification of the search field text input

The test aims to check the correct operation of the search field when entering text

Severity **Priority Behavior** Type Major O Medium Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/ is open

No

• The search field is blank

Post-conditions

The search field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website, field

Step	1
Action	Click the search field
Input data	
Expected result	The cursor has been displayed
Step	2
Action	Enter a text
Input data	
Expected result	The search field has been filled with text

Searching with a correct phrase

The test aims to check the correct operation of the search engine when searching for articles using a correct phrase

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/ is open
- The search field is blank

Post-conditions

The search results page is open

Tags

phrase, search field, search engine, parish, incorrect, website

Step	1
Action	Enter a phrase
Input data	
Expected result	The search field has been filled with text
Step	2
Action	Click the search button
Input data	
Expected result	 the search results page has been opened a list of found products has been displayed

Searching with an incorrect phrase

The test aims to check the correct operation of the search engine when searching for articles using an incorrect phrase

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/ is open
- The search field is blank

Post-conditions

The search results page is open

Tags

phrase, search field, search engine, parish, correct, website

Step	1
Action	Enter a phrase
Input data	
Expected result	The search field has been filled with text
Step	2
Action	Click the search button
Input data	
Expected result	the search results view has been openedno products found

Searching using the ENTER key

The test aims to verify the proper functioning of the search engine when searching for articles using a correct search phrase and pressing the ENTER key

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/ is open
- The search field is blank

Post-conditions

The search results page is open

Tags

phrase, search field, search engine, parish, incorrect, website

Step	1
Action	Enter a phrase
Input data	
Expected result	The search field has been filled with text
Step	2
Action	Press the ENTER key
Input data	
Expected result	 the search results page has been opened a list of found products has been displayed

The "Shop" link

The test aims to check the correct operation of the "Shop" hyperlink

Severity	Priority	Behavior	Туре
♠ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page <u>home page</u> is open

Tags

parish, website, main menu, header, link, playwright

Step	1
Action	Click the "Shop" link
Input data	
Expected result	The home page has been opened

The "Most Wanted" link

The test aims to check the correct operation of the "Most Wanted" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/product-category/most-wanted/ is open

Tags

parish, website, main menu, header, link, playwright

Step	1
Action	Click the "Most Wanted" link
Input data	
Expected result	The page https://skleptest.pl/product-category/most-wanted/ page has been opened

The "About Us" link

The test aims to check the correct operation of the "About Us" hyperlink

Severity **Priority Behavior** Type O Normal O Medium Positive **Functional** Milestone **Automation** Layer Is Flaky E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

Post-conditions

The page https://skleptest.pl/about-us/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "About Us" link
Input data	
Expected result	The page https://skleptest.pl/about-us/ page has been opened

The "Contact" link

The test aims to check the correct operation of the "Contact" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/test-contact-blablabla/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Contact" link
Input data	
Expected result	The page https://skleptest.pl/test-contact-blablabla/ page has been opened

The "Blog" link

The test aims to check the correct operation of the "Blog" hyperlink

Severity	Priority	Behavior	Туре
O Normal	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

Post-conditions

The page https://skleptest.pl/blog/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Blog" link
Input data	
Expected result	The page https://skleptest.pl/blog/ page has been opened

The "Categories" link

The test aims to check the correct operation of the "Categories" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/catergries/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Categories" link
Input data	
Expected result	The page https://skleptest.pl/catergries/ page has been opened

Expanding the dropdown list

The test is intended to verify the correct operation of expanding the dropdown list

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is not expanded

Post-conditions

The dropdown list is expanded

Tags

home page, skleptest, main menu, desktop, trigger element, dropdown list, website, expanded

Step	1
Action	Hover over the "Categories" link
Input data	
Expected result	The dropdown list has been expanded

Collapsing the dropdown list

The test is intended to verify the correct operation of collapsing the dropdown list

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The dropdown list is collapsed

Tags

home page, skleptest, main menu, desktop, trigger element, dropdown list, website, expanded, collapsed, collapsing

Step	1
Action	Leave the "Categories" link area
Input data	
Expected result	The dropdown list has been collapsed

The "All" link

The test aims to check the correct operation of the "All" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

• The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/shop/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "All" link
Input data	
Expected result	The page https://skleptest.pl/shop/ page has been opened

The "Shirts" link

The test aims to check the correct operation of the "Shirts" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/shirts/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Shirts" link
Input data	
Expected result	The page https://skleptest.pl/product-category/shirts/ page has been opened

The "Featured" link

The test aims to check the correct operation of the "Featured" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/featured/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Featured" link
Input data	
Expected result	The page https://skleptest.pl/product-category/featured/ page has been opened

The "Trends" link

The test aims to check the correct operation of the "Trends" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/trends/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Trends" link
Input data	
Expected result	The page https://skleptest.pl/product-category/trends/ page has been opened

The "Scarfs" link

The test aims to check the correct operation of the "Scarfs" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/scarfs/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Scarfs" link
Input data	
Expected result	The page https://skleptest.pl/product-category/scarfs/ page has been opened

The "Shoes" link

The test aims to check the correct operation of the "Shoes" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/shoes/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Shoes" link
Input data	
Expected result	The page https://skleptest.pl/product-category/shoes/ page has been opened

The "Tops" link

The test aims to check the correct operation of the "Tops" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/tops/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Tops" link
Input data	
Expected result	The page https://skleptest.pl/product-category/tops/ page has been opened

The "Blouse" link

The test aims to check the correct operation of the "Blouse" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/blouse/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Blouse" link
Input data	
Expected result	The page https://skleptest.pl/product-category/blouse/ page has been opened

The "Dresses" link

The test aims to check the correct operation of the "Dresses hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/dresses/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Dresses" link
Input data	
Expected result	The page https://skleptest.pl/product-category/dresses/ page has been opened

The "Jeans" link

The test aims to check the correct operation of the "Jeans" hyperlink on the left

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The dropdown list is expanded

Post-conditions

The page https://skleptest.pl/product-category/jeans/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Jeans" link
Input data	
Expected result	The page https://skleptest.pl/product-category/jeans/ page has been opened

The "Shop Now" button

The test aims to check the correct operation of the "Shop Now" button located under the header

Severity	Priority	Behavior	Туре
O Normal	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/product-category/most-wanted/ is open

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the "Shop Now" button
Input data	
Expected result	The page https://skleptest.pl/product-category/most-wanted/ has been opened

The "Learn More" button

The test aims to check the correct operation of the "Learn More" button located under the header

Severity	Priority	Behavior	Туре
✓ Minor	↓ Low	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/test-contact-blablabla/ is open

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the "Learn More" button
Input data	
Expected result	The page https://skleptest.pl/test-contact-blablabla/ has been opened

Thumbnail Photo Verification

Verify the correct loading of thumbnail photos on the product page

No

Severity	Priority	Behavior	Туре
^ Major	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

A photo is loaded

Step	1
Action	Check if the photo is visible
Input data	
Expected result	A photo is loaded correctly without any errors

Interaction between the thumbnail image and the cursor

Verification of thumbnail image response to cursor movements

SeverityPriorityBehaviorTypeO NormalO MediumPositiveFunctionalLayerIs FlakyMilestoneAutomationE2ENo-Manual

Status Is Muted

Actual No

Pre-conditions

- a browser is run
- the <u>home page</u> is open

Post-conditions

The thumbnail image scrolls smoothly with cursor movement within its area, providing a fluid user interaction

Step	1
Action	Place the cursor on the thumbnail image
Input data	
Expected result	The cursor is on the thumbnail image
Step	2
Action	Move the cursor within the image area
Input data	
Expected result	The thumbnail image scrolls along with cursor movement

The "View Cart" button visibility

The test aims to check the "View Cart" button visibility

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "View Cart" button is not visible

Post-conditions

The "View Cart" button is visible

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the "Add to Cart" button
Input data	
Expected result	The "View Cart" button has been displayed

Clicking the "View Cart" button

The test aims to check the correct operation of the "View Cart" button located under the header

Severity	Priority	Behavior	Туре
^ Major	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
 The "View Cart" button is visible

Post-conditions

The page https://skleptest.pl/cart/ is open

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the "View Cart" button
Input data	
Expected result	The page https://skleptest.pl/cart/ has been opened

The link in the thumbnail

The test aims to check the correct operation of the link in the thumbnail

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The product page is open

Tags

website, main menu, header, link

Step	1
Action	Click the link
Input data	
Expected result	The product page has been opened

The link in the thumbnail

The test aims to check the correct operation of the link in the thumbnail

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The blog page is open

Tags

website, main menu, header, link

Step	1
Action	Click the link
Input data	
Expected result	The blog page has been opened

The author link

The test aims to check the correct operation of the link in the thumbnail

Severity	Priority	Behavior	Туре
O Normal	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

Post-conditions

The author page is open

Tags

website, main menu, header, link

Step	1
Action	Click the link
Input data	
Expected result	The author page has been opened

The comments link

The test aims to check the correct operation of the link in the thumbnail

Severity	Priority	Behavior	Туре
O Normal	↓ Low	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The blog page is opened and scrolled to the comments section

Tags

website, main menu, header, link

Step	1
Action	Click the link
Input data	
Expected result	The blog page has been opened and scrolled to the comments section

The tag button

The test aims to check the correct operation of the button located in the footer

Severity	Priority	Behavior	Туре
O Normal	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/tag/ theme> is open

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the tag button
Input data	
Expected result	The page <a href="https://skleptest.pl/tag/<theme>"> has been opened

The recent post image

The test aims to check the correct operation of the recent post image located in the footer

Severity	Priority	Behavior	Туре
✓ Minor	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/<theme> is open

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the image
Input data	
Expected result	The page <a href="https://skleptest.pl/<theme>">https://skleptest.pl/<theme></theme> has been opened

The recent post link

The test aims to check the correct operation of the recent post link located in the footer

Severity	Priority	Behavior	Туре
✓ Minor	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/<theme> is open

Tags

home page, skleptest, desktop, website, account, header

Step	1
Action	Click the link
Input data	
Expected result	The page <a href="https://skleptest.pl/<theme>">https://skleptest.pl/<theme></theme> has been opened

Verification of the "Name" field text input

The test aims to check the correct operation of the "Name" field when entering text

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

• The "Name" field is blank

Post-conditions

The "Name" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a name
Input data	
Expected result	The "Name" field has been filled with text

Verification of the "Email" field text input

The test aims to check the correct operation of the "Email" field when entering text

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Email" field is blank

Post-conditions

The "Email" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email" field has been filled with text

The "Name" field - shorter than maximum (maxLength - 1)

The test aims to check the correct operation of the "Name" field when entering text with a length of maxLength - 1

Severity	Priority	Behavior	Туре
^ Major	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank

Post-conditions

The "Name" field is filled with text with a length of maxLength - 1

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1	
Action	Enter a name	
Input data		
Expected result	 the "Name" field has been filled with text the length of the text is maxLength -1 	

The "Name" field - maximum (maxLength)

The test aims to check the correct operation of the "Name" field when entering text with a length of maxLength

Severity	Priority	Behavior	Туре
^ Major	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank

Post-conditions

The "Name" field is filled with text with a length of maxLength

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a name
Input data	
Expected result	the "Name" field has been filled with textthe length of the text is maxLength

The "Name" field - exceeding maximum (maxLength + 1)

The test aims to check the correct operation of the "Name" field when entering text with a length of maxLength + 1

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank

Post-conditions

The "Email" field is filled with text with a length of maxLength

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a name
Input data	
Expected result	The entered text was truncated to fit maxLength

The "Email" field - shorter than maximum (maxLength - 1)

The test aims to check the correct operation of the "Email" field when entering text with a length of maxLength - 1

Severity	Priority	Behavior	Туре
^ Major	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank

Post-conditions

The "Name" field is filled with text with a length of maxLength - 1

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	 the "Email" field has been filled with text the length of the text is maxLength -1

The "Email" field - maximum (maxLength)

The test aims to check the correct operation of the "Email" field when entering text with a length of maxLength

Severity	Priority	Behavior	Туре
^ Major	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank

Post-conditions

The "Email" field is filled with text with a length of maxLength

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	the "Email" field has been filled with textthe length of the text is maxLength

The "Email" field - exceeding maximum (maxLength + 1)

The test aims to check the correct operation of the "Email" field when entering text with a length of maxLength + 1

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

• The "Name" field is blank

Post-conditions

The "Email" field is filled with text with a length of maxLength

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a name
Input data	
Expected result	The entered text was truncated to fit maxLength

Subscribing to the newsletter using correct credentials

The test aims to verify the correct operation of subscribing to the newsletter using correct credentials

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank
- The "Email" field is blank

Post-conditions

The user is subscribed to the newsletter

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a name
Input data	
Expected result	The "Name" field has been filled
Step	2
Action	Enter an email
Input data	
Expected result	The "Email" field has been filled
Step	3
Action	Click the "Subscribe" button
Input data	
Expected result	A user has been subscribed to the newsletter

Subscribing to the newsletter leaving the "Name" field

The test aims to verify the correct operation of subscribing to the newsletter leaving the "Name" field

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank
- The "Email" field is blank

Post-conditions

The user is subscribed to the newsletter

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email" field has been filled
6.	
Step	2
Action	Click the "Subscribe" button
Input data	
Expected result	A user has been subscribed to the newsletter

Attempting to subscribe to the newsletter using an incorrect email format

The test aims to verify the correct operation of subscribing to the newsletter using an incorrect email format

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank
 The "Email" field is blank

Post-conditions

A popup window is displayed and contains the message "Please enter a valid email address"

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email" field has been filled
Step	2
Action	Click the "Subscribe" button
Input data	
Expected result	 a popup window has been displayed the popup window contains the message "Please enter a valid email address"

Attempting to subscribe to the newsletter without providing input for the "Email" field

The test aims to verify the correct operation of subscribing to the newsletter while leaving the "Email" field blank

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- The "Name" field is blank
 The "Email" field is blank

Post-conditions

A popup window is displayed and contains the message "Please enter email address"

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Click the "Subscribe" button
Input data	
Expected result	 a popup window has been displayed the popup window contains the message "Please enter email address"

Verification of the "Email address" field text input

The test aims to check the correct operation of the "Email address" field when entering text

Severity **Priority Behavior** Type ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E Manual No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Email address" field is blank

Post-conditions

The "Email address" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Verification of the "Password" field text input

The test aims to check the correct operation of the "Password" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E Manual No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Password" field is blank

Post-conditions

The "Password" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled with text

The "Password" field - shorter than minimum (min length - 1)

The test aims to check the correct operation of the "Password" field when entering text with a length of (min length - 1)

Severity **Priority Behavior Type** ♠ Critical ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation** E2E Manual No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

- User is not logged in
- The "Email address" field is filled
- The "Password" field is blank

Post-conditions

The user is not registered

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled
Step	2
Action	Check if the "Register" button is disabled
Input data	
Expected result	The "Register" button is disabled
Step	3
Action	Check if the hint is displayed
Input data	
Expected result	The hint is displayed

Attempting to register without providing input for the "Password" field

The test aims to verify the correct operation of subscribing to the newsletter while leaving the "Password" field blank

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Email address" field is filled
- The "Password" field is blank

Post-conditions

The user is not registered

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Click the "Register" button
Input data	
Expected result	The error about blank the "Password" field has been displayed

Attempting to register using an incorrect email format

The test aims to verify the correct operation of registering using an incorrect email format

Priority Severity **Behavior Type** Major O Medium Negative **Functional** Milestone Layer Is Flaky **Automation** E2E Manual No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Email address" field is blank
- The "Password" field is filled

Post-conditions

The user is not registered

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email" field has been filled
Step	2
Action	Click the "Register" button
Input data	
Expected result	The message about incorrect email format has been displayed

Attempting to register without providing input for the "Email" field

The test aims to verify the correct operation of registering while leaving the "Email address" field blank

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Email address" field is blank
- The "Password" field is filled

Post-conditions

The user is not registered

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Click the "Register" button
Input data	
Expected result	The message about blank the "Email address" field has been displayed

The "Password" field - minimum (min length)

The test aims to verify the correct operation of the "Password" field during the account registration process when entering text with a length equal to the minimum required

Severity **Priority Behavior Type** Critical ↑ High Positive **Functional** Is Flaky Milestone **Automation** Layer E2E No Manual **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Email address" field is blank
- The "Password" field is filled

Post-conditions

The account page is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled
Step	2
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled
Step	3
Action	Click the "Register" button
Input data	
Expected result	 the user has been successfully registered the account page has been successfully opened

The "Password" field - exceeding minimum (min length + 1)

The test aims to verify the correct operation of the "Password" field during the account registration process when entering text with a length exceeding the minimum required length (min length + 1)

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Manual
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Email address" field is blank
- The "Password" field is filled

Post-conditions

The account page is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled
Step	2
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled
Step	3
Action	Click the "Register" button
Input data	
Expected result	 the user has been successfully registered the account page has been successfully opened

Attempting registration with previously used email and password

The test aims to verify the correct operation of registration using previously used email and password

Priority Behavior Type ☆ Critical ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation** E2E No Manual Is Muted **Status** Actual

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- · User is not logged in
- The "Email address" field is blank
- The "Password" field is filled

Post-conditions

The user is not registered

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled
Step	2
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled
Step	3
Action	Click the "Register" button
Input data	
Expected result	Inability to register using a previously used email address and password

Verification of the "Username or email address" field text input

The test aims to check the correct operation of the "Username or email address" field when entering text

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Username or email address" field is blank

Post-conditions

The "Username or email address" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an username or email address
Input data	
Expected result	The "Username or email address" field has been filled with text

Verification of the "Password" field text input

The test aims to check the correct operation of the "Password" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

- User is not logged in
- The "Password" field is blank

Post-conditions

The "Password" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled with text

Attempting to log in using an incorrect username or email address

The test aims to verify the correct login operation using an incorrect username or email address

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- · User is not logged in
- The "Username or email address" field is blank
- The "Password" field is filled

Post-conditions

The user is not logged in

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an username or email address
Input data	
Expected result	The "Username or email address" field has been filled
Step	2
Action	Click the "Login" button
Input data	
Expected result	The message about an incorrect username or email address has been displayed

Attempting to log in without providing input for the "Username or email address" field

The test aims to verify the correct operation login operation while leaving the "Username or email address" field blank

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- · User is not logged in
- The "Username or email address" field is blank
- The "Password" field is filled

Post-conditions

The user is not logged in

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an username or email address
Input data	
Expected result	The "Username or email address" field has been filled
Step	2
Action	Click the "Login" button
Input data	
Expected result	The message about blank the "Username or email address" field has been displayed

Attempting to log in using an incorrect password

The test aims to verify the correct login operation using an incorrect password

Severity **Priority Behavior Type** ♠ Critical O Medium Negative **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- The page https://skleptest.pl/my-account/ is open

No

- User is not logged in
- The "Username or email address" field is filled
- The "Password" field is blank

Post-conditions

The user is not logged in

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled
Step	2
Action	Click the "Login" button
Input data	
Expected result	The message about an incorrect password has been displayed

Attempting to log in without providing input for the "Password" field

The test aims to verify the correct operation login operation while leaving the "Password" field blank

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- The page https://skleptest.pl/my-account/ is open
- · User is not logged in
- The "Username or email address" field is filled
- The "Password" field is blank

Post-conditions

The user is not logged in

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an username or email address
Input data	
Expected result	The "Username or email address" field has been filled
Step	2
Action	Click the "Login" button
Input data	
Expected result	The message about blank the "Password field" has been displayed

Logging in using correct credentials

No

The test aims to verify the correct login operation using correct credentials

Priority Severity **Behavior Type** ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- The https://skleptest.pl/my-account/ is open
- User is not logged in
- The "Username or email address" field is blankThe "Password" field is blank

Post-conditions

The account page

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an username or email address
Input data	
Expected result	The "Username or email address" field has been filled
Step	2
Action	Enter a password
Input data	
Expected result	The "Password" field has been filled
Step	3
Action	Click the "Login" button
Input data	
Expected result	 the user has been successfully registered the account page has been successfully opened

The "Orders" link

The test aims to check the correct operation of the "Orders" hyperlink

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/my-account/orders/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Orders" link
Input data	
Expected result	The page https://skleptest.pl/my-account/orders/ page has been opened

The "Dashboard" link

The test aims to check the correct operation of the "Dashboard" hyperlink

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/orders/ is open

Post-conditions

The page https://skleptest.pl/my-account/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Dashboard" link
Input data	
Expected result	The page https://skleptest.pl/my-account/ page has been opened

The "Downloads" link

The test aims to check the correct operation of the "Downloads" hyperlink

Priority	Behavior	Туре
↑ High	Positive	Functional
Is Flaky	Milestone	Automation
No	-	Automated
Is Muted		
	↑ High Is Flaky No	↑ High Positive Is Flaky Milestone No -

Pre-conditions

Actual

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/ is open

No

Post-conditions

The page https://skleptest.pl/my-account/downloads/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Downloads" link
Input data	
Expected result	The page https://skleptest.pl/my-account/downloads/ page has been opened

The "Addresses" link

The test aims to check the correct operation of the "Addresses" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/my-account/edit-address/ is open

Tags

website, main menu, header, link

Step	1	
Action	Click the "Addresses" link	
Input data		
Expected result	The page https://skleptest.pl/my-account/edit-address/ page has been opened	

The "Account details" link

The test aims to check the correct operation of the "Account details" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/my-account/account-details/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Account details" link
Input data	
Expected result	The page https://skleptest.pl/my-account/account-details/ page has been opened

The "Logout" link

The test aims to check the correct operation of the "Logout" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/ is open

Post-conditions

The page https://skleptest.pl/my-account/customer-logout/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Logout" link
Input data	
Expected result	The page https://skleptest.pl/my-account/customer-logout/ page has been opened

Opening the billing address form page

The test aims to check the correct operation of the "Edit" hyperlink

No

Priority	Behavior	Туре
↑ High	Positive	Functional
Is Flaky	Milestone	Automation
No	-	Automated
Is Muted		
	↑ High Is Flaky No	↑ High Positive Is Flaky Milestone No -

Pre-conditions

Actual

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/ is open

Post-conditions

The page https://skleptest.pl/my-account/edit-address/billing/ is open

Tags

website, main menu, header, link

Step	1
Action	Click the "Edit" link in the billing address section
Input data	
Expected result	The page https://skleptest.pl/my-account/edit-address/billing/ page has been opened

Expanding the list

The test aims to check the correct operation of the "Edit" hyperlink

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open

Post-conditions

The dropdown list is expanded

Tags

website, main menu, header, link

Step	1
Action	Click the trigger element
Input data	
Expected result	The dropdown list has been expanded

Verification of the search field text input

The test aims to check the correct operation of the search field when entering text

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The search field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The search field has been filled with text

Searching with a correct country name

The test aims to check the correct operation of the dropdown list when searching for countries using a correct country name

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

Countries are found

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	Countries have been found

Searching with a partial country name

The test aims to check the correct operation of the dropdown list when searching for countries using a partial country name

Severity	Priority	Behavior	Туре
O Normal	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open

No

• The dropdown list is expanded

Post-conditions

Countries are found

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	Countries have been found

Searching with an incorrect country name

The test aims to check the correct operation of the dropdown list when searching for countries using an incorrect country name

SeverityPriorityBehaviorTypeMinorO MediumNegativeFunctionalLayerIs FlakyMilestoneAutomationE2ENo-Automated

Status Is Muted

Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

Countries are not found

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	Countries have not been found

The "State / County" field visibility

The test aims to verify whether, upon selecting the appropriate country name, the "State / County" field becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "State / County" field is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "State / County" field becomes visible

The "State / County" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "State / County" dropdown list becomes visible

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationE2ENo-Automated

Status Is Muted

Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "State / County" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "State / County" dropdown list becomes visible

The "County" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "County" dropdown list becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "County" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "County" dropdown list becomes visible

The "State" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "State" dropdown list becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "State" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "State" dropdown list becomes visible

The "District" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "District" dropdown list becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "District" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "District" dropdown list becomes visible

The "Province" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "Province" dropdown list becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "Province" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "Province" dropdown list becomes visible

The "Region" field visibility

The test aims to verify whether, upon selecting the appropriate country name, the "Region" field becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "Region" field is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "Region" field becomes visible

The "Region" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "Region" dropdown list becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "Region" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "Region" dropdown list becomes visible

No

The "Prefecture" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "Prefecture" dropdown list becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "Prefecture" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "Prefecture" dropdown list becomes visible

The "Municipality" field visibility

The test aims to verify whether, upon selecting the appropriate country name, the "Municipality" field becomes visible

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "Municipality" field is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "Municipality" field becomes visible

The "State / Zone" dropdown list visibility

The test aims to verify whether, upon selecting the appropriate country name, the "State / Zone" dropdown list becomes visible

SeverityPriorityBehaviorType♠ Critical↑ HighPositiveFunctionalLayerIs FlakyMilestoneAutomationE2ENo-Automated

Status Is Muted

Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The dropdown list is expanded

Post-conditions

The "State / Zone" dropdown list is visible

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The "State / Zone" dropdown list becomes visible

Verification of the "First name" field text input

The test aims to check the correct operation of the "First name" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "First name" field is blank

Post-conditions

The "First name" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Set a country
Input data	
Expected result	The "First name" field has been filled with text

Verification of the "Last name" field text input

The test aims to check the correct operation of the "Last name" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Last name" field is blank

Post-conditions

The "Last name" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Set a last name
Input data	
Expected result	The "Last name" field has been filled with text

Verification of the "Company" field text input

The test aims to check the correct operation of the "Company" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Negative **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open

No

• The "Company" field is blank

Post-conditions

The "Company" is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a company
Input data	
Expected result	The "Company" field has been filled with text

Verification of the "Street address" field text input

The test aims to check the correct operation of the "Street address" field when entering text

Severity **Priority Behavior** Type ♠ Critical Negative **Functional** ↑ High Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Street address" field is blank

Post-conditions

The "Street address" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Set an address
Input data	
Expected result	The "Street address" field has been filled with text

Verification of the "Street address" optional field text input

The test aims to check the correct operation of the "Street address" optional field when entering text

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Street address" optional field is blank

Post-conditions

The "Street address" optional field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Set an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text

Verification of the "Postcode / ZIP" field text input

The test aims to check the correct operation of the "Postcode / ZIP" field when entering text \bar{z}

Severity **Priority Behavior** Type ♠ Critical Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Postcode / ZIP" field is blank

Post-conditions

The "Postcode / ZIP" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text

Verification of the "Town / City" field text input

The test aims to check the correct operation of the "Town/ City" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Town / City" field is blank

Post-conditions

The "Town / City" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text

Verification of the "Phone" field text input

The test aims to check the correct operation of the "Phone" field when entering text

Severity **Priority Behavior Type** ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Phone" field is blank

Post-conditions

The "Phone" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text

Verification of the "Email address" field text input

The test aims to check the correct operation of the "Email address" field when entering text

Severity **Priority Behavior** Type ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The "Email address" field is blank

Post-conditions

The "Email address" field is filled with text

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Setting user billing address information with correct data

The test aims to verify the correct functionality when a user sets billing address information using valid data

Severity **Priority Behavior Type** ♠ Critical Positive **Functional** ↑ High Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	Lincer an address
Expected result	The "Street address" field has been filled with text
	The Street address field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	·
Expected result	The "Phone" field has been filled with text
•	
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	 the billing address information has been saved the page https://skleptest.pl/my-account/edit-address/ has been opened
Step	12
Action	Open the billing address form again and check the address information
Input data	
Expected result	Address data matches the user-provided information

Blank the "Company name" field

The test aims to verify the correct functionality when a user sets billing address information missing a company name

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	5
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	6
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	7
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	10
Action	Click the "Save address" button
Input data	
Expected result	 the billing address information has been saved the page https://skleptest.pl/my-account/edit-address/ has been opened

Step	11
Action	Open the billing address form again and check the address information
Input data	
Expected result	Address data matches the user-provided information

Incorrect first name

The test aims to verify the correct functionality when a user sets billing address information using an incorrect first name

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Stan	
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect first name has been displayed

Blank the "First name" field

The test aims to verify the correct functionality when a user sets billing address information missing a first name

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	3
Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	4

Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	5
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	6
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	7
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Char	10
Step	Click the "Save address" button
Action	Click the "Save address" button
Input data Expected result	A message about blank the "First name" field has been displayed
Expected result	A message about bidnk the irrist hame held has been displayed

Incorrect last name

The test aims to verify the correct functionality when a user sets billing address information using an incorrect last name

Severity	Priority	Behavior	Туре	
☆ Critical	↑ High	Negative	Functional	
Layer	Is Flaky	Milestone	Automation	
E2E	No	-	Automated	
Status	Is Muted			
Actual	No			

Pre-conditions

- A browser is run
- A user is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Ston	6
Step ————————————————————————————————————	6 Enter an optional address
Input data	Efficie an optional address
Expected result	The "Street address" optional field has been filled with text
·	
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect last name has been displayed

Blank the "Last name" field

The test aims to verify the correct functionality when a user sets billing address information missing a last name

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	4

Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	5
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	6
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	7
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a phone
Input data	<u>·</u>
Expected result	The "Phone" field has been filled with text
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	
Action	Click the "Save address" button
Input data	
Expected result	A message about blank the "Last name" field has been displayed

Incorrect address

The test aims to verify the correct functionality when a user sets billing address information using an incorrect address

Severity	Priority	Behavior	Туре	
☆ Critical	↑ High	Negative	Functional	
Layer	ls Flaky	Milestone	Automation	
E2E	No	-	Automated	
Status	Is Muted			
Actual	No			

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect address has been displayed

Blank the "Street address" field

The test aims to verify the correct functionality when a user sets billing address information missing a last name

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- · User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an optional address
	Enter an optional address
Input data	The IICtreet address antique I field has been filled with tout
Expected result	The "Street address" optional field has been filled with text
Step	6
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Ston	7
Step	
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Chan	
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	10
Action	Click the "Save address" button
Input data	
Expected result	A message about blank the "Street address" field has been displayed

Incorrect optional address

The test aims to verify the correct functionality when a user sets billing address information using an incorrect optional address

Severity **Priority Behavior Type** ☆ Critical **Functional** ↑ High Negative Is Flaky Milestone **Automation** Layer E2E No Automated **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	Enter un address
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	The "Town / City" field has been filled with toyt
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
-	
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect optional address has been displayed

Blank the "Street address" optional field

The test aims to verify the correct functionality when a user sets billing address information missing a last name

Severity	Priority	Behavior	Туре
☆ Critical	O Medium	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Cton	5
Step	
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	7
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	10
Action	Click the "Save address" button
Input data	

Expected result

- the billing address information has been saved
 the page https://skleptest.pl/my-account/edit-address/ has been opened

Incorrect postcode

The test aims to verify the correct functionality when a user sets billing address information using an incorrect postcode

Severity	Priority	Behavior	Туре	
^ Major	↑ High	Negative	Functional	
Layer	ls Flaky	Milestone	Automation	
E2E	No	-	Automated	
Status	Is Muted			
Actual	No			

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	·
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect postcode has been displayed

Blank the "Postcode / ZIP" field

The test aims to verify the correct functionality when a user sets billing address information missing a last name

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	
Action	Click the "Save address" button
Input data	
Expected result	A message about blank the "Postcode / ZIP" field has been displayed

Incorrect city

The test aims to verify the correct functionality when a user sets billing address information using an incorrect city

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	Litter an address
Expected result	The "Street address" field has been filled with text
	The Street address field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Ston	7
Step Action	
	Enter a city
Input data	The "Town / City" field has been filled with text
Expected result	The Town / City field has been filled with text
Step	8
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Share	
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect city has been displayed

Blank the "Town / City" field

The test aims to verify the correct functionality when a user sets billing address information missing a city

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Share	
Step	5
Action	Enter an address
Input data	The IIChrook address II Gold has been Gilled with hour
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	9
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	10
Action	Click the "Save address" button
Input data	
Expected result	A message about blank the "City" field has been displayed

Incorrect phone

The test aims to verify the correct functionality when a user sets billing address information using an incorrect phone

Severity	Priority	Behavior	Туре	
^ Major	↑ High	Negative	Functional	
Layer	ls Flaky	Milestone	Automation	
E2E	No	-	Automated	
Status	Is Muted			
Actual	No			

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect phone has been displayed

Blank the "Phone" field

The test aims to verify the correct functionality when a user sets billing address information missing a phone

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- User is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	Enter un address
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a postcode
Input data	Littel a postcode
Expected result	The "Postcode / ZIP" field has been filled with text
Expected result	The Postcode / Zir Held has been filled with text
Step	8
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Ston	
Step	5 Enter an area!
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text
Step	10
Action	Click the "Save address" button
Input data	
Expected result	A message about blank the "Phone" field has been displayed

Incorrect email

The test aims to verify the correct functionality when a user sets billing address information using an incorrect email

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- A user is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	8
Action	Enter a postcode
	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	10
Action	Enter an email
Input data	
Expected result	The "Email address" field has been filled with text

Step	11
Action	Click the "Save address" button
Input data	
Expected result	A message about an incorrect email has been displayed

Blank the "Email address" field

The test aims to verify the correct functionality when a user sets billing address information missing an email

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- A user is logged in
- The page https://skleptest.pl/my-account/edit-address/billing/ is open
- The billing address form fields are blank

Post-conditions

The billing address form is open

Tags

skleptest, header, desktop, text, phrase, search field, search engine, website

Step	1
Action	Enter a country
Input data	
Expected result	The country has been set
Step	2
Action	Enter a first name
Input data	
Expected result	The "First name" field has been filled with text
Step	3
Action	Enter a last name
Input data	
Expected result	The "Last name" field has been filled with text
Step	4

Action	Enter a company
Input data	
Expected result	The "Company name" field has been filled with text
Step	5
Action	Enter an address
Input data	
Expected result	The "Street address" field has been filled with text
Step	6
Action	Enter an optional address
Input data	
Expected result	The "Street address" optional field has been filled with text
Step	7
Action	Enter a postcode
Input data	
Expected result	The "Postcode / ZIP" field has been filled with text
Step	8
Action	Enter a city
Input data	
Expected result	The "Town / City" field has been filled with text
Step	9
Action	Enter a phone
Input data	
Expected result	The "Phone" field has been filled with text
Step	
Action	Click the "Save address" button
Input data	
Expected result	A message about blank the "Email address" field has been displayed

Verification of the quantity field text inputThe test aims to check the correct operation of the quantity field when entering text

No

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

Post-conditions

The quantity field is filled with text

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text

Quantity- shorter than minimum (min - 1)

No

The test aims to verify the correct functioning of the quantity field when entering an incorrect value {MIN - 1}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A validation message has been displayed

Quantity- minimum

The test aims to verify the correct functioning of the quantity field when entering an incorrect value {MIN}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

No

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A validation message has been displayed

Quantity- exceeding minimum (min + 1)

The test aims to verify the correct functioning of the quantity field when entering an incorrect value $\{MIN + 1\}$

SeverityPriorityBehaviorType^ Major^ HighNegativeFunctionalLayerIs FlakyMilestoneAutomationE2ENo-Automated

Status Is Muted

Actual No

Pre-conditions

- A browser is run
- A product page is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A validation message has been displayed

Quantity- shorter than maximum (max - 1)

No

The test aims to verify the correct functioning of the quantity field when entering a correct value {MAX - 1}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

Post-conditions

A product is added to the shopping cart

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A product has been added to the shopping cart

Quantity- maximum

The test aims to verify the correct functioning of the quantity field when entering a correct value {MAX}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

Post-conditions

A product is added to the shopping cart

No

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A product has been added to the shopping cart

Quantity- exceeding maximum (max + 1)

No

The test aims to verify the correct functioning of the quantity field when entering an incorrect value $\{MAX + 1\}$

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A validation message has been displayed

Entering a special character

No

The test aims to verify the correct functioning of the quantity field when entering a special character

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Add to cart" button
Input data	
Expected result	A validation message has been displayed

Blank the quantity field

The test aims to verify the correct functioning of the quantity field when entering a special character

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- A product page is open
- The quantity field is blank

Post-conditions

A message about empty the quantity field is displayed

No

Step	1
Action	Click the "Add to cart button"
Input data	
Expected result	A message about empty the quantity field has been displayed

The "Proceed to checkout" button

No

The test aims to check the correct operation of the "Proceed to checkout" button

Severity	Priority	Behavior	Туре
♠ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open

Post-conditions

The page https://skleptest.pl/checkout/ is open

Step	1
Action	Click the "Proceed to checkout" button
Input data	
Expected result	The page https://skleptest.pl/checkout/ has been opened

Adding product from a product page

No

Checking the shopping cart table contents after adding a product from the product page

Severity **Priority Behavior** Type ☆ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- A product page is open
- A qauntity is set

Post-conditions

Products added to the basket are displayed correctly in the basket table

Step	1
Action	Add products to the shopping cart
Input data	
Expected result	Products have been added to the shopping cart
Step	2
Action	Open the shopping cart
Input data	
Expected result	The shopping cart page has been opened
Step	3
Action	Check the shopping cart table
Input data	
Expected result	The product data in the table matches the product data added to the shopping cart

Adding product from a product thumbnail

Checking the shopping cart table contents after adding a product from the product thumbnail

Priority Behavior Severity Type ♠ Critical ↑ High Positive **Functional** Layer Is Flaky Milestone **Automation** E2E **Automated** No **Status** Is Muted Actual No

Pre-conditions

- A browser is run
- Home page is open

Post-conditions

Products added to the basket are displayed correctly in the basket table

Step	1
Action	Add products to the shopping cart
Input data	
Expected result	Products have been added to the shopping cart
Step	2
Action	Open the shopping cart
Input data	
Expected result	The shopping cart page has been opened
Step	3
Action	Check the shopping cart table
Input data	
Expected result	The product data in the table matches the product data added to the shopping cart

Verification of the quantity field text input

The test aims to check the correct operation of the quantity field when entering text

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open

Post-conditions

The quantity field is filled with text

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text

Quantity- shorter than minimum (min - 1)

The test aims to verify the correct functioning of the quantity field when entering an incorrect value {MIN - 1}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

• The shopping cart is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A validation message has been displayed

Quantity- minimum

The test aims to verify the correct functioning of the quantity field when entering an incorrect value {MIN}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A validation message has been displayed

Quantity- exceeding minimum (min + 1)

The test aims to verify the correct functioning of the quantity field when entering an incorrect value $\{MIN + 1\}$

Severity **Priority Behavior** Type Major ↑ High Negative **Functional** Milestone Layer Is Flaky **Automation** E2E **Automated** No **Status** Is Muted

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

• The shopping cart is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A validation message has been displayed

Quantity- shorter than maximum (max - 1)

The test aims to verify the correct functioning of the quantity field when entering a correct value {MAX - 1}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open

Post-conditions

A product is added to the shopping cart

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A product has been added to the shopping cart

Quantity- maximum

The test aims to verify the correct functioning of the quantity field when entering a correct value {MAX}

Severity	Priority	Behavior	Туре
^ Major	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open

Post-conditions

A product is added to the shopping cart

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A product has been added to the shopping cart

Quantity- exceeding maximum (max + 1)

The test aims to verify the correct functioning of the quantity field when entering an incorrect value $\{MAX + 1\}$

Severity	Priority	Behavior	Туре
^ Major	↑ High	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A validation message has been displayed

Entering a special character

The test aims to verify the correct functioning of the quantity field when entering a special character

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

• The shopping cart is open

Post-conditions

A validation message is displayed

Step	1
Action	Enter a quantity
Input data	
Expected result	The quantity field has been filled with text
Step	2
Action	Click the "Update cart" button
Input data	
Expected result	A validation message has been displayed

Blank the quantity field

The test aims to verify the correct functioning of the quantity field when entering a special character

Severity	Priority	Behavior	Туре
^ Major	O Medium	Negative	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The shopping cart is open
- The quantity field is blank

Post-conditions

A message about empty the quantity field is displayed

Step	1
Action	Click the "Add to cart button"
Input data	
Expected result	A message about empty the quantity field has been displayed

Expanding and collapsing the login form

The test aims to verify the correctness of the expand and collapse functionality of the login form

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

- The checkout page is open
- The login form is collapsed

Post-conditions

The login form is collapsed

Step	1
Action	Click the "Click here to login" link
Input data	
Expected result	The login form has been expanded
Step	2
Action	Click the "Click here to login" link
Input data	
Expected result	The login form has been collapsed

Expanding and collapsing the coupon code form

The test aims to verify the correctness of the expand and collapse functionality of the coupon code form

Severity	Priority	Behavior	Туре
♠ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

- The checkout page is open
- The coupon code form is collapsed

Post-conditions

The coupon code form is collapsed

Step	1
Action	Click the "Click here to enter your code" link
Input data	
Expected result	The coupon code form has been expanded
Step	2
Action	Click the "Click here to enter your code" link
Input data	
Expected result	The coupon code form has been collapsed

Expanding and collapsing the shipping address form

The test aims to verify the correctness of the expand and collapse functionality of the shipping address form

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

- The checkout page is open
- The shipping address form is collapsed

Post-conditions

The shipping address form is collapsed

Step	1
Action	Click on the checkbox located next to the text "Ship to a different address?"
Input data	
Expected result	The shipping address form has been expanded
Step	2
Action	Click on the checkbox located next to the text "Ship to a different address?"
Input data	
Expected result	The shipping address form has been collapsed

Verification of the order comments text area text input

The test aims to check the correct operation of the order comments text area when entering text

Priority	Behavior	Туре
O Medium	Positive	Functional
Is Flaky	Milestone	Automation
No	-	Automated
Is Muted		
	O Medium Is Flaky No	O Medium Positive Is Flaky Milestone No -

Pre-conditions

Actual

- A browser is run
- Products are added to the shopping cart

No

- The checkout page is open
- The order comments text area is blank

Post-conditions

The order comments text area is filled with text

Step	1
Action	Enter a text
Input data	
Expected result	The order comments text area has been filled with text

The "Direct bank transfer" method

The test aims to verify the correctness of the functionality during order processing using the "Direct bank transfer" method

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The checkout page is open
- The billing address form is filled

Post-conditions

The page https://skleptest.pl/checkout/order-received/ is open

Step	1
Action	Select the radio button located next to the text "Direct bank transfer"
Input data	
Expected result	The radio button is selected
Step	2
Action	Click the "Place order" button
Input data	
Expected result	The page https://skleptest.pl/checkout/order-received/ has been opened

The "Check payments" method

The test aims to verify the correctness of the functionality during order processing using the "Check payments" method

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	ls Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The checkout page is open
- The billing address form is filled

Post-conditions

The page https://skleptest.pl/checkout/order-received/ is open

Step	1
Action	Select the radio button located next to the text "Check payments"
Input data	
Expected result	The radio button is selected
Step	2
Action	Click the "Place order" button
Input data	
Expected result	The page https://skleptest.pl/checkout/order-received/ has been opened

The "Cash on delivery" method

The test aims to verify the correctness of the functionality during order processing using the "Cash on delivery" method

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added to the shopping cart
- The checkout page is open
- The billing address form is filled

Post-conditions

The page https://skleptest.pl/checkout/order-received/ is open

Step	1
Action	Select the radio button located next to the text "Cash on delivery"
Input data	
Expected result	The radio button is selected
Step	2
Action	Click the "Place order" button
Input data	
Expected result	The page https://skleptest.pl/checkout/order-received/ has been opened

The "PayPal" method

The test aims to verify the correctness of the functionality during order processing using the "PayPal" method

Severity	Priority	Behavior	Туре
☆ Critical	↑ High	Positive	Functional
Layer	Is Flaky	Milestone	Automation
E2E	No	-	Automated
Status	Is Muted		
Actual	No		

Pre-conditions

- A browser is run
- Products are added th the shopping cart
- The checkout page is open
- The billing address form is filled

Post-conditions

The page https://www.paypal.com/ is open

Step	1
Action	Select the radio button located next to the text "PayPal"
Input data	
Expected result	The radio button is selected
Step	2
Action	Click the "Place order" button
Input data	
Expected result	The page https://www.paypal.com/ has been opened