

FIT3152 Assignment 2

Code ▾

Student Name: Lim Yu Jin

Student ID: 32637888

import necessary libraries:

Hide

```
library(dplyr)
library(tidyr)
install.packages("tree")
library(tree)
install.packages("e1071")
library(e1071)
install.packages(("ROCR"))
library(ROCR)
install.packages("randomForest")
library(randomForest)
install.packages("adabag")
library(adabag)
install.packages("rpart")
library(rpart)
install.packages("neuralnet")
library(neuralnet)
install.packages("pROC")
library(pROC)
install.packages("neuralnet")
library(neuralnet)
library(nnet)
install.packages('class')
library(class)
```

Question 1

lets have a quick look at the dataset.

Hide

```
humid <- read.csv("HumidPredict2023D.csv")
head(humid)
```

Y...	Location	MinT...	MaxT...	Rainfall	Evaporation	Sunshi...	WindGustDir	WindGustSp
<int>	<int>	<dbl>	<dbl>	<dbl>	<dbl>	<dbl>	<chr>	<i
1 2018	36	2.8	19.7	0.0	NA	NA	NA	
2 2013	36	7.3	19.6	0.0	3.6	11.9	WSW	
3 2019	36	21.2	34.8	0.4	NA	NA	NA	
4 2019	NA	7.1	16.7	0.0	NA	NA	SW	
5 2019	8	13.2	22.7	4.8	1.2	8.6	ESE	

Y...	Location	MinT...	MaxT...	Rainfall	Evaporation	Sunshi...	WindGustDir	WindGustSp
<int>	<int>	<dbl>	<dbl>	<dbl>	<dbl>	<dbl>	<chr>	<i
62017	1	10.3	22.1	0.0	NA	NA	NW	

6 rows | 1-10 of 22 columns

Summary of the dataset containing the mean, min and max of each attribute.

Hide

```
summary(humid)
```



n	Year	Location		MinTemp	MaxTemp	Rainfall	Evaporatio
	Sunshine	WindGustDir					
Min.	:2007	Min.	: 1.00	Min.	:-8.70	Min.	: 0.000
0.0	Min.	: 0.00	Length:100000				
1st Qu.:	:2011	1st Qu.:	:12.00	1st Qu.:	: 7.40	1st Qu.:	: 0.000
2.6	1st Qu.:	: 4.90	Class :character				
Median	:2014	Median	:25.00	Median	:11.80	Median	: 0.000
4.8	Median	: 8.50	Mode :character				
Mean	:2014	Mean	:24.85	Mean	:11.99	Mean	: 2.215
5.5	Mean	: 7.65					
3rd Qu.:	:2017	3rd Qu.:	:37.00	3rd Qu.:	:16.70	3rd Qu.:	: 0.600
7.4	3rd Qu.:	:10.60					
Max.	:2019	Max.	:49.00	Max.	:33.90	Max.	:371.000
3.6	Max.	:14.50					
NA's	:1031	NA's	:1014	NA's	:2221	NA's	:3367
57	NA's	:52812					
WindGustSpeed	WindDir9am	WindDir3pm	WindSpeed9am	WindSpeed3pm	Pres		
sure9am	Pressure3pm	Cloud9am					
Min.	: 6.00	Length:100000	Length:100000	Min.	: 0.00	Min.	: 0.00
: 979.1	Min.	: 978.9	Min.	:0.0			
1st Qu.:	:31.00	Class :character	Class :character	1st Qu.:	: 7.00	1st Qu.:	:13.00
u.:	:1013.2	1st Qu.:	:1010.7	1st Qu.:	:1.0		
Median	: 39.00	Mode :character	Mode :character	Median	:13.00	Median	:19.00
n:	:1017.8	Median	:1015.4	Median	:5.0		
Mean	: 40.16			Mean	:14.03	Mean	:18.74
:1017.9	Mean	:1015.4	Mean	:4.5			
3rd Qu.:	: 48.00			3rd Qu.:	:19.00	3rd Qu.:	:24.00
u.:	:1022.7	3rd Qu.:	:1020.2	3rd Qu.:	:7.0		
Max.	:135.00			Max.	:87.00	Max.	:87.00
:1041.1	Max.	:1040.1	Max.	:9.0			
NA's	:8304			NA's	:2598	NA's	:3885
:11663	NA's	:11641	NA's	:41671			
Cloud3pm	Temp9am	Temp3pm	RainToday	RISK_MM	MH		
T							
Min.	:0.00	Min.	:-6.00	Min.	:-5.10	Length:100000	Min.
:0.00							
1st Qu.:	:2.00	1st Qu.:	:12.20	1st Qu.:	:16.60	Class :character	1st Qu.:
u.:	:0.00						
Median	:5.00	Median	:16.60	Median	:21.10	Mode :character	Median
:0.00							
Mean	:4.52	Mean	:16.88	Mean	:21.68		Mean
:0.49							
3rd Qu.:	:7.00	3rd Qu.:	:21.50	3rd Qu.:	:26.40		3rd Q
u.:	:1.00						
Max.	:9.00	Max.	:40.20	Max.	:46.40		Max.
:1.00							
NA's	:44391	NA's	:2313	NA's	:3920		NA's
:5686							

Structure of the data set which tells us the class for each attribute.

Hide

```
str(humid)
```

```
'data.frame':  100000 obs. of  22 variables:
 $ Year      : int  2018 2013 2019 2019 2019 2017 2018 2009 2014 2010 ...
 $ Location  : int  36 36 36 NA 8 1 18 6 18 28 ...
 $ MinTemp   : num  2.8 7.3 21.2 7.1 13.2 10.3 8.8 2.4 11.7 13.9 ...
 $ MaxTemp   : num  19.7 19.6 34.8 16.7 22.7 22.1 28 11.8 22.3 18.9 ...
 $ Rainfall  : num  0 0 0.4 0 4.8 0 0 0.8 0 0.2 ...
 $ Evaporation : num  NA 3.6 NA NA 1.2 NA NA NA NA 4.2 ...
 $ Sunshine  : num  NA 11.9 NA NA 8.6 NA NA NA NA 7 ...
 $ WindGustDir : chr  NA "WSW" NA "SW" ...
 $ WindGustSpeed: int  NA 41 NA 28 31 63 31 39 22 43 ...
 $ WindDir9am : chr  NA "W" NA "SSW" ...
 $ WindDir3pm : chr  NA "WSW" NA "SSW" ...
 $ WindSpeed9am : int  NA NA NA 9 4 24 6 22 2 19 ...
 $ WindSpeed3pm : int  NA 26 NA 15 11 13 13 17 13 19 ...
 $ Pressure9am : num  NA 1017 NA 1025 1030 ...
 $ Pressure3pm : num  NA 1016 NA 1024 1028 ...
 $ Cloud9am    : int  NA 0 NA 8 7 NA NA 6 NA 4 ...
 $ Cloud3pm    : int  NA 1 NA 6 3 NA NA 8 NA 6 ...
 $ Temp9am     : num  11.4 12.8 25 10.5 17.2 20.1 16.6 8.1 14.1 17.5 ...
 $ Temp3pm     : num  16.1 18.7 23.3 16 20.2 15.3 26.5 10.1 21.2 17.1 ...
 $ RainToday   : chr  "No" "No" "No" "No" ...
 $ RISK_MM     : num  2.4 0 2 0 3.8 5.6 0 6.2 0 0 ...
 $ MHT         : int  1 0 0 0 1 1 1 0 0 1 ...
```

dimension of the dataset, which is 100000 rows, 22 columns

Hide

```
dim(humid)
```

```
[1] 100000    22
```

Hide

```
more_humid_days <- nrow(humid[humid$RainToday == 'Yes', ])
no_humid_days <- nrow(humid[humid$RainToday == 'No', ])

proportion <- more_humid_days/ no_humid_days
proportion
```

```
[1] 0.3036415
```

proportion of days is more humid compared to those where it is less humid is 0.3036415

Hide

```
humid1 <- select(humid, -Year)
str(humid1)
```

```
'data.frame':  100000 obs. of  21 variables:
 $ Location      : int  36 36 36 NA 8 1 18 6 18 28 ...
 $ MinTemp       : num  2.8 7.3 21.2 7.1 13.2 10.3 8.8 2.4 11.7 13.9 ...
 $ MaxTemp       : num  19.7 19.6 34.8 16.7 22.7 22.1 28 11.8 22.3 18.9 ...
 $ Rainfall      : num  0 0 0.4 0 4.8 0 0 0.8 0 0.2 ...
 $ Evaporation    : num  NA 3.6 NA NA 1.2 NA NA NA NA 4.2 ...
 $ Sunshine      : num  NA 11.9 NA NA 8.6 NA NA NA NA 7 ...
 $ WindGustDir    : chr   NA "WSW" NA "SW" ...
 $ WindGustSpeed  : int   NA 41 NA 28 31 63 31 39 22 43 ...
 $ WindDir9am     : chr   NA "W" NA "SSW" ...
 $ WindDir3pm     : chr   NA "WSW" NA "SSW" ...
 $ WindSpeed9am   : int   NA NA NA 9 4 24 6 22 2 19 ...
 $ WindSpeed3pm   : int   NA 26 NA 15 11 13 13 17 13 19 ...
 $ Pressure9am    : num   NA 1017 NA 1025 1030 ...
 $ Pressure3pm    : num   NA 1016 NA 1024 1028 ...
 $ Cloud9am       : int   NA 0 NA 8 7 NA NA 6 NA 4 ...
 $ Cloud3pm       : int   NA 1 NA 6 3 NA NA 8 NA 6 ...
 $ Temp9am        : num  11.4 12.8 25 10.5 17.2 20.1 16.6 8.1 14.1 17.5 ...
 $ Temp3pm        : num  16.1 18.7 23.3 16 20.2 15.3 26.5 10.1 21.2 17.1 ...
 $ RainToday      : chr   "No" "No" "No" "No" ...
 $ RISK_MM        : num   2.4 0 2 0 3.8 5.6 0 6.2 0 0 ...
 $ MHT           : int    1 0 0 0 1 1 1 0 0 1 ...
```

Question 2

null values in rainfall and Evaporation attribute modify to 0

removes rows that containing null values

Attribute Raintoday yes = 1, no = 0

Hide

```
humid1$Rainfall[is.na(humid1$Rainfall)] = 0
humid1$Evaporation[is.na(humid1$Evaporation)] = 0
humid1 <- na.omit(humid1)

humid1$RainToday[humid1$RainToday == 'Yes'] <- 1
humid1$RainToday[humid1$RainToday == 'No'] <- 0
```

Wind Direction N = 0, NNE = 1, NE = 2, ENE = 3, E = 4, ESE = 5, SE = 6, SSE = 7, S = 8, SSW = 9, SW = 10, WSW = 11, W = 12, WNW = 13, NW = 14, NNW = 15

Hide

```
humid1$WindGustDir[humid1$WindGustDir == 'N'] <- 0
humid1$WindGustDir[humid1$WindGustDir == 'NNE'] <- 1
humid1$WindGustDir[humid1$WindGustDir == 'NE'] <- 2
humid1$WindGustDir[humid1$WindGustDir == 'ENE'] <- 3
humid1$WindGustDir[humid1$WindGustDir == 'E'] <- 4
humid1$WindGustDir[humid1$WindGustDir == 'ESE'] <- 5
humid1$WindGustDir[humid1$WindGustDir == 'SE'] <- 6
humid1$WindGustDir[humid1$WindGustDir == 'SSE'] <- 7
humid1$WindGustDir[humid1$WindGustDir == 'S'] <- 8
humid1$WindGustDir[humid1$WindGustDir == 'SSW'] <- 9
humid1$WindGustDir[humid1$WindGustDir == 'SW'] <- 10
humid1$WindGustDir[humid1$WindGustDir == 'WSW'] <- 11
humid1$WindGustDir[humid1$WindGustDir == 'W'] <- 12
humid1$WindGustDir[humid1$WindGustDir == 'WNW'] <- 13
humid1$WindGustDir[humid1$WindGustDir == 'NW'] <- 14
humid1$WindGustDir[humid1$WindGustDir == 'NNW'] <- 15
```

```
humid1$WindDir9am[humid1$WindDir9am == 'N'] <- 0
humid1$WindDir9am[humid1$WindDir9am == 'NNE'] <- 1
humid1$WindDir9am[humid1$WindDir9am == 'NE'] <- 2
humid1$WindDir9am[humid1$WindDir9am == 'ENE'] <- 3
humid1$WindDir9am[humid1$WindDir9am == 'E'] <- 4
humid1$WindDir9am[humid1$WindDir9am == 'ESE'] <- 5
humid1$WindDir9am[humid1$WindDir9am == 'SE'] <- 6
humid1$WindDir9am[humid1$WindDir9am == 'SSE'] <- 7
humid1$WindDir9am[humid1$WindDir9am == 'S'] <- 8
humid1$WindDir9am[humid1$WindDir9am == 'SSW'] <- 9
humid1$WindDir9am[humid1$WindDir9am == 'SW'] <- 10
humid1$WindDir9am[humid1$WindDir9am == 'WSW'] <- 11
humid1$WindDir9am[humid1$WindDir9am == 'W'] <- 12
humid1$WindDir9am[humid1$WindDir9am == 'WNW'] <- 13
humid1$WindDir9am[humid1$WindDir9am == 'NW'] <- 14
humid1$WindDir9am[humid1$WindDir9am == 'NNW'] <- 15
```

```
humid1$WindDir3pm[humid1$WindDir3pm == 'N'] <- 0
humid1$WindDir3pm[humid1$WindDir3pm == 'NNE'] <- 1
humid1$WindDir3pm[humid1$WindDir3pm == 'NE'] <- 2
humid1$WindDir3pm[humid1$WindDir3pm == 'ENE'] <- 3
humid1$WindDir3pm[humid1$WindDir3pm == 'E'] <- 4
humid1$WindDir3pm[humid1$WindDir3pm == 'ESE'] <- 5
humid1$WindDir3pm[humid1$WindDir3pm == 'SE'] <- 6
humid1$WindDir3pm[humid1$WindDir3pm == 'SSE'] <- 7
humid1$WindDir3pm[humid1$WindDir3pm == 'S'] <- 8
humid1$WindDir3pm[humid1$WindDir3pm == 'SSW'] <- 9
humid1$WindDir3pm[humid1$WindDir3pm == 'SW'] <- 10
humid1$WindDir3pm[humid1$WindDir3pm == 'WSW'] <- 11
humid1$WindDir3pm[humid1$WindDir3pm == 'W'] <- 12
humid1$WindDir3pm[humid1$WindDir3pm == 'WNW'] <- 13
humid1$WindDir3pm[humid1$WindDir3pm == 'NW'] <- 14
humid1$WindDir3pm[humid1$WindDir3pm == 'NNW'] <- 15
```

```
humid1$WindGustDir <- as.numeric(humid1$WindGustDir)
humid1$WindDir9am <- as.numeric(humid1$WindDir9am)
humid1$WindDir3pm <- as.numeric(humid1$WindDir3pm)
```

```
humid1$RainToday <- as.numeric(humid1$RainToday)
str(humid1)
```

```
'data.frame':  30414 obs. of  21 variables:
 $ Location      : int  8 28 33 36 46 23 38 32 21 33 ...
 $ MinTemp       : num  13.2 13.9 11.7 8.5 19.9 7.2 11.6 18.1 13.8 14.9 ...
 $ MaxTemp       : num  22.7 18.9 31.1 20 29.2 15 19.2 24.2 36.7 38.3 ...
 $ Rainfall      : num  4.8 0.2 0 0.2 7.6 0.8 0 0 0 0 ...
 $ Evaporation   : num  1.2 4.2 9.2 4.2 11.2 2 4.6 7.2 12 9 ...
 $ Sunshine      : num  8.6 7 12.7 5.9 10.8 6.4 7.7 6 12.7 11.8 ...
 $ WindGustDir   : num  5 4 3 12 0 11 9 9 10 11 ...
 $ WindGustSpeed : int  31 43 50 59 56 63 39 39 28 37 ...
 $ WindDir9am    : num  10 5 2 15 10 15 12 10 3 3 ...
 $ WindDir3pm    : num  5 5 4 12 6 12 8 10 9 12 ...
 $ WindSpeed9am  : int  4 19 31 9 15 15 15 19 7 15 ...
 $ WindSpeed3pm  : int  11 19 19 31 26 31 19 24 11 26 ...
 $ Pressure9am   : num  1030 1026 1020 1010 1009 ...
 $ Pressure3pm   : num  1028 1025 1016 1009 1007 ...
 $ Cloud9am      : int  7 4 0 6 6 1 6 6 0 1 ...
 $ Cloud3pm      : int  3 6 0 7 6 6 2 7 0 1 ...
 $ Temp9am       : num  17.2 17.5 24.3 15 25.4 12.2 14.3 19.2 22.7 25.2 ...
 $ Temp3pm       : num  20.2 17.1 30.2 12.7 25.6 11.7 18.2 21.7 34.2 36.4 ...
 $ RainToday     : num  1 0 0 0 1 0 0 0 0 0 ...
 $ RISK_MM       : num  3.8 0 0 1.8 0 12.4 0 0 0 0 ...
 $ MHT           : int  1 1 0 0 0 0 1 0 1 1 ...
- attr(*, "na.action")= 'omit' Named int [1:69586] 1 2 3 4 6 7 8 9 11 12 ...
..- attr(*, "names")= chr [1:69586] "1" "2" "3" "4" ...
```

[Hide](#)

```
summary(humid1)
```

Location	MinTemp	MaxTemp	Rainfall	Evaporation	Sunshine
WindGustDir	WindGustSpeed				
Min. : 4.00	Min. : -6.70	Min. : 7.20	Min. : 0.00	Min. : 0.000	Min. :
0.000	Min. : 0.000	Min. : 9.00			
1st Qu.:16.00	1st Qu.: 8.50	1st Qu.:18.60	1st Qu.: 0.00	1st Qu.: 2.600	1st Qu.:
5.000	1st Qu.: 4.000	1st Qu.: 31.00			
Median :28.00	Median :13.00	Median :23.80	Median : 0.00	Median : 4.800	Median :
8.600	Median : 7.000	Median : 39.00			
Mean :26.46	Mean :13.33	Mean :24.09	Mean : 2.38	Mean : 5.249	Mean :
7.715	Mean : 7.297	Mean : 41.03			
3rd Qu.:38.00	3rd Qu.:18.10	3rd Qu.:29.40	3rd Qu.: 0.60	3rd Qu.: 7.200	3rd Qu.:1
0.700	3rd Qu.:11.000	3rd Qu.: 48.00			
Max. :49.00	Max. :30.20	Max. :48.10	Max. :367.60	Max. :72.200	Max. :1
4.500	Max. :15.000	Max. :126.00			
WindDir9am	WindDir3pm	WindSpeed9am	WindSpeed3pm	Pressure9am	Pressure
3pm	Cloud9am	Cloud3pm			
Min. : 0.000	Min. : 0.000	Min. : 2.00	Min. : 2.00	Min. : 979.1	Min. :
978.9	Min. :0.000	Min. :0.000			
1st Qu.: 3.000	1st Qu.: 4.000	1st Qu.: 9.00	1st Qu.:13.00	1st Qu.:1012.8	1st Qu.:1
010.3	1st Qu.:1.000	1st Qu.:2.000			
Median : 7.000	Median : 8.000	Median :15.00	Median :19.00	Median :1017.3	Median :1
014.8	Median :5.000	Median :5.000			
Mean : 7.012	Mean : 7.484	Mean :15.55	Mean :19.75	Mean :1017.3	Mean :1
014.9	Mean :4.238	Mean :4.297			
3rd Qu.:11.000	3rd Qu.:11.000	3rd Qu.:20.00	3rd Qu.:26.00	3rd Qu.:1022.0	3rd Qu.:1
019.6	3rd Qu.:7.000	3rd Qu.:7.000			
Max. :15.000	Max. :15.000	Max. :81.00	Max. :72.00	Max. :1041.1	Max. :1
040.1	Max. :8.000	Max. :9.000			
Temp9am	Temp3pm	RainToday	RISK_MM	MHT	
Min. : -0.70	Min. : 4.80	Min. :0.0000	Min. : 0.000	Min. :0.0000	
1st Qu.:13.00	1st Qu.:17.30	1st Qu.:0.0000	1st Qu.: 0.000	1st Qu.:0.0000	
Median :17.60	Median :22.20	Median :0.0000	Median : 0.000	Median :0.0000	
Mean :18.08	Mean :22.57	Mean :0.2217	Mean : 2.409	Mean :0.4882	
3rd Qu.:23.10	3rd Qu.:27.70	3rd Qu.:0.0000	3rd Qu.: 0.600	3rd Qu.:1.0000	
Max. :39.10	Max. :46.10	Max. :1.0000	Max. :371.000	Max. :1.0000	

[Hide](#)

```
dim(humid1)
```

```
[1] 30414    21
```

Question 3

Split 70% of data to training, 30% for testing

[Hide](#)


```
set.seed(32637888)

train.row = sample(1:nrow(humid1), 0.7*nrow(humid1))
humid.train = humid1[train.row,]
humid.test = humid1[-train.row,]
humid.train$MHT = as.factor(humid.train$MHT)
humid.test$MHT = as.factor(humid.test$MHT)
```

Question 4

Decision Tree Model


Hide

```
humid.tree=tree(MHT ~., data = humid.train)
summary(humid.tree)
```

```
Classification tree:
tree(formula = MHT ~ ., data = humid.train)
Variables actually used in tree construction:
[1] "Rainfall"
Number of terminal nodes:  2
Residual mean deviance:  1.37 = 29160 / 21290
Misclassification error rate: 0.4432 = 9436 / 21289
```

Hide

```
plot(humid.tree)
text(humid.tree, pretty = 0)
```



Naive Bayes Model

Hide

```
humid.bayes = naiveBayes(MHT ~. , data = humid.train)
summary(humid.bayes)
```

	Length	Class	Mode
apriori	2	table	numeric
tables	20	-none-	list
levels	2	-none-	character
isnumeric	20	-none-	logical
call	4	-none-	call

Bagging Model

Hide

```
humid.bag = bagging(MHT ~., data = humid.train)
summary(humid.bag)
```

	Length	Class	Mode
formula	3	formula	call
trees	100	-none-	list
votes	42578	-none-	numeric
prob	42578	-none-	numeric
class	21289	-none-	character
samples	2128900	-none-	numeric
importance	20	-none-	numeric
terms	3	terms	call
call	3	-none-	call

Boosting Model

[Hide](#)

```
humid.boost <- boosting(MHT ~ ., data=humid.train, mfinal=3)
summary(humid.boost)
```

	Length	Class	Mode
formula	3	formula	call
trees	3	-none-	list
weights	3	-none-	numeric
votes	42578	-none-	numeric
prob	42578	-none-	numeric
class	21289	-none-	character
importance	20	-none-	numeric
terms	3	terms	call
call	4	-none-	call

Random Forest Model


[Hide](#)

```
humid.forest <- randomForest(MHT~., data=humid.train)
summary(humid.forest)
```

	Length	Class	Mode
call	3	-none-	call
type	1	-none-	character
predicted	21289	factor	numeric
err.rate	1500	-none-	numeric
confusion	6	-none-	numeric
votes	42578	matrix	numeric
oob.times	21289	-none-	numeric
classes	2	-none-	character
importance	20	-none-	numeric
importanceSD	0	-none-	NULL
localImportance	0	-none-	NULL
proximity	0	-none-	NULL
ntree	1	-none-	numeric
mtry	1	-none-	numeric
forest	14	-none-	list
y	21289	factor	numeric
test	0	-none-	NULL
inbag	0	-none-	NULL
terms	3	terms	call

Hide

```
plot(humid.forest)
```



Question 5

Confusion Matrix :

Decision Tree

[Hide](#)

```
humid1.tree.predict = predict(humid.tree, humid.test, type = "class")
tree.matrix <- table(actual = humid.test$MHT, predicted = humid1.tree.predict)
confusionMatrix(tree.matrix)
```

Confusion Matrix and Statistics

	predicted	
actual	0	1
0	1929	2763
1	1214	3219

Accuracy : 0.5642

95% CI : (0.5539, 0.5744)

No Information Rate : 0.6556

P-Value [Acc > NIR] : 1

Kappa : 0.136

McNemar's Test P-Value : <2e-16

Sensitivity : 0.6137

Specificity : 0.5381

Pos Pred Value : 0.4111

Neg Pred Value : 0.7261

Prevalence : 0.3444

Detection Rate : 0.2114

Detection Prevalence : 0.5142

Balanced Accuracy : 0.5759

'Positive' Class : 0

Naive Bayes

[Hide](#)

```
humid1.bayes.predict = predict(humid.bayes, humid.test, type = "class")
bayes.matrix <- table(actual = humid.test$MHT, predicted = humid1.bayes.predict)
confusionMatrix(bayes.matrix)
```

Confusion Matrix and Statistics

```
      predicted
actual    0    1
 0 2400 2292
 1 1603 2830
```

Accuracy : 0.5732

95% CI : (0.5629, 0.5833)

No Information Rate : 0.5613

P-Value [Acc > NIR] : 0.01161

Kappa : 0.1493

McNemar's Test P-Value : < 2e-16

Sensitivity : 0.5996

Specificity : 0.5525

Pos Pred Value : 0.5115

Neg Pred Value : 0.6384

Prevalence : 0.4387

Detection Rate : 0.2630

Detection Prevalence : 0.5142

Balanced Accuracy : 0.5760

'Positive' Class : 0

Bagging

[Hide](#)

```
humid1.bag.predict = predict(humid.bag, humid.test, type = "class")
bag.matrix <- humid1.bag.predict$confusion
confusionMatrix(bag.matrix)
```

Confusion Matrix and Statistics

	Observed Class	
Predicted Class	0	1
0	3397	2428
1	1295	2005

Accuracy : 0.592

95% CI : (0.5818, 0.6021)

No Information Rate : 0.5142

P-Value [Acc > NIR] : < 2.2e-16

Kappa : 0.1775

McNemar's Test P-Value : < 2.2e-16

Sensitivity : 0.7240

Specificity : 0.4523

Pos Pred Value : 0.5832

Neg Pred Value : 0.6076

Prevalence : 0.5142

Detection Rate : 0.3723

Detection Prevalence : 0.6384

Balanced Accuracy : 0.5881

'Positive' Class : 0

Boosting

[Hide](#)

```
humid1.boost.predict = predict(humid.boost, humid.test, type = "class")
boost.matrix <- humid1.boost.predict$confusion
confusionMatrix(boost.matrix)
```

Confusion Matrix and Statistics

	Observed Class	
Predicted Class	0	1
0	3119	2147
1	1573	2286

Accuracy : 0.5923

95% CI : (0.5822, 0.6024)

No Information Rate : 0.5142

P-Value [Acc > NIR] : < 2.2e-16

Kappa : 0.1811

McNemar's Test P-Value : < 2.2e-16

Sensitivity : 0.6647

Specificity : 0.5157

Pos Pred Value : 0.5923

Neg Pred Value : 0.5924

Prevalence : 0.5142

Detection Rate : 0.3418

Detection Prevalence : 0.5771

Balanced Accuracy : 0.5902

'Positive' Class : 0

Random Forest

[Hide](#)

```
humid1.forest.predict = predict(humid.forest, humid.test, type = "class")
forest.matrix <- table(actual = humid.test$MHT, predicted = humid1.forest.predict)
confusionMatrix(forest.matrix)
```


Confusion Matrix and Statistics

```
      predicted
actual    0     1
  0 3255 1437
  1 1703 2730
```

Accuracy : 0.6559

95% CI : (0.646, 0.6656)

No Information Rate : 0.5433

P-Value [Acc > NIR] : < 2.2e-16

Kappa : 0.3101

McNemar's Test P-Value : 2.255e-06

Sensitivity : 0.6565

Specificity : 0.6551

Pos Pred Value : 0.6937

Neg Pred Value : 0.6158

Prevalence : 0.5433

Detection Rate : 0.3567

Detection Prevalence : 0.5142

Balanced Accuracy : 0.6558

'Positive' Class : 0

Question 6

Hide

```
roc(humid.test$MHT,as.numeric(humid1.tree.predict))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases

Call:

```
roc.default(response = humid.test$MHT, predictor = as.numeric(humid1.tree.predict))
```

Data: as.numeric(humid1.tree.predict) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).

Area under the curve: 0.5686

Hide

```
ROC.bayes <- roc(humid.test$MHT,as.numeric(humid1.bayes.predict))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases

[Hide](#)

ROC.bayes

Call:

```
roc.default(response = humid.test$MHT, predictor = as.numeric(humid1.bayes.predict))
```

Data: as.numeric(humid1.bayes.predict) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).

Area under the curve: 0.575

[Hide](#)

```
ROC.bag <- roc(humid.test$MHT,as.numeric(humid1.bag.predict$class))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases

[Hide](#)

ROC.bag

Call:

```
roc.default(response = humid.test$MHT, predictor = as.numeric(humid1.bag.predict$class))
```

Data: as.numeric(humid1.bag.predict\$class) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).

Area under the curve: 0.5881

[Hide](#)

```
ROC.boost <- roc(humid.test$MHT,as.numeric(humid1.boost.predict$class))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases

[Hide](#)


ROC.boost

Call:

```
roc.default(response = humid.test$MHT, predictor = as.numeric(humid1.boost.predict$class))
```

Data: as.numeric(humid1.boost.predict\$class) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).

Area under the curve: 0.5902

[Hide](#)

```
ROC.forest <- roc(humid.test$MHT,as.numeric(humid1.forest.predict))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases

Hide

```
ROC.forest
```

Call:

```
roc.default(response = humid.test$MHT, predictor = as.numeric(humid1.forest.predict))
```

Data: as.numeric(humid1.forest.predict) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).

Area under the curve: 0.6548

Hide

```
plot(roc(humid.test$MHT,as.numeric(humid1.tree.predict)))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases

Hide

```
lines.roc(ROC.bayes, col= "blue" )
```


Hide

```
lines.roc(ROC.bag, col= "green" )
```

```
lines.roc(ROC.boost, col= "red" )
```

Hide

```
lines.roc(ROC.forest, col= "orange" )
```



black line: Decision Tree AOC

blue line: Naive Bayes AOC

green line: Bagging AOC

red line: Boosting AOC

orange line: Random Forest AOC

Question 7

Hide

```
Accuracy <- c(confusionMatrix(tree.matrix)$overall[1],confusionMatrix(bayes.matrix)$overall
[1],confusionMatrix(bag.matrix)$overall[1],confusionMatrix(boost.matrix)$overall[1],confusion
Matrix(forest.matrix)$overall[1])
AOC <- c(roc(humid.test$MHT,as.numeric(humid1.tree.predict))$auc[1],ROC.bayes$auc[1],ROC.bag
$auc[1],ROC.boost$auc[1],ROC.forest$auc[1])
```

Setting levels: control = 0, case = 1
 Setting direction: controls < cases

Hide

```
Model <- c("Decision Tree","Naive Bayes", "Bagging", "Boostng", "Random Forest" )
data.frame(Model,Accuracy,AOC)
```

Model <chr>	Accuracy <dbl>	AOC <dbl>
Decision Tree	0.5641644	0.5686351

Model <chr>	Accuracy <dbl>	AOC <dbl>
Naive Bayes	0.5731507	0.5749514
Bagging	0.5920000	0.5881440
Boostng	0.5923288	0.5902132
Random Forest	0.6558904	0.6547849
5 rows		

Best model is Random Forest, because highest accuracy and AOC

Question 8

Hide

```
summary(humid.tree)
```

```
Classification tree:
tree(formula = MHT ~ ., data = humid.train)
Variables actually used in tree construction:
[1] "Rainfall"
Number of terminal nodes: 2
Residual mean deviance: 1.37 = 29160 / 21290
Misclassification error rate: 0.4432 = 9436 / 21289
```

Decision Tree model most significant variable : Rainfall

Hide

```
sort(humid.bag$importance,decreasing = TRUE)
```

```
      Rainfall      RISK_MM      Cloud9am      Temp9am      WindDir9am      WindDir3pm      Max
Temp      Temp3pm      Location      RainToday
33.94569345 24.24494564 14.48104318 9.38848002 3.95284368 3.73231377 3.6469
4787 2.14519258 1.72423133 0.83009249
WindGustSpeed Pressure3pm Pressure9am Sunshine WindGustDir Evaporation Min
Temp WindSpeed3pm WindSpeed9am Cloud3pm
0.55004611 0.25779811 0.25637351 0.25597865 0.23793093 0.12509903 0.0822
8387 0.07537639 0.06732938 0.00000000
```

Bagging model most significant variable : Rainfall, RISK_MM

Hide

```
sort(humid.boost$importance,decreasing = TRUE)
```

	Rainfall	RISK_MM	Cloud9am	Temp9am	WindDir3pm	WindGustSpeed	Max
Temp	WindDir9am	Cloud3pm	Evaporation				
38.681537	28.417553	12.346927	7.851302	5.144715	3.539174	2.20	
3104	1.815688	0.000000	0.000000				
Location	MinTemp	Pressure3pm	Pressure9am	RainToday	Sunshine	Tem	
p3pm	WindGustDir	WindSpeed3pm	WindSpeed9am				
0.000000	0.000000	0.000000	0.000000	0.000000	0.000000	0.00	
0000	0.000000	0.000000	0.000000				

Boosting model most significant variable : Rainfall, RISK_MM

Hide

```
sort(humid.forest$importance[,1],decreasing = TRUE)
```

	Sunshine	MinTemp	Temp3pm	Temp9am	MaxTemp	Pressure9am	Pressur
e3pm	Evaporation	WindGustSpeed	WindSpeed3pm				
762.40575	744.78676	737.28138	727.91400	712.66200	702.33716	701.4	
0374	632.39301	561.21465	507.76871				
WindSpeed9am	Location	WindDir9am	WindDir3pm	WindGustDir	Cloud9am	RIS	
K_MM	Cloud3pm	Rainfall	RainToday				
499.78226	472.51735	467.40352	456.08507	435.48354	392.15904	371.8	
2992	346.81709	323.12890	82.09918				

Random Forest model most significant variable : Sunshine, MinTemp, Temp3pm, Temp9am, MaxTemp, Pressure9am, Pressure3pm

Overall most significant variable: Rainfall

Overall not significant variable: Evaporation, WindSpeed3pm, WindSpeed9am, Cloud3pm, WindDir9am, WindDir3pm, Location, RainToday

Hence the not significant variables above could be ommitted because they have very little effect on performance.

Question 9

According to the model created in Question 4, i know that the most significant variable is Rainfall. Hence, we can use rainfall to make a prediction to predict is tomorrow raining or not.

If value of rainfall is larger than 0.05 ,tomorrow will not be raining, else it will be raining tomorrow.

Hide

```
head(humid.test[,c("Rainfall","MHT")],10)
```

	Rainfall	MHT
	<dbl>	<fctr>
34	0.8	0
37	0.0	0
57	0.0	0
67	1.0	1

	Rainfall	MHT
	<dbl>	<fctr>
76	0.0	0
85	7.2	0
100	0.0	0
137	0.0	0
164	0.0	0
169	0.0	1
1-10 of 10 rows		

So, by using this we found out that the accuracy of this model is $5/10 = 0.5$

Question 10

Decision Tree Pruning

Hide

```
cv.tree(humid.tree, FUN = prune.misclass)
```

```
$size
[1] 2 1

$dev
[1] 9549 10416

$k
[1] -Inf 980

$method
[1] "misclass"

attr("class")
[1] "prune"      "tree.sequence"
```

Hide

```
prunedtree = prune.misclass(humid.tree, best = 4)
```

```
Warning: best is bigger than tree size
```


Hide

```
summary(prunedtree)
```

```
Classification tree:
tree(formula = MHT ~ ., data = humid.train)
Variables actually used in tree construction:
[1] "Rainfall"
Number of terminal nodes:  2
Residual mean deviance:  1.37 = 29160 / 21290
Misclassification error rate: 0.4432 = 9436 / 21289
```

Hide

```
plot(prunedtree)
text(prunedtree, pretty = 0)
```



After pruning is the same model as the Decision Tree in Question 4, so the Decision Tree in Question 4 can be considered as a good tree already.

Hence its accuracy and Area Under Curve Values will be the same.

Important factors: Rainfall

Using attribute Rainfall giving us an accuracy of 0.564 is better than other attributes.

Question 11

Artificial neural network

Hide

```
humid.neural <- nnet(MHT~.-MHT, data = humid.train, size = 4, decay = 0.0001, maxit = 500)
```



```
# weights: 89
initial value 15821.538914
iter 10 value 14662.206443
iter 20 value 14498.962434
iter 30 value 14413.344186
iter 40 value 14362.119823
iter 50 value 14305.665291
iter 60 value 14275.371804
iter 70 value 14269.156926
iter 80 value 14268.841492
iter 90 value 14268.631485
iter 100 value 14268.230177
iter 110 value 14267.411362
final value 14266.968358
converged
```

Confusion Matrix of ANN:

[Hide](#)

```
humid1.neural.predict <- predict(humid.neural, humid.test, type = 'class')
confusionMatrix(as.factor(humid1.neural.predict), humid.test$MHT)
```

Confusion Matrix and Statistics

	Reference	
Prediction	0	1
0	2618	1632
1	2074	2801

Accuracy : 0.5939
95% CI : (0.5837, 0.604)

No Information Rate : 0.5142
P-Value [Acc > NIR] : < 2.2e-16

Kappa : 0.1893

McNemar's Test P-Value : 4.352e-13

Sensitivity : 0.5580
Specificity : 0.6319
Pos Pred Value : 0.6160
Neg Pred Value : 0.5746
Prevalence : 0.5142
Detection Rate : 0.2869
Detection Prevalence : 0.4658
Balanced Accuracy : 0.5949

'Positive' Class : 0

AOC of ANN:

[Hide](#)

```
roc(humid.test$MHT,as.numeric(humid1.neural.predict))
```

Setting levels: control = 0, case = 1
Setting direction: controls < cases


Call:
roc.default(response = humid.test\$MHT, predictor = as.numeric(humid1.neural.predict))

Data: as.numeric(humid1.neural.predict) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).
Area under the curve: 0.5949

Hide

```
plot(roc(humid.test$MHT,as.numeric(humid1.neural.predict)))
```

Setting levels: control = 0, case = 1
Setting direction: controls < cases



Accuracy: 0.5939, AOC: 0.5949. So the Artificial neural network model is better than the other 4 models because its accuracy and AOC is lower than the other models.

Question 12

K-th Nearest Neighbors Model

package used: class

package link: class: Functions for Classification (r-project.org) (<https://cran.r-project.org/web/packages/class/class.pdf>)

This model classifies through the nearest points on the graph, it groups according to the distance between the points. Nearer points will be form a group.

Hide

```
trainControl <- trainControl(method="repeatedcv", number=10, repeats=3)
humid.knn <- train(MHT~., data=humid.train, method="knn",
                  metric="Accuracy", trControl=trainControl)
humid1.knn.predict <- predict(humid.knn, newdata = humid.test)
confusionMatrix(humid1.knn.predict, humid.test$MHT)
```

Confusion Matrix and Statistics

	Reference	
Prediction	0	1
0	2923	1922
1	1769	2511

Accuracy : 0.5955
95% CI : (0.5854, 0.6056)
No Information Rate : 0.5142
P-Value [Acc > NIR] : < 2e-16

Kappa : 0.1896

McNemar's Test P-Value : 0.01235

Sensitivity : 0.6230
Specificity : 0.5664
Pos Pred Value : 0.6033
Neg Pred Value : 0.5867
Prevalence : 0.5142
Detection Rate : 0.3203
Detection Prevalence : 0.5310
Balanced Accuracy : 0.5947

'Positive' Class : 0

Hide

```
roc(humid.test$MHT,as.numeric(humid1.knn.predict))
```

Setting levels: control = 0, case = 1
Setting direction: controls < cases

Call:

```
roc.default(response = humid.test$MHT, predictor = as.numeric(humid1.knn.predict))
```

Data: as.numeric(humid1.knn.predict) in 4692 controls (humid.test\$MHT 0) < 4433 cases (humid.test\$MHT 1).


Area under the curve: 0.5947

Hide

```
plot(roc(humid.test$MHT,as.numeric(humid1.knn.predict)))
```

Setting levels: control = 0, case = 1

Setting direction: controls < cases



Accuracy: 0.5955, AOC: 0.5947

This model is better than the Decision Tree model and the Naive Bayes model because its accuracy and AOC is larger than them.