



Hochschule der Medien
Fakultät für Druck und Medien
Computer Science and Media

Generative Data Augmentation

Multi-Agent Diverse Generative Adversarial Networks
for Generative Data Augmentation

Dissertation submitted for the degree of
Master of Science

Topic:	Generative Data Aufmentation
Author:	Nicolas Reinhart - nr063@hdm-stuttgart.de MatNr. 44100
Version of Date:	March 16, 2025
1. Advisor:	Prof. Dr.-Ing. Johannes Maucher
2. Advisor:	Prof. Dr.-Ing. Oliver Kretzschmar

Abstract

asdf

Contents

List of Figures	4
List of Tables	4
List of Abbreviations	4
1 Introduction and Motivation	5
2 Related Work	6
3 Preliminary Remarks	7
4 Theoretical Background	8
5 Theoretical Background	9
6 Experiments Results	10
7 Outlook	11
8 Conclusion	12
List of References	13
Appendix	1
Declaration of Oath	2

List of Figures

List of Tables

List of Abbreviations

CNN	Convolutional Neural Network
CNNs	Convolutional Neural Networks
DNN	Deep Neural Network
FFN	Feed Forward Netzwerk
GAN	Generative Adversarial Network
GANs	Generative Adversarial Networks
GANsa	Generative Adversarial Networksaaaaaaaaaaaaaaaa
GDA	Generative Data Augmentation
MLP	Multi Layer Perceptron
NN	Neural Netzwerk
SLP	Single Layer Perceptron

1 Introduction and Motivation

Generative Adversarial Networks (GANs) [GPAM⁺14] and their variants revolutionized the field of computer vision in the year of 2014, enabling advancements in multiple areas of generating data. From *Text to Image Synthesis* [RAY⁺16], *Image Translation* [IZZE18], *Super Resolution* [LTH⁺17], *Image Inpainting* [PKD⁺16], *Style Transfer* [WWR⁺23] to *Data Augmentation* [SK19], GANs have been used in a variety of applications. The idea of using GANs for Generative Data Augmentation (GDA) is to generate additional training data for machine learning models. This can be especially useful when the amount of available training data is limited. Data augmentation is a common technique in machine learning to artificially increase the size of the training dataset. It is used to improve the generalization of machine learning models and to prevent overfitting. The idea is to create new training examples by applying transformations to the existing training data. These transformations can include rotations, translations, scaling, flipping, cropping, and color changes. The goal is to create new training examples that are similar to the original examples but different enough to improve the generalization of the model. In this thesis, we will investigate the potential of generative data augmentation for the task of image classification. The goal is to improve the performance of a convolutional neural network (CNN) by generating additional training data. The thesis will focus on the following research questions:

Ziel der Arbeit The aim of this thesis is to investigate the potential of generative data augmentation for the task of image classification. The goal is to improve the performance of a convolutional neural network (CNN) by generating additional training data. The thesis will focus on the following research questions:

2 Related Work

3 Preliminary Remarks

4 Theoretical Background

5 Theoretical Background

6 Experiments Results

Motivation

7 Outlook

8 Conclusion

List of References

- [GPAM⁺14] GOODFELLOW, Ian J. ; POUGET-ABADIE, Jean ; MIRZA, Mehdi ; XU, Bing ; WARDE-FARLEY, David ; OZAIR, Sherjil ; COURVILLE, Aaron ; BENGIO, Yoshua: *Generative Adversarial Networks*. <https://arxiv.org/abs/1406.2661>. Version: 2014
- [IZZE18] ISOLA, Phillip ; ZHU, Jun-Yan ; ZHOU, Tinghui ; EFROS, Alexei A.: *Image-to-Image Translation with Conditional Adversarial Networks*. <https://arxiv.org/abs/1611.07004>. Version: 2018
- [LTH⁺17] LEDIG, Christian ; THEIS, Lucas ; HUSZAR, Ferenc ; CABALLERO, Jose ; CUNNINGHAM, Andrew ; ACOSTA, Alejandro ; AITKEN, Andrew ; TEJANI, Alykhan ; TOTZ, Johannes ; WANG, Zehan ; SHI, Wenzhe: *Photo-Realistic Single Image Super-Resolution Using a Generative Adversarial Network*. <https://arxiv.org/abs/1609.04802>. Version: 2017
- [PKD⁺16] PATHAK, Deepak ; KRAHENBUHL, Philipp ; DONAHUE, Jeff ; DARRELL, Trevor ; EFROS, Alexei A.: *Context Encoders: Feature Learning by In-painting*. <https://arxiv.org/abs/1604.07379>. Version: 2016
- [RAY⁺16] REED, Scott ; AKATA, Zeynep ; YAN, Xinchun ; LOGESWARAN, Lajanugen ; SCHIELE, Bernt ; LEE, Honglak: *Generative Adversarial Text to Image Synthesis*. <https://arxiv.org/abs/1605.05396>. Version: 2016
- [SK19] SHORTEN, Connor ; KHOSHGOFTAAR, Taghi M.: A survey on Image Data Augmentation for Deep Learning. In: *Journal of Big Data* 6 (2019), July, Nr. 1, 60. <http://dx.doi.org/10.1186/s40537-019-0197-0>. – DOI 10.1186/s40537-019-0197-0. – ISSN 2196-1115
- [WWR⁺23] WANG, Hanyu ; WU, Pengxiang ; ROSA, Kevin D. ; WANG, Chen ; SHRIVASTAVA, Abhinav: *Multimodality-guided Image Style Transfer using Cross-modal GAN Inversion*. <https://arxiv.org/abs/2312.01671>. Version: 2023

Appendix

Declaration of Academic Integrity

Generative Data Augmentation

Multi-Agent Diverse Generative Adversarial Networks for Generative Data Augmentation.

I hereby declare that I have written this thesis independently. I have properly cited all passages that are taken verbatim or in essence from published or unpublished works of others. All sources and aids used in the preparation of this thesis have been fully acknowledged. Furthermore, this thesis has not been submitted, in whole or in substantial part, to any other examination authority for academic credit.

Signature :

Place, Date :

