

### **Contents**



- Scales axis
- Coordinate Systems
- Theme
- Theme Legend
- Theme Text
- Theme Rect
- Theme Reuse

### Scales • Axes



- scales: x, y
- syntax: scale\_<axis>\_<type>
- arguments: name, limits, breaks, labels





# **Coordinate Systems**





- coord\_cartesian(xlim=c(2,8)) for zooming in
- coord\_map for controlling limits on maps
- coord\_polar

```
p <- ggplot(iris,aes(x="",y=Petal.Length,fi p+coord_polar("y",start=0)
  geom_bar(stat="identity")
p</pre>
```

### Theme



- Modify non-data plot elements/appearance
- Axis labels, panel colors, legend appearance etc
- Save a particular appearance for reuse
- ?theme

```
ggplot(iris,aes(Petal.Length))+
  geom_histogram()+
  facet_wrap(~Species,nrow=2)+
  theme_grey()
```

```
ggplot(iris,aes(Petal.Length))+
  geom_histogram()+
  facet_wrap(~Species,nrow=2)+
  theme_bw()
```

## Theme • Legend











#### Theme • Text



```
element_text(family=NULL,face=NULL,color=NULL,size=NULL,hjust=NULL,
vjust=NULL, angle=NULL,lineheight=NULL,margin = NULL)
```

```
p <- p + theme(
    axis.title=element_text(color="#e41a1c"),
    axis.text=element_text(color="#377eb8"),
    plot.title=element_text(color="#4daf4a"),
    plot.subtitle=element_text(color="#984ea3"),
    legend.text=element_text(color="#ff7f00"),
    legend.title=element_text(color="#ffff33"),
    strip.text=element_text(color="#a65628")
)</pre>
```

#### Theme • Rect



```
element_rect(fill=NULL,color=NULL,size=NULL,linetype=NULL)
```

```
p <- p + theme(
    plot.background=element_rect(fill="#b3e2cd"),
    panel.background=element_rect(fill="#fdcdac"),
    panel.border=element_rect(fill=NA,color="#cbd5e8",size=3),
    legend.background=element_rect(fill="#f4cae4"),
    legend.box.background=element_rect(fill="#e6f5c9"),
    strip.background=element_rect(fill="#fff2ae")
)</pre>
```

