

# ggplot Part I

---

## Workshop on Data Visualization in R

**Lokesh Mano** • 29-Apr-2022

NBIS, SciLifeLab

# Contents

- Grammar of Graphics
- Building a graph
- Build-Demo
- Geoms
- Aesthetics
- Multiple Geoms

# Grammar of Graphics



- **Data:** Input data
- **Geom:** A geometry representing data. Points, Lines etc
- **Aesthetics:** Visual characteristics of the geometry. Size, Color, Shape etc
- **Scale:** How visual characteristics are converted to display values
- **Statistics:** Statistical transformations. Counts, Means etc
- **Coordinates:** Numeric system to determine position of geometry. Cartesian, Polar etc
- **Facets:** Split data into subsets

# Building a graph

```
ggplot (data = <DATA>) +
```

```
<GEOM_FUNCTION> (mapping = aes(<MAPPINGS>),
```

```
stat = <STAT> , position = <POSITION>) +
```

```
<COORDINATE_FUNCTION> +
```

```
<FACET_FUNCTION> +
```

```
<SCALE_FUNCTION> +
```

```
<THEME_FUNCTION>
```

required

Not  
required,  
sensible  
defaults  
supplied

# Build-Demo

```
ggplot(iris)
```



# Build-Demo

```
ggplot(iris,aes(x=Sepal.Length,  
                y=Sepal.Width))
```



# Build-Demo

```
ggplot(iris,aes(x=Sepal.Length,  
                y=Sepal.Width))+  
  geom_point()
```



# Build-Demo

```
ggplot(iris,aes(x=Sepal.Length,  
                y=Sepal.Width,  
                colour=Species))+  
  geom_point()
```






# Geoms

## Basic



## One variable



## Two variables



## Error



## Three variables



## Map



```
p <- ggplot(iris)
# scatterplot
p+geom_point(aes(x=Sepal.Length,y=Sepal.Width))
# barplot
p+geom_bar(aes(x=Sepal.Length))
# boxplot
p+geom_boxplot(aes(x=Species,y=Sepal.Width))
# search
help.search("^geom_",package="ggplot2")
```

# Aesthetics

- Aesthetic mapping vs aesthetic parameter

```
ggplot(iris)+  
  geom_point(aes(x=Sepal.Length,  
                 y=Sepal.Width,  
                 size=Petal.Length,  
                 alpha=Petal.Width,  
                 shape=Species,  
                 color=Species))
```



```
ggplot(iris)+  
  geom_point(aes(x=Sepal.Length,  
                 y=Sepal.Width,  
                 size=2,  
                 alpha=0.8,  
                 shape=15,  
                 color="steelblue"))
```





# Thank you. Questions?

R version 4.1.3 (2022-03-10)

Platform: x86\_64-pc-linux-gnu (64-bit)

OS: Ubuntu 18.04.6 LTS

---

Built on : 📅 29-Apr-2022 at ⌚ 07:15:03

2022 • SciLifeLab • NBIS