

Contents



- Demo: I/O
- Special operator
- Some important functions

Reading files



- Errors while reading in files!
- Demo of things that could go wrong when reading in files into R
- Demo on using reserved variables like T, F, character and many others ...
- How can you check if something is a reserved variable?



Special operator



- %>%
 - ∘ from the dplyr package
 - o works like a pipe

```
read.table("data/counts_raw.txt", header = T, row.names = 1, sep = "\t") %>%
head(6)
```

```
##
                    Sample 1 Sample 2 Sample 3 Sample 4 Sample 5 Sample 6 Sample 7
                         321
                                                                         359
## ENSG00000000003
                                   303
                                            204
                                                      492
                                                                455
                                                                                   376
  ENSG00000000005
                           0
                                     0
                                                        0
                                                                           0
                                                                  0
                                                                                     0
  ENSG00000000419
                         696
                                   660
                                            472
                                                      951
                                                                963
                                                                         689
                                                                                   706
  ENSG00000000457
                         59
                                    54
                                             44
                                                      109
                                                                          66
                                                                                   60
  ENSG00000000460
                         399
                                   405
                                             236
                                                      445
                                                                454
                                                                         374
                                                                                   316
## ENSG00000000938
                           0
                                     0
                                              0
                                                        0
                                                                  0
                                                                                     0
                    Sample 8 Sample 9 Sample 10 Sample 11 Sample 12
##
                         523
                                   450
                                              950
                                                        760
                                                                  1436
   ENSG000000000003
  FNSG000000000005
                           0
                                     0
                                                0
                                                          0
                                                                     0
  ENSG00000000419
                        1041
                                   796
                                            1036
                                                        789
                                                                  1413
## ENSG00000000457
                         125
                                   74
                                             108
                                                        115
                                                                   174
## ENSG00000000460
                         505
                                   398
                                             141
                                                        168
                                                                   259
## ENSG00000000938
                           0
                                     0
```

Special operator



- %>%
 - ∘ from the dplyr package
 - o works like a pipe

```
read.table("data/counts_raw.txt", header = T, row.names = 1, sep = "\t") %>%
  head(6) %>%
  rownames_to_column(var = "Gene")
```

```
Gene Sample 1 Sample 2 Sample 3 Sample 4 Sample 5 Sample 6
##
  1 FNSG000000000003
                          321
                                    303
                                             204
                                                      492
                                                                455
                                                                         359
  2 ENSG00000000005
                           0
                                      0
                                                         0
                                                                  0
                                                                           0
## 3 ENSG00000000419
                           696
                                    660
                                             472
                                                      951
                                                                963
                                                                         689
## 4 ENSG00000000457
                           59
                                    54
                                              44
                                                      109
                                                                7.3
                                                                          66
## 5 ENSG00000000460
                           399
                                    405
                                             236
                                                      445
                                                                454
                                                                         374
## 6 FNSG00000000938
                                               0
                                                                  0
                             0
                                      0
                                                         0
                                                                           1
     Sample 7 Sample 8 Sample 9 Sample 10 Sample 11 Sample 12
## 1
                   523
                                       950
                                                 760
                                                           1436
          376
                             450
                     0
                                         0
                                                   0
                                      1036
          706
                  1041
                             796
                                                 789
                                                           1413
## 4
          60
                  125
                            74
                                       108
                                                 115
                                                            174
          316
                 505
                             398
                                       141
                                                 168
                                                            259
## 6
                                                   0
```

Special operator



- %>%
 - ∘ from the dplyr package
 - o works like a pipe

```
read.table("data/counts_raw.txt", header = T, row.names = 1, sep = "\t") %>%
  head(1) %>%
  rownames_to_column(var = "Gene") %>%
  gather(Sample_ID, count, -Gene)
```

```
##
                Gene Sample ID count
## 1
                      Sample 1
    ENSG00000000003
                                 321
## 2 ENSG00000000003
                      Sample 2
                                 303
## 3 ENSG00000000003
                      Sample 3
                                 204
                      Sample 4
## 4 ENSG00000000003
                                 492
                      Sample 5
                                 455
## 5 ENSG00000000003
                      Sample 6
                                 359
## 6 ENSG00000000003
## 7 ENSG00000000003
                      Sample 7
                                 376
## 8 ENSG00000000003
                      Sample 8
                                 523
                                 450
## 9 ENSG00000000003
                      Sample 9
  10 ENSG00000000003 Sample 10
                                 950
  11 ENSG00000000003 Sample 11
                                 760
## 12 ENSG0000000003 Sample 12
                                1436
```

Tidyr or dplyr functions



- gather()
 - o converts wide to long format
 - key is usally what you measure: -Gene
- select()
 - o you can choose which columns you want,

