

## **Contents**





- Scales axis
- Coordinate Systems
- Theme
- Theme Legend
- Theme Text
- Theme Rect
- Theme Reuse

### Scales • Axes



- scales: x, y
- syntax: scale\_<axis>\_<type>
- arguments: name, limits, breaks, labels





# **Coordinate Systems**





- coord\_cartesian(xlim=c(2,8))for zooming in
- coord\_map for controlling limits on maps
- coord\_polar

```
p <- ggplot(iris,aes(x="",y=Petal.Length,fi p+coord_polar("y",start=0)
  geom_bar(stat="identity")
p</pre>
```

### **Theme**




- Modify non-data plot elements/appearance
- Axis labels, panel colors, legend appearance etc
- Save a particular appearance for reuse
- ?theme

```
ggplot(iris,aes(Petal.Length))+
  geom_histogram()+
  facet_wrap(~Species,nrow=2)+
  theme_grey()
```

```
ggplot(iris,aes(Petal.Length))+
  geom_histogram()+
  facet_wrap(~Species,nrow=2)+
  theme_bw()
```

# Theme • Legend





#### Theme • Text



#### Theme • Rect



```
element rect(fill=NULL,color=NULL,size=NULL,linetype=NULL)
```

```
p <- p + theme(
    plot.background=element_rect(fill="#b3e2cd"),
    panel.background=element_rect(fill="#fdcdac"),
    panel.border=element_rect(fill=NA,color="#cbd5e8",size=3),
    legend.background=element_rect(fill="#f4cae4"),
    legend.box.background=element_rect(fill="#e6f5c9"),
    strip.background=element_rect(fill="#fff2ae")
)</pre>
```

