



<b>Started on</b>	Tuesday, 14 October 2025, 7:27 PM
<b>State</b>	Finished
<b>Completed on</b>	Tuesday, 14 October 2025, 7:27 PM
<b>Time taken</b>	10 secs
<b>Marks</b>	1.00/1.00
<b>Grade</b>	<b>30.00</b> out of 30.00 ( <b>100%</b> )

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

- The first line contains T, the number of test cases. Following T lines contain:

- Line 1 contains N1, followed by N1 integers of the first array
- Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1	10 57
3 10 17 57	
6	
2 7 10 15 57 246	

Answer: (penalty regime: 0 %)

```
1 #include <stdio.h>
2 int main() {
3     int T, N1, N2, i, j;
4     scanf("%d", &T);
5     while(T--) {
6         scanf("%d", &N1);
7         int a[N1];
8         for(i=0; i<N1; i++) scanf("%d", &a[i]);
9         scanf("%d", &N2);
10        int b[N2];
11        for(i=0; i<N2; i++) scanf("%d", &b[i]);
12        for(i=0; i<N1; i++) {
13            for(j=0; j<N2; j++) {
14                if(a[i] == b[j]) {
15                    printf("%d ", a[i]);
16                    b[j] = -1;
17                    break;
18                }
19            }
20        }
21        printf("\n");
22    }
```

```
22 |     }
23 |     return 0;
24 | }
25 | }
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)