# Rajalakshmi Engineering College

Name: NEIL DANIEL A

Email: 240701356@rajalakshmi.edu.in

Roll no: 240701356 Phone: 8925059757

Branch: REC

Department: I CSE FD

Batch: 2028

Degree: B.E - CSE



### NeoColab\_REC\_CS23231\_DATA STRUCTURES

REC\_DS using C\_Week 6\_COD\_Question 5

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

#### 1. Problem Statement

Jose has an array of N fractional values, represented as double-point numbers. He needs to sort these fractions in increasing order and seeks your help.

Write a program to help Jose sort the array using the merge sort algorithm.

## **Input Format**

The first line of input consists of an integer N, representing the number of fractions to be sorted.

The second line consists of N double-point numbers, separated by spaces, representing the fractions array.

### **Output Format**

The output prints N double-point numbers, sorted in increasing order, and rounded to three decimal places.

Refer to the sample output for formatting specifications.

#### Sample Test Case

```
Input: 4
    0.123 0.543 0.321 0.789
    Output: 0.123 0.321 0.543 0.789
    Answer
    #include <stdio.h>
#include <stdlib.h>
    int compare(double a, double b) {
      if(a<b) return -1;
      else if (a>b) return 1;
      return 0;
    void merge(double arr[], int I, int m, int r) {
      int i=1,j=m+1,k=0;
      double temp[r-l+1];
      while(i<=m && j<=r){
       if(arr[i]<arr[j])
           temp[k++]=arr[i++];
           temp[k++]=arr[i++]
      while(i<=m)
        temp[k++]=arr[i++];
      while(j<=r)
        temp[k++]=arr[j++];
      for(int i=0;i< k;i++){
        arr[l+i]=temp[i];
      }
    void mergeSort(double arr[], int I, int r) {
   ____if(l<r){
        int mid=(l+r)/2;
```

```
mergeSort(arr,l,mid);
    mergeSort(arr,mid + 1,r);
    merge(arr,l,mid,r);
}

int main() {
    int n;
    scanf("%d", &n);
    double fractions[n];
    for (int i = 0; i < n; i++) {
        scanf("%lf", &fractions[i]);
    }
    mergeSort(fractions, 0, n - 1);
    for (int i = 0; i < n; i++) {
        printf("%.3f ", fractions[i]);
    }
    return 0;
}</pre>
```

Status: Correct Marks: 10/10