

# Data Management Handbook template for MET and partners in S-ENDA written in asciidoc

Nina E. Larsgård, Elodie Fernandez, Morten W. Hansen, ...

### **Table of Contents**

1. Introduction	. 3
2. ACDD elements	

#### **Abstract**

Abstract will come here..

## **Revision history**

Version	Date	Comment	Responsible
2.0	2021-??-??		Nina E. Larsgård, Elodie Fernandez, Morten W. Hansen,

## 1. Introduction

Put intro here..

#### 2. ACDD elements

In order to add netCDF-CF datasets to the discovery metadata catalog, the data producer should populate the file with certain global attributes mainly described in the Attribute Convention for Data Discovery (ACDD). For a complete description of the ACDD elements, please refer to <a href="http://wiki.esipfed.org/index.php/Attribute\_Convention\_for\_Data\_Discovery">http://wiki.esipfed.org/index.php/Attribute\_Convention\_for\_Data\_Discovery</a>.

The following ACDD elements are required:

Attribute	Repetition allowed	Separator	Default	
id	no			
date_created	yes	,		
date_metadata_mo dified	yes	,		
title	yes	•		
summary	yes	;		
geospatial_lat_ma x	no		90	
geospatial_lat_min	no		-90	
geospatial_lon_ma	no		180	
geospatial_lon_mi n	no		-180	
keywords_vocabul ary	yes	,		
keywords	yes	,		

The following ACDD elements are recommended:

Attribute	Repetition allowed	Separator	Default	
time_coverage_sta rt	yes	,	1850-01- 01T00:00:00Z	
time_coverage_en d	yes	,		
processing_level	no			
license	no			
license_resource	no			
creator_role	yes	,	unknown	
creator_name	yes	,	unknown	
creator_email	yes	,	unknown	
creator_institution	yes	,	unknown	
institution	yes	,		

institution	yes	,	
publisher_url	yes	,	
project	yes	• •	
project	yes	• •	
platform	yes	,	
platform	yes	,	
platform_vocabula ry	yes	,	
instrument	yes	,	
instrument	yes	,	
instrument_vocab ulary	yes	,	
source	yes	;	
creator_name	yes	,	
date_created	yes	,	
title	yes	,	
publisher_name	yes	,	
metadata_link	yes	,	
references	yes	,	

In addition, some global attributes are useful for the discovery metadata catalog but does not exist in ACDD. Please refer to the documentation of  $\underline{\mathsf{MMD}}$  [https://htmlpreview.github.io/?https://github.com/metno/mmd/blob/master/doc/mmd-specification.html] for a description of these elements:

Attribute	Repetition allowed	Separator	Default	
date_created_type	yes	,	Created	
collection	yes	,		
title_lang	yes	,	en	
abstract_lang	yes	,	en	
dataset_productio n_status	no			
iso_topic_category	yes	,		