
sine basis 09



Design matrix

Statistics: p-values adjusted for search volume

set-level cluster-level			peak-level					mm mm mm	
р с	p _{FWE-corrFDR-corr} k	puncorr	p_{FWE-c}	g corrFDR-c	<i>T</i> orr	$(Z_{_{\equiv}})$	$p_{ m uncorr}$	11111111	
	1.000 0.802 1 1.000 0.802 1 1.000 0.802 1 1.000 0.802 1 1.000 0.802 1	0.802 0.802 0.802 0.802 0.802	1.000 1.000 1.000 1.000	0.981 0.981 0.981 0.981	2.38 2.38 2.38 2.37 2.37	2.37 2.37 2.37 2.36 2.36	0.009 0.009 0.009 0.009 0.009	66 -54 -30 40 -54	20 -12 -60 42 -42 6 12 54 -14 -14
	1.000 0.802 1 1.000 0.802 1 1.000 0.802 4	0.802 0.802 0.574	1.000 1.000 1.000	0.981 0.981 0.981	2.37 2.37 2.37	2.36 2.36 2.36	0.009 0.009 0.009	-6 -24 -10	-94 -16 -80 46 -96 4
	1.000 0.802 2 1.000 0.802 1 1.000 0.802 1	0.705 0.802 0.802	1.000 1.000 1.000	0.985 0.985 0.997	2.36 2.36 2.35	2.35 2.35 2.34	0.009 0.009 0.010	8 -34 30	-46 -44 -6 -46 34 34
	1.000 0.802 1 1.000 0.802 1	0.802 0.802	1.000 1.000	0.997 0.997	2.35 2.34	2.34 2.34	0.010 0.010	24 -48	64 -10 -46 8
	1.000 0.802 1 1.000 0.802 1 1.000 0.802 1 1.000 0.802 1	0.802 0.802 0.802 0.802	1.000 1.000 1.000	0.998 0.998 0.999 0.999	2.34 2.34 2.34 2.33	2.34 2.33 2.33 2.33	0.010 0.010 0.010 0.010	8 -18 -20 -22	-46 74 46 42 -32 -12 54 30