
sine basis 04



Design matrix

Statistics: p-values adjusted for search volume

set-level		cluster-level				peak-level					mm mm mm			
рс			p _{FWE-corrFDR-corr} k			p_{uncorr}	$p_{FWE-corr} q T$			$(Z_{_{\equiv}})$	$p_{ m uncorr}$			
			1.000		_	0.789		0.951		2.39	0.008	48	-46	2
			1.000		_	0.686	1.000		2.40	2.39	0.008	2	-50	-36
			1.000	0.789	1	0.789	1.000	0.957	2.39	2.38	0.009	62	14	22
			1.000	0.789	1	0.789	1.000	0.957	2.39	2.38	0.009	-62	-40	-14
			1.000	0.789	1	0.789	1.000	0.965	2.38	2.37	0.009	-18	-6	2
			1.000	0.789	1	0.789	1.000	0.970	2.37	2.37	0.009	14	14	-8
			1.000	0.789	1	0.789	1.000	0.986	2.36	2.35	0.009	18	44	16
			1.000	0.789	1	0.789	1.000	0.989	2.35	2.35	0.009	38	38	26
			1.000	0.789	1	0.789	1.000	0.989	2.35	2.34	0.010	34	48	-8
			1.000	0.789	1	0.789	1.000	0.989	2.34	2.34	0.010	32	-88	-14
			1.000	0.789	1	0.789	1.000	0.989	2.34	2.34	0.010	-62	-14	26
			1.000	0.789	1	0.789	1.000	0.989	2.34	2.34	0.010	-22	6	4