
## sine basis 08



Statistics:

Design matrix p-values adjusted for search volume

Otatistics: p-values adjusted for search volume											
set-level	cluster-level				peak-level					mm mm mm	
р с	$p_{FWE-0}$	<i>g</i> corrFDR-c	orr E	$p_{uncorr}$	$p_{FWE-c}$	g corrFDR-co	<i>T</i> orr	$(Z_{\equiv})$	p <sub>uncorr</sub>		
1.00071	1.000	0.780	13	0.253	1.000	0.998	3.64	3.62	0.000	14	62 -4
	1.000	0.780	8	0.370			3.51	3.49	0.000	12	28 -14
	1.000			0.193	1.000		3.44	3.42	0.000	-36	-62 2
	1.000	0.780	36	0.067		0.998		3.22	0.001	32	-72 -8
					1.000		2.65	2.64	0.004	28	-64 -4
		0.780		0.206		0.998			0.001	22	-46 -6
	1.000	0.780		0.341		0.998			0.001	30	-26 -26
	1.000		6	0.440	1.000		3.15	3.13	0.001	-28	-20 16
	1.000	0.780	21	0.151		0.998	3.07		0.001	20	-86 -24
					1.000		2.44	2.43	0.008	12	-88 -20
		0.780		0.341		0.998		3.03	0.001	_6	-30 22
	1.000		_	0.253		0.998	3.02	3.01	0.001	-50	-2 38
	1.000			0.341	1.000		3.01	3.00	0.001	18	6 38
	1.000			0.440		0.998	2.96	2.95	0.002	-40	-84 28
	1.000	0.780	7	0.403		0.998	2.89	2.88	0.002	0	-4 2
	1.000			0.370		0.998	2.87	2.86	0.002	8	58 -8
	1.000			0.370	1.000		2.87	2.85	0.002	-10	10 48
	1.000	0.780	2	0.674	1.000		2.86	2.85	0.002	-28	-24 26
	1.000		_	0.316		0.998	2.84		0.002	-18	-2 72
	1.000	0.780	4	0.535	1.000		2.84	2.82	0.002	36	34 2
	1.000	0.780	7	0.403	1.000	0.998	2.80	2.79	0.003	28	-42 -52
	1.000	0.780	9	0.341	1.000	0.998	2.80	2.79	0.003	-54	-6 50
								_			