
sine basis 06



Statistics:

Design matrix p-values adjusted for search volume

set-	level	cluster-level			peak-level					mm mm mm	
р	С	p_{FWE-c}	g k corrFDR-corr	p _{uncorr}	p_{FWE-c}	<i>g</i> corrFDR-c	<i>T</i> orr	(Z_{\equiv})	$p_{ m uncorr}$		
<u></u>	C	1.000 1.000 1.000 1.000 1.000 1.000 1.000 0.975	0.311 40 0.629 18 0.629 16 0.360 34 0.722 12 0.629 16 0.530 24 0.589 22 0.158 64	0.048 0.168 0.192 0.065 0.256 0.192 0.115 0.130 0.016	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	0.819 0.544 0.546 0.859 0.551 0.551 0.551 0.551 0.551 0.551	2.74 3.24 3.23 2.68 3.23 3.21 3.21 3.20 3.20 3.13	2.73 3.22 3.22 2.67 3.21 3.20 3.19 3.19 3.19 3.18 3.11	Puncorr 0.003 0.001 0.001 0.004 0.001 0.001 0.001 0.001 0.001 0.001	-36 24 -14 -8 38 -26 6 -8 -22 -30 -24	-76 -14 -84 24 -64 36 -64 30 -14 48 -82 22 26 58 -30 26 -30 -42 -50 16 -6 6
		1.000 1.000 1.000 1.000 1.000 1.000 1.000	0.354 37 0.595 21 0.360 35 0.471 28 0.667 14 0.372 33 0.756 9 0.595 21 0.723 11	0.138 0.062 0.091	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	0.553 0.553 0.561	3.20 2.43 3.19 3.18 3.18 3.17 3.15 3.14 3.12	3.18 2.43 3.17 3.16 3.16 3.15 3.13 3.13	0.001 0.008 0.001 0.001 0.001 0.001 0.001 0.001	-30 -22 14 40 -26 -32 -42 -30 2	-38 -46 -38 -50 -66 -42 -64 52 -36 36 -52 48 -40 46 -92 -8 10 34 -66 56