
sine basis 03



Design matrix

	_	
Ctatictics	m values adjusted for search value	
Statistics:	p-values adjusted for search volu	me

p i and a superior of the supe													
set-	set-level cluster-level				peak-level				mm mm mm				
p	С	p_{FWE-c}	g corrFDR-c	orr E	$p_{ m uncorr}$	p_{FWE-c}	g orrFDR-co	T orr	$(Z_{_{\equiv}})$	$p_{ m uncorr}$			
		1.000	0.802	6	0.483	1.000	0.888	2.69	2.68	0.004	-8	6	74
		1.000	0.802	10	0.360	1.000	0.915	2.67	2.66	0.004	-56	6	30
		1.000	0.802	5	0.525	1.000	0.921	2.65	2.64	0.004	-20	-94	8
		1.000	0.802	3	0.632	1.000	0.925	2.64	2.63	0.004	8	44	4
		1.000	0.802	2	0.705	1.000	0.940	2.62	2.61	0.004	36	-32	-36
		1.000	0.802	8	0.414	1.000	0.940	2.62	2.61	0.004	20	44	42
		1.000	0.802	10	0.360	1.000	0.955	2.59	2.58	0.005	24	-50	70
		1.000	0.802	4	0.574	1.000	0.955	2.59	2.58	0.005	-58	-62	22
		1.000	0.802	5	0.525	1.000	0.955	2.58	2.58	0.005	54	4	10
		1.000	0.802	6	0.483	1.000	0.955	2.58	2.57	0.005	-52	-34	48
		1.000	0.802	4	0.574	1.000	0.959	2.57	2.56	0.005	44	4	-42
		1.000	0.802	5	0.525	1.000	0.959	2.56	2.55	0.005	-42	-42	-46
		1.000	0.802	1	0.802	1.000	0.959	2.56	2.55	0.005	-22	44	-4
		1.000	0.802	5	0.525	1.000	0.959	2.55	2.55	0.005	30	-76	18
		1.000	0.802	8	0.414	1.000	0.959	2.54	2.53	0.006	18	-52	4
		1.000	0.802	11	0.336	1.000	0.959	2.54	2.53	0.006	-52	-66	0
		1.000	0.802	1	0.802	1.000	0.959	2.54	2.53	0.006	-24	58	10
		1.000	0.802	3	0.632	1.000	0.959	2.54	2.53	0.006	-14	40	36
		1.000	0.802	4	0.574	1.000	0.959	2.53	2.52	0.006	32	6	4
		1.000	0.802	3	0.632	1.000	0.959	2.53	2.52	0.006	-10	18	26
		1.000	0.802	1	0.802	1.000	0.970	2.51	2.50	0.006	-52	2	-36
		1.000	0.802	1	0.802	1.000	0.970	2.51	2.50	0.006	20	10	38