
sine basis 02



Design matrix

Statistics: p-values adjusted for search volume

set-level		cluster-level				peak-level					mm mm mm		
р	С	p_{FWE-c}	<i>g</i> corrFDR-c	orr E	p _{uncorr}	p_{FWE-c}	g corrFDR-co	<i>T</i> orr	$(Z_{_{\equiv}})$	$p_{ m uncorr}$			
						1.000	0.593	2.91	2.89	0.002	-10	44	32
		1.000 1.000	0.369 0.780	41 14	0.063 0.259	1.000 1.000	0.283 0.292	3.51 3.48	3.49 3.45	0.000	22 6	2 -18	72 -18
		0.992	0.210	63	0.025	1.000	0.292	3.47	3.45	0.000	10	-54	-6
		1.000	0.503	29	0.111	1.000	0.292	3.47	3.45	0.000	24	-24	52
		1.000 0.890	0.357	43 84	0.058	1.000	0.292	3.46	3.44	0.000	-62		20
		0.690	0.114	04	0.012	1.000 1.000	0.302 0.353	3.45 3.32	3.42 3.30	0.000	20 12	-28 -26	-26 -20
		1.000	0.318	47	0.048	1.000 1.000	0.312 0.563	3.43 2.95	3.41 2.94	0.000 0.002	0 -10	-66	-22
		0.947	0.139	76	0.015	1.000 1.000	0.314 0.553	3.42 2.97	3.40 2.95	0.000 0.002	44 56	-6 -2	50 48
		1.000	0.391	38	0.072	1.000	0.314	3.42	3.39	0.000	34	30	48
		0.999	0.259	55	0.035	1.000 1.000	0.326 0.640	3.38 2.86	3.36 2.84	0.000	2 10	-12 -18	-10 -8
		1.000	0.376	40	0.066	1.000 1.000	0.330 0.502	3.37 3.03	3.35 3.02	0.000 0.001	-56 -62	-66	14 12
		1.000	0.571		0.137	1.000	0.335	3.36	3.34	0.000	32	-60	-38
		1.000	0.318	47	0.048	1.000 1.000	0.347 0.571	3.34 2.94	3.32 2.92	0.000 0.002	32 24	-80 -80	-22 -24
		1.000	0.751	16	0.228	1.000	0.352	3.32	3.30	0.000	-14	-8	2
		0.997	0.237	58	0.031	1.000	0.361	3.30	3.28	0.001	-26	-50	14