
sine basis 04



Design matrix

Statistics: p-values adjusted for search volume

set-level p c		cluster-level				peak-level					mm mm mm		
		p_{FWE-c}	<i>g</i> corrFDR-co	$\frac{k}{\text{E}}$	p _{uncorr}	p_{FWE-c}	g orrFDR-co	<i>T</i> orr	$(Z_{_{\equiv}})$	$p_{ m uncorr}$	11111111	_	
			1.000	0.780	1	0.780	1.000	0.989	2.36	2.36	0.009	20	42 -18
			1.000	0.780	1	0.780	1.000	0.989	2.36	2.36	0.009	34	22 50
			1.000	0.780	1	0.780	1.000	0.989	2.36	2.35	0.009	0	-16 -30
			1.000	0.780	1	0.780	1.000	0.991	2.36	2.35	0.009	-52	-60 12
			1.000	0.780	1	0.780	1.000	0.991	2.35	2.35	0.009	-42	-24 46
			1.000	0.780	1	0.780	1.000	0.991	2.35	2.35	0.009	32	18 26
			1.000	0.780	1	0.780	1.000	0.992	2.35	2.34	0.010	34	-40 -50
			1.000	0.780	1	0.780	1.000	0.996	2.35	2.34	0.010	46	26 44
			1.000	0.780	1	0.780	1.000	0.998	2.34	2.33	0.010	60	10 -22
			1.000	0.780	1	0.780	1.000	0.998	2.34	2.33	0.010	38	-38 -24
			1.000	0.780	1	0.780	1.000	0.998	2.34	2.33	0.010	26	58 -8
			1.000	0.780	1	0.780	1.000	0.998	2.34	2.33	0.010	4	-46 38
			1.000	0.780	1	0.780	1.000	0.998	2.34	2.33	0.010	6	-22 24