
sine basis 08



Design matrix

Statistics: p-values adjusted for search volume

Se	et-level	cluster-level				peak-level					mm mm mm	
p) C	p g k FWE-corrFDR-corr E			$p_{ m uncorr}$	p g T FWE-corrFDR-corr			$(Z_{\equiv}) p_{\text{uncorr}}$			
		1.000		2	0.682				2.36	0.009	36	-34 20
		1.000	0.786	1	0.786	1.000	0.995	2.36	2.35	0.009	-66	-22 -12
		1.000	0.786	_	0.682	1.000	0.995	2.36	2.35	0.009	38	28 -20
		1.000	0.786	1	0.786	1.000	0.996	2.36	2.35	0.009	-16	-62 -42
		1.000	0.786	1	0.786	1.000	0.996	2.35	2.35	0.009	-54	-14 40
		1.000	0.786	2	0.682	1.000	0.996	2.35	2.34	0.010	52	-38 24
		1.000	0.786	1	0.786	1.000	0.996	2.35	2.34	0.010	40	4 50
		1.000	0.786	1	0.786	1.000	0.996	2.35	2.34	0.010	38	-40 -18
		1.000	0.786	1	0.786	1.000	0.996	2.34	2.34	0.010	36	22 52
		1.000	0.786	1	0.786	1.000	0.996	2.34	2.33	0.010	10	-90 -12
		1.000	0.786	1	0.786	1.000	0.996	2.34	2.33	0.010	38	20 2
		1.000	0.786	1	0.786	1.000	0.996	2.34	2.33	0.010	-26	-48 4
		1.000	0.786	1	0.786	1.000	0.996	2.34	2.33	0.010	-10	42 -8