
sine basis 02



Statistics:

Design matrix n-values adjusted for search volume

Statistics. p-values adjusted for search volume												
set-level	cluster-level				peak-level					mm mm mm		
рс	p_{FWE-c}	<i>g</i> corrFDR-co	orr E	p _{uncorr}	p_{FWE-c}	g orrFDR-co	<i>T</i> orr	$(Z_{_{\equiv}})$	$p_{ m uncorr}$			
	1.000	0.605	36	0.072	1.000 1.000	0.503 0.835	3.29 2.67	3.27 2.66	0.001 0.004	42 48	-82 -76	28 26
	1.000	0.723 0.632	24 32	0.134 0.088		0.507 0.514	3.28 3.27	3.26 3.25	0.001	-18 -36	52 -54	6 66
	0.998	0.370	55	0.031		0.585 0.664	3.21 3.07	3.19 3.05	0.001 0.001	42 48	-68 -70	30 38
	1.000 1.000	0.723 0.704	20 29	0.169 0.103		0.590	3.20 3.19	3.18 3.17	0.001 0.001	-28 68	32 -20	30 16
	1.000			0.216	1.000	0.677 0.590	3.01 3.19	3.00 3.17	0.001 0.001	66 66		20 -14
	1.000 1.000 1.000	0.723 0.723 0.482	14 17	0.246 0.203 0.054	1.000 1.000 1.000	0.640	3.15 3.13 3.13	3.13 3.11 3.11	0.001 0.001 0.001	4 20 36	-14 -30 -36	62 -44 -6
	1.000			0.381	1.000	0.677 0.659	2.98 3.10	2.96	0.002 0.001	28 -42		-12 30
	1.000	0.723 0.723	16 23	0.216 0.142	1.000	0.659	3.09	3.08 3.07	0.001	-36 38	-6	20 -22
	1.000	0.723 0.381	13 50	0.263	1.000 1.000 1.000	0.664 0.664 0.677	3.06 3.06 2.97	3.05 3.04 2.96	0.001 0.001 0.002	-44 -36 -32	52 -38 -44	-16 -48 -42
	0.999	0.374	52	0.035	1.000 1.000	0.810 0.664	2.70 3.05	2.69 3.03	0.004 0.001	-30 28	-46 -40	