
sine basis 03



Design matrix p-values adjusted for search volume

Statistics:

set-level		cluster-ley	peak-level					mm mm mm			
рс	p_{FWE-c}	g corrFDR-corr	E puncorr	p_{FWE-c}	orrFDR-co	T orr	(Z_{\equiv})	$p_{ m uncorr}$			
1.000100	0.000		810.000	0.000 0.020	0.001 0.006	6.01 5.28	5.90 5.20	0.000	16 14	-100 -2 -92 2	
				0.097	0.019	4.96	4.90	0.000	8	-76 -10	
			39 0.001	0.014	0.006	5.35	5.28	0.000	-30	-78 20	
	0.000	0.000 78	30 0.000	0.297 0.916	0.038 0.134	4.67 4.15	4.61 4.11	0.000	-14 -12	-76 -12 -82 14	
				0.992	0.186	3.96	3.93	0.000	-26	-72 -18	
	0.118	0.013 1	66 0.001	0.632	0.068	4.40	4.36	0.000	14	-86 40	
				1.000	0.490 0.792	3.29 2.96	3.27 2.95	0.001	24 8	-82 40 -92 34	
	1.000	0.441 38	3 0.053	0.668	0.792	4.37	4.33	0.002	- 6	-26 -52	
	1.000	0.441 39		0.946	0.144	4.10	4.07	0.000	6	0 72	
	0.180	0.016 14	12 0.001	0.991	0.186	3.96	3.93	0.000	14	-74 56	
	0.970	0.166 69	0.015	0.999 0.999	0.207 0.207	3.82 3.85	3.79 3.82	0.000	22 4	-70 54 -24 -12	
	1.000	0.441 40		0.999	0.207	3.83	3.80	0.000	-24	-8 50	
	0.045	0.007 18	38 0.000	1.000	0.244	3.75	3.73	0.000	-22	-96 16	
				1.000	0.458	3.41	3.39	0.000	-10	-100 10	
	1.000	0.762 23	0.122	1.000 1.000	0.736 0.431	3.03 3.46	3.01 3.44	0.001	-22 -44	-86 6 16 -10	
	1.000	0.771 12		1.000	0.487	3.36	3.34	0.000	-20	-34 16	
	1.000	0.762 20	0.147	1.000	0.530	3.25	3.23	0.001	-24	-46 12	