
sine basis 02



Design matrix

Statistics: p-values adjusted for search volume

set-lev	el cluster-leve	el .	peak-level			mm mm mm
р с	p _{FWE-corrFDR-corr} k	p_{uncorr}	FWE-conFDR-co	$\frac{T}{\text{orr}}$ (Z_{\equiv})	puncorr	
	1.000 0.780 2 1.000 0.780 1	0.674 1 0.780 1	.000 0.961 .000 0.961	2.39 2.39 2.39 2.39	0.008	6 -50 -32 -8 -56 10
	1.000 0.780 1 1.000 0.780 1 1.000 0.780 1	0.780 1	.000 0.961 .000 0.961 .000 0.961	2.39 2.39 2.39 2.38 2.39 2.38	0.009	-24 -44 58 -18 4 74 -14 4 -22
	1.000 0.780 1 1.000 0.780 3	0.597 1	.000 0.961 .000 0.961	2.39 2.38 2.39 2.38	0.009	-36 -26 56 -6 -12 -24
	1.000 0.780 1 1.000 0.780 1 1.000 0.780 1	0.780 1	.000 0.968 .000 0.968 .000 0.968	2.38 2.37 2.37 2.37 2.37 2.37	0.009	-10 34 50 -20 0 64 26 -14 12
	1.000 0.780 2 1.000 0.780 1 1.000 0.780 1	0.780 1	.000 0.978 .000 0.979 .000 0.980	2.37 2.36 2.36 2.36 2.36 2.35	0.009	0 -80 2 -12 0 -24 -28 -24 4
	1.000 0.780 1 1.000 0.780 1	0.780 1 0.780 1	.000 0.989 .000 0.990	2.35 2.35 2.35 2.34	0.009 0.010	-14 -28 36 34 28 42
	1.000 0.780 1 1.000 0.780 1 1.000 0.780 1	0.780 1	.000 0.990 .000 0.991 .000 0.992	2.35 2.34 2.34 2.34 2.34 2.33	0.010	-16 -20 -16 32 -36 12 38 -66 -28