
sine basis 07



Design matrix

Statistics: p-values adjusted for search volume

set-	-level	cluster-level				peak-level					mm mm mm	
р	С	p_{FWE-c}	<i>g</i> corrFDR-c	orr E	p _{uncorr}	p_{FWE-c}	g corrFDR-co	T orr	$(Z_{_{\equiv}})$	$p_{ m uncorr}$	11111111	
_ρ	C	P _{FWE-0} 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	OTFDR-C 0.781 0.781 0.781 0.781 0.781 0.781 0.781 0.781 0.781 0.781	13 2 13 13 10 12 5 2 4 3 10 6	Puncorr 0.254 0.675 0.254 0.254 0.317 0.273 0.485 0.675 0.536 0.598 0.317 0.442 0.208	P _{FWE-0} 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	0.995 0.995 0.995 0.995 0.995 0.995	2.97 2.96 2.95 2.92 2.88 2.83 2.82 2.79 2.74 2.74 2.74 2.72	2.95 2.94 2.94 2.91 2.87 2.82 2.78 2.73 2.73 2.73 2.71 2.71	Puncorr 0.002 0.002 0.002 0.002 0.002 0.003 0.003 0.003 0.003 0.003	12 -64 -30 56 24 16 2 4 6 14 40 -20 38	-2 28 -10 -14 -28 26 -6 -12 -80 -2 22 44 -50 -30 -34 72 42 32 70 0 -82 -12 -68 52 -88 -2
		1.000 1.000 1.000 1.000 1.000 1.000 1.000		3	0.598 0.372 0.536 0.485 0.485 0.442 0.675	1.000 1.000 1.000 1.000 1.000 1.000 1.000 1.000	0.995 0.995	2.40 2.72 2.71 2.71 2.71 2.67 2.66 2.65	2.40 2.70 2.70 2.70 2.69 2.66 2.65 2.64	0.008 0.003 0.003 0.003 0.004 0.004 0.004	30 -22 0 -44 -26 2 14 -4 18	-92 0 -54 -42 -56 42 -32 52 66 8 -66 -48 68 12 66 12 -50 8