

# N.J.B.A. Newsletter

NJBA Volume 15, Issue 1 05/01/10

http://njba.abana-chapter.com

## **Editors Soapbox**

Hi, As editor I would appreciate some help in writing up events for the newsletter. You don't have to be a gifted writer just send me something about the event as I can't make all of them or remember everything.

We have some events coming up that are good opportunities for fellowship and to swing a hammer so come out and enjoy. Larry Brown, editor

# We need some more activity from our members!

Recent events in the lives of some of our directors have made it hard for NJBA to be all it can be. We need more people to help out other than the same few doing everything. Please talk to one of the directors to find out what you can do to help!

We are also looking for members who have a pickup and would be interested in helping bring the NJBA trailer to meets. If you are interested in helping please contact one of the board members listed on page 2. Larry Brown, Editor

## **Upcoming events for 2008**

Get you calendars out and mark these events down. Please bookmark our web site and check for updated meet information. Remember most of our meets have an "Iron in the Hat" drawing, so be sure to bring something. Meet information starts on this page and continues on page 3. **May 16**<sup>th</sup>—Tuckerton Seaport - More information on this page.

**June 12th—13th—**Historic Cold Spring Village More information on page 3.

**June 26th**– Egg Harbor Demonstration. More information on page 3.

**July 17th**– Delaware City Day. More information on page 3.

August 2nd—8th— Middlesex County Fair. More information on page 3.
August 21st-Canal Day Wharton NJ More information on page 3.
October 3rd-Walnford Day More information on page 3.

## Tuckerton Seaport May 16th

On May 18,2008 NJBA will be doing a demo at Tuckerton Seaport, in Tuckerton NJ. The event starts at 10:00 am. We start setting up around 9:00. Bring your own food or there is a restaurant at the seaport. The contact for this event is Tom Majewski 732 462-2453 v2e4mab9@verizon.net

**Directions** to the seaport are, from the North take the Garden State Parkway South to Exit 58(Tuckerton/Little Egg Harbor) . Make a left at the end of the ramp onto Rt.539 south. Follow Rt 539( becomes Green Street) to the third traffic light at Rt 9( Main St.) Make a right. the Seaport is on the left across from the lake. for information on the seaport go to www.tuckertonseaport.org

## NJBA RENEWAL NOTICE

The NJBA Renewal is on the Back page of this newsletter. We have not included an envelope and stamp this time due to the cost. Please fill it out and send it back to continue enjoying being a member!

If you do not send this in this may be your last newsletter!

## The NJBA Web Site!

The NJBA Web Site is up

and running at:

http://njba.abana-chapter.com/

The Newsletter is at:

http://

members.bellatlantic.net/
~vze25jcc/index.htm

or use the link on the NJBA web site for the newsletter.

## Official NJBA Address

NJBA P.O. Box 224 Farmingdale, NJ

07727-9998

Rather than use room in the newsletter,
All correspondence between
ABANA and NJBA is now being posted
on the NJBA web site.
If you cannot access it there, contact me
and I will send you copies.
ABANA is communicating again so
check it out

#### NJBA Board of Directors

## Historic Cold Spring Village (HCSV) June 12th - 13th

NJBA is holding a public demonstration/ hammer-in at Historic Cold Spring Village (HCSV) in Cape May on June 13 – 14. NJBA has been holding this event at (HCSV) for several years now. Please contact David if you are going, so he knows how much equipment to bring down. If you are interested in demonstrating to the public or just hanging with the Smiths please join us.

Generally we start set up around 9AM and break down by 5PM. Travel time from central NJ is about 2 hours and Cape May is wonderful place to visit with your family.

If you need further information, please contact me at your convenience. The web site for HCSV is: http://www.hcsv.org/

Thanks, David Macauley

## Delaware City Day, Hammer-In and BBQ July 17th

### Third Annual Hammer in / BBQ

Kerry Rhoades and John Chobrda, along with the New Jersey Blacksmiths Assn. would like to invite all smiths, metal heads, and their families to the 4rd Annual forge in and BBQ on Saturday July 17th at Kerry's shop, "Forged Creations" in Delaware City, Delaware. This event is being held in conjunction with "Delaware City Day" a day of parades, games, and fireworks.

We will be setting up portable forges and tents on the side street. Kerry's shop is located at 124 Clinton Street in Delaware City, try to come early as the parade runs down Clinton Street and it will be closed at 9:00 AM. phone numbers are: 302-832-1631 or 302-757-0733

Come on out on the 19th of July, bring your family, your work, a hammer, your hunger and something (food) to share. Hope to see you then.

## Middlesex County Fair August 2nd through the 8th

We have been invited back to Middlesex County fair which runs from August 3rd through the 9th in East Brunswick. The fair hours are 5-11 PM Monday through Friday, 11 AM - 11PM on Saturday and 11AM - 7PM on Sunday. We will have the NJBA trailer at the site and we will probably have additional forging stations. We will be under a tent with other crafters. The site has easy access to water and power and we will have tables to display our forged items. All smiths are encouraged to attend. We particularly need some coverage during the week days. A remuneration of \$100/day is available to NJBA which is turn will be available to demonstrators to help defer transportation costs. This is a wonderful fair to attend and is great opportunity for the entire family. In the past we have been assigned certain days, check with David closer to the event or check next newsletter.

#### Here are the driving instructions:

The Middlesex County Fair is located on Cranbury Rd. where it intersects Fern Roads in East Brunswick. Take Route 18 into East Brunswick, follow the directions for Cranbury onto Cranbury Road (Rt. 535 South), pass East Brunswick High School on the left, keep left at the fork, and continue on Cranbury Road for about three miles to the fair. 655 Cranbury Road.

**FROM OLD BRIDGE**-Take Route 18 north toward New Brunswick, pass the Colonial Diner and head toward Cranbury over the Route 18 overpass and proceed past the high school and bear left at the fork, as above.

Route from north county (this is the least congested route), take Exit 8A on the New Jersey Turnpike. Turn right on Route 535 North directly to fairgrounds (5 miles

For further information please contact David Macauley, drmacauley@att.net 732-206-1568

# BLACKSMITH HAMMER-IN & TOOL SWAP At the Red Mill Museum Village Sunday, September 26th 10:00am - 4:00pm

Details in the next newsletter, so plan on coming out and having some fun!

# An editorial Blacksmiths' Wordsmith

The NJBA flourishes through the work of many individuals who take the time and interest to contribute to the success and forward movement of the organization. In order to chronicle these efforts and keep the membership up to date and informed it is most beneficial to have a quality newsletter to serve that end. NJBA is most fortunate to have such a vehicle.

Editor Larry Brown has been able to faithfully put a fine publication in the mail providing members with a calendar of events, articles on events held (often submitted by faithful contributors), articles to enhance our skills and knowledge of the craft, open forge opportunities, sources of material supply, and information regarding activities of sister organizations here in the northeast. All that and more in a nicely organized and professional format. An enthusiastic newsletter does much to maintain the cohesiveness of a group by keeping members informed and involved. Despite the advantages of "desktop publishing", the neatly folded packet with the anvil logo that shows up in our mailbox periodically is still hard work and a labor of dedication.

Many thanks to editor Larry Brown for his continuing work as the NJBA "Wordsmith". Wm. Ker

Member – NJBA

Former Blacksmith Guild Master/Editor Historic Allaire Village

Thanks for the kind words Bill, Larry.

# March Membership Meeting Demonstration and Workshop by Jonathan Nedbor

By Bruce Freeman. Photos by Tom Majewski.

Marshall Bienstock hosted the meeting, which drew about 20 members. Jonathan started the demonstration by making a simple drive-type wall hook




His hooks have a noteworthy feature, however: After bending the point 90° to the stem, he strikes the bend from the side, making the bend somewhat wedge-shaped side-to-side. This does two things – it reduces the angle to less than 90° and it provides a slightly raised point for the hammer to strike. The former means that a weight suspended from the hook will not tend to pull the hook from the wall as well as making the driving of the hook more natural using an overhand swing of the hammer.


Jonathan next demonstrated the forging of a clevis.



This is a machine component, not a typical household device. He started by upsetting the end of the bar, then splitting it first partway through from the top, and then (in a vise) from the end.




He forged the split end into shape – with enlarged pads at the ends for punching, then spread them for convenience and punched each pad. To better form





the clevis, he closed it over a bar (with the end somewhat rounded) and clamped the clevis in the vise and hammered the bar into the clevis.




Some tweaking was needed to align the holes in the two pads. Finally, he drew out the stem to the desired dimensions, and cut it off for welding to another piece.

Traditionally, bolt heads are made, not by upsetting the end of a bar, but by welding on additional material. Most texts show wrapping a piece of square stock most way around the end of the bar, then welding. This same technique can be used anytime a mass of metal is needed on the end of a rod. Jonathan, however, demonstrated what he considers an easier way. His method is to draw out the end of the rod after using a half-faced blow to isolate the end. He then bends the end 90° and begins to wrap it around the end of the bar. He continues



this wrapping until he has a coiled mass at the end of the bar, then welds the mass together.






The result is seen the last picture



Jonathan's demonstration included a number of other items as well, including a Hudson Valley style door handle; a thumber for such a handle, with the end bent back and welded to it to provide a prong to keep the thumber in the handle; and a ladle. Marshall assembled these demonstration pieces onto a board for display in his shop. On Sunday, Jonathan taught a workshop on some of what he'd demonstrated on Saturday. Five members participated, using the three coal forges in Marshall's shop.



Board with Items from Jonathan Nedbors Demo

## Two New Open Forge Locations for NJBA

**Joshua Kuehne** in Southern NJ is looking to open his shop once or twice a month to members who would like to get together to forge. Contact him directly to set up a time.

Joshua Kuehne, 543 Amos Ave. Vineland, NJ 08360 (856) 503-5297 iforgeiron88@yahoo.com

**Kerry Rhoades and John Chobrda** would like to host an open forge night at his shop this year. It would be on Wednesday nights from seven to nine. If people would be coming we would like them to call first to make sure we would be there. Forged Creations, 124 Clinton Street, Delaware City, DE

Kerry (302) 832-1631 John (302) 838-1960 (609) 610-3501 (cell)

# Blacksmithing Workshops and Classes:

Peters Valley Craft Education Center 19 Kuhn Rd., Layton, NJ 07851 (973)948-5200 pv@warwick.net www.pvcrafts.org

#### Academy of Traditional Arts Carrol County Farm Museum

500 South Center St. Westminster, MD 21157 (410)848-7775 (410)876-2667

#### **Touchstone Center for Crafts**

R.D.#1, Box 60, Farmington, PA 15437 (724)329-1370 Fax: (724)329-1371

#### John C Campbell Folk School

One Folk School Rd.
Brasstown, NC 28902
1-800-365-5724 www.folkschool.com

#### **Brookfield Craft Center**

286 Whisconier Road P. O. Box 122 Brookfield, CT 06804-0122 203.775.4526

## **Open Forges**

If any members have a forge at home and work in the evenings or weekends and want to open it up to help a few local guys, let me know, Larry Brown, editor, as we get requests from members who have a hard time traveling to some of the open forge locations.

Please contact, Larry Brown, Editor. *We want to encourage all to join us at:* 

## Monday Night Open Forge in N.J.

Marshall Bienstock is hosting an open forge in his shop at 7 pm almost every Monday night (Please call ahead on holidays to make sure, (732)780-0871)

## Open Forge in Long Island

Sunday from 10:00 am to 6pm.

Starting the 1st Sunday in November until the end of April. Please call ahead to confirm and get directions. Ron Grabowski, 110 Burlington Blvd. Smithtown, NY (631) 265-1564 Ronsforge@aol.com

#### **Business Members**

We would like to thank those who joined with our new Business Membership category. Business dues are \$40 Please show them our support

#### <u>John Chobrda, Dragon Run Forge</u> P.O. Box 315 Delaware City, DE, 19706

302-838-1960 jchob@verizon.net

#### Grant Clark, GWC Forge

PO Box 158 Perrineville NJ 08535 732 446-2638, 732 446-2638

#### **Eric Cuper Artist Blacksmith**

109 Lehman Lane, Neshanic Station, NJ 08853 908 642-6420 ericuper@msn.com

Bruce Hay, Jr.

50 Pine St., Lincroft, NJ 07738

#### Jayesh Shah, Architectural Iron Design

950 S. 2nd St., Plainfield, NJ 07063 jay@archirondesign.com

#### Louise Pezzi, Blacksmith

1241 Carpenter St

Philadelphia, PA 19147

215 336 6023 pezziandjr@gmail.com

#### Mark Balzarette, Blue Sun Customs LLC

124 Greenwood Ave. STE.C Suite C Midland Park, NJ 07432

#### **BLACKSMITH TOOLS FOR SALE!**

#### John Chobrda

Has a large selection of tools for sale.

Anvils – Forges - Leg Vices—Blowers

Tongs – Hammers

and/or resurfaced Anvils

Call John for prices and availability

(302) 838-1960 cell (609) 610-3501

There are two more open forges now, see page 7. Thanks to the members who are doing this.

# First Aid Tip Heat Related Illnesses

By Albin Drzewianowski

I am not a doctor, and I don't play one on TV. The following information has been pulled from a number of health related web sites and for the most part is common sense. Albin

Soon it will be summer and summertime in Maryland mean HEAT and HUMIDITY. Blacksmithing is a vigorous activity and if you are not careful you can find yourself experiencing the unpleasant side effects of dehydration.

Technically dehydration means that the amount of water in your body has dropped below the proper level. When it is hot and you are working hard your body can produce a half gallon of sweat every hour. Unless you are drinking water at the same rate, you will dehydrate and then stop sweating, at which point your body starts to overheat. Remember, sweating is the body's natural mechanism for cooling off.

The initial signs of dehydration are:

- Thirst
- Less-frequent urination
- Dry skin
- Fatigue
- Light-headedness
- Dizziness
- Confusion
- Dry mouth and mucous membranes
- Increased heart rate and breathing

As the dehydration continues you will start to experience the progressively more dangerous conditions of: heat cramps, heat exhaustion, and finally heat stroke.

WARNING: Heat stroke can be fatal!!

Heat cramps are muscle pains or spasms - usually in the abdomen, arms, or legs - that may occur in association with strenuous activity. People who sweat a lot during strenuous activity are prone to heat cramps. This sweat-

ing depletes the body's salts and moisture. The low salt level in the muscles causes painful cramps. Heat cramps may also be a symptom of heat exhaustion. If you have heart problems or are on a low-sodium diet, seek medical attention for heat cramps.

What should you do if you experience heat cramps?

If medical attention is not necessary, take the following steps:

- Stop all activity and sit quietly in a cool place.
- Drink clear juice or a sports beverage.
- Do not return to strenuous activity for a few hours after the cramps subside because further exertion may lead to heat exhaustion or heat stroke.
- Seek medical attention for heat cramps if they do not subside in 1 hour.

Heat exhaustion is a milder form of heat related illness that can develop after exposure to high temperatures and inadequate or unbalanced replacement of fluids.

The warning signs of heat exhaustion include the following:

- Heavy sweating
- Paleness
- Muscle cramps
- Tiredness
- Weakness
- Dizziness
- Headache
- Nausea or vomiting
- Fainting

The skin may be cool and moist. The pulse rate will be fast and weak, and breathing will be fast and shallow. If heat exhaustion is untreated, it may progress to heat stroke. Seek medical attention if symptoms worsen or last longer than one hour.

What steps can be taken to cool the body during heat exhaustion?

Blacksmith Guild of Central Maryland

May/June HAMMER & TONG

- Drink cool, nonalcoholic beverages.
- Rest.
- Take a cool shower, bath, or sponge bath.
- Seek an air-conditioned environment. Heat stroke is the most serious heat-related illness. It occurs when the body becomes un-

illness. It occurs when the body becomes unable to control its temperature: the body's temperature rises rapidly, the sweating mechanism fails, and the body is unable to cool down.

• Get medical a less than an hour. The smart thin

Body temperature may rise to 106°F or higher within 10 to 15 minutes.

Heat stroke can cause death or permanent disability if emergency treatment is not provided.

Warning signs of heat stroke vary but may include the following:

- An extremely high body temperature (above 103°F)
- Red, hot, and dry skin (no sweating)
- Rapid, strong pulse
- Throbbing headache
- Dizziness
- Nausea
- Confusion
- Unconsciousness

If you start to experience these symptoms or see any of these signs in someone else, you may be dealing with a life threatening emergency. Have someone call for immediate medical assistance while you begin cooling the victim. Do the following:

- Get the victim to a shady area.
- Cool the victim rapidly, using whatever methods you can. For example, immerse the victim in a tub of cool water; place the person in a cool shower; spray the victim with cool water from a garden hose; sponge the person with cool water; or if the humidity is low, wrap the victim in a cool, wet sheet and fan him or her vigorously.
- Monitor body temperature and continue

cooling efforts until the body temperature drops to 101-102°F.

- If emergency medical personnel are delayed, call the hospital emergency room for further instructions.
- Do not give the victim alcohol to drink.
- Get medical assistance as soon as possible
   If not treated, heat stroke can be fatal in
  less than an hour

The smart thing is to avoid getting into any of the situations above in the first place. Start drinking liquids before you begin blacksmithing, continue while working and drink some more after you stop. Many authorities maintain that water is the single best way to combat heat related illnesses. Many sports drinks on the market effectively restore body fluids, electrolytes, and salt balance. Don't drink liquids that contain caffeine, alcohol, or large amounts of sugar. These actually cause you to lose more body fluid. Also, avoid very cold drinks, because they can cause stomach cramps. Do not take salt tablets unless directed by your doctor.

Pace yourself. If you are not accustomed to working or exercising in a hot environment, start slowly and pick up the pace gradually. If exertion in the heat makes your heart pound and leaves you gasping for breath, STOP all activity. Get into a cool area or at least in the shade, and rest, especially if you become lightheaded, confused, weak, or faint.

Be especially careful since one of the early side effects is confusion and light-headedness. As the condition gets worse you will be less likely to think rationally. The symptoms described here can really sneak up on you and catch you unaware. Since many of do our blacksmithing alone, there may not be someone to notice that we are going into a state of heat exhaustion or worse, heat stroke.

Blacksmith Guild of Central Maryland HAMMER & TONGS July / August 2005


This article appeared in the Summer 2005 issue of the Rocky Mountain Smith's newsletter Forge Facts

#### THE RADIUS OF AN ARC

by Julie Pickett, Durango, CO


I'll be the first to admit that my math skills have declined over the years. The old saying "Use it or lose it" is very true with regards to higher math skills. However, I can still perform algebra and basic trig well enough to help Rod in the business.

Finding the radius of an arc is something we do quite frequently. We need this information whenever we lay out fireplace doors or build bending jigs.



I'll do a sample problem to help you apply the formula. Let's say you measure an existing opening of an arched fireplace. The distance from side to side at the point where the straight sides of the fireplace start curving to make the arch (the cord length) is 48" ("L "in our formula).

The height from that cord length to the highest point in the arch is 6" ("h" in our formula).



Drawings by Rod Pickett

This is the formula that you must use to find the radius of an arc:

$$r = \frac{4h2 + L2}{8h}$$

Here is the formula with our sample problem numbers plugged into it:

$$r = \frac{4(62) + 482}{8(6)}$$

Whenever you solve a math problem you must follow what is called "the order of operations" or your answer will not be correct.

The first thing we must do is simplify anything inside of parenthesis. In this case that would be the (62), which we know is 36 and will make our problem look like this:

$$r = \frac{4(36) + 482}{8(6)}$$

Next we must simplify anything with an exponent. In this sample it is the 482, which equals 2304. Now our sample problem looks like this:

$$r = \frac{4(36) + 2304}{8(6)}$$

Next we must do any multiplication both above and below the division bar. Always work from left to right. Remember that a parenthesis () means multiplication. So first we multiply 4 x 36 which equals 144. Next we go below the bar and multiply 8 x 6 which equals 48. Now our sample problem looks like this:

$$r = \frac{144 + 2304}{48}$$

Next in the order of operations is the addition. In this case we must simply add 144 + 2304 which equals 2448. Now the problem is starting to look easy, like this:

$$r = \frac{2448}{48}$$

All that is left to do is to divide the numerator of 2448 by the denominator of 48, which gives us our radius of 51 ".

$$r = 51$$

#### BRIEF HISTORY of IRON

Wrought Iron dates back to the ancient Egyptian Empire. Very small blooms of iron were produced in forges using charcoal. In 500 BC, the Etruscans were producing 10,000 pounds of iron per year on the western shore of Italy using short cupolas with bellows made from animal skins to produce the air source. Once the burn was complete, the short furnaces made of stone were disassembled and the resulting mass of iron and impurities were removed and further refined by heating and hammering. The charcoal making process deforested most of western Italy. The iron ore was brought to the furnaces on sailing ships. The extraction method that the Etruscans used was so poor that the tailings were mined during both world wars to produce steel. Wrought iron was produced throughout Europe in late BC to early AD. In the magnificent buildings of the Greeks and Romans, the stones were held together with butterfly-shaped pieces of iron coated with lead.

The first steel was produced by the Celts, ca. AD 200. They cut wrought iron into small strips and stacked the strips in a wrought iron container with burnt bone and carbon and then heated the iron in a charcoal-fired furnace for 10-12 hours at high heat. In the process, carbon was absorbed into the surface of the metal. They then forge welded the pieces together and produced blades. This was the forerunner of pattern-welded blades as we know them and which we erroneously call "Damascus." Damascus steel was produced in Pakistan about the same time in the form of Wootz billets and sent to Syria to be made into Damascus blades. As near as we can tell (since the exact process is unknown), pure iron ore and carbon were placed in a ceramic crucible and actually melted, producing carbon steel containing about 1.5% carbon. The steel was very difficult to forge since it had to be worked at a red heat. Any hotter and it would shatter. The Celt's steel process was copied by the Vikings and Germans to produce pattern-welded steel blades through about 1050. From then until about 1400, both countries produced steel blades by family-protected, secret processes.

During that time period, they started making their furnaces taller and taller. At this point they were no longer producing wrought iron. The iron finally melted, and as it ran down through the charcoal, it dissolved some of the carbon into the iron. The resulting iron contained 3-4% carbon, was not forgeable, and was very brittle. It could only be used for casted items and was not useful for blades or wagon parts. Also during this time period, most of the forests in England and Europe were disappearing because of building and charcoal making. The King of England ruled at one point that the forests could no longer be cut for making charcoal. This forced the steel makers to come up with a process to make coke out of coal by driving out the volatile oils.

To get wrought iron in quantity, the English developed a puddling process; they mixed molten cast iron with molten iron silicate and iron oxide. Iron silicate is a component of wrought iron. They called this coal-fired furnace a "finery." When a worker (the rabbler) stirred this mixture, the iron oxide would combine with the carbon forming iron and carbon dioxide. The resulting iron had a much higher melting point and would float to the top of the puddle. The

rabbler would move the pieces into larger lumps weighing 200-300 pounds. Another worker, using a pair of large tongs and an overhead track, would grab the pieces (called "blooms") and place them in a press to squeeze out some of the iron silicate. The pressed blooms would then be run through a rolling mill and turned into muck bars. The muck bars were cut into short pieces, wired together, and placed in a coal-fired soak pit where they were heated to a welding heat. The muck bars were run through the rolling mill again and turned into a merchant bar. This process was used not only throughout Europe but in the eastern United States as well. To make steel, thin rolled merchant bars were placed in a coal-fired soak pit, covered with carbon and burnt bone, and heated at a high temperature for several days. The carbon would be absorbed into the iron forming blister steel. The name "blister" comes from the appearance of the bars when they were removed from the pit-they were covered with "blisters." The bars were then folded over and rewelded together to be used as steel. None of the steel was of very good quality as it had iron silicate inclusions.

England needed good quality steel to make springs for timepieces so that their fleet could navigate the oceans. One enterprising Englishman noticed that glassmakers were able to get very high temperatures in their glass furnaces. He took pieces of blister steel, placed them in ceramic crucibles, and set them in a glass furnace. When the steel melted, iron silicate floated out and the carbon remained, making a good quality steel. Unfortunately for him, too many people observed the process and he was unable to keep it secret and thereby profit from the discovery. This process was further developed and produced quality steel called "cast steel" or "crucible steel." It is still used today to produce small quantities of differing steels. Many old tools made in the USA are marked "cast steel". Some mistakenly believe that these tools were "cast" as the name implies.

Steel making got its greatest boost when the Bessemer process was developed. There is a great argument as to whether it was invented in England or the United States.

Wrought Iron was produced in quantity by Beyers Steel through 1950 and was used in large construction projects such as the Grand Coulee Dam because wrought iron is impervious to rusting. It will only rust down to the iron silicate and then stop.

Mixing of alloys with iron occurred in the early 1900's when manganese, chrome, nickel, etc. were added in gas-fired open hearth furnaces. The progress of alloying was very slow since it is a hit-or miss experimental process. The real push for alloying metal occurred during WWII when greater strength alloys were required for the weapons of war. Since then, great strides have been made in developing different steels.

#### **IRON & STEEL:**

Wrought Iron: Wrought Iron is pure iron mixed with iron silicate. When rolled through the mills a few times, its structure takes on the characteristics of wood, having a definite grain structure. It is forged at a yellow heat. Lower heats will result in the metal shattering like a wood board unless it has been refined several times. If it does split, it is easily welded together at a yellow heat. Iron silicate acts a flux in this process. Holes drilled through wrought iron will

split out lengthwise under load. Therefore, the end where the hole is drilled should be folded across the grain and forge welded. Since there is no carbon in wrought iron, it will not burn like carbon steel, even at a yellow heat. Wrought iron is no longer commercially produced. It can still be found in structures built a century or more ago. Old bridges have been a good source of wrought iron.

Carbon steels: Most carbon steels contain less than 1.5% carbon. Mild steel, as we once knew it, was labeled 1018-1020 and contained .18% and .20% carbon respectively. Today this is only true for steels smaller than 1/4" thick and over 4" in width. Most of the hot-rolled steel today is made from scrap and is categorized as A-36, having a guaranteed tensile strength of 65,000 psi. Since it contains numerous other alloys, the carbon content can vary up to .29% at which level it is not very suitable for forging. Metal with that carbon content develops black hardness which results in cracking and breaking. A-36 is also made in a continuous pour process. As a result, it contains inclusions which will cause it to split when you work with it. Sulfur or Lead is added to low carbon steel to improve machineability. This is usually found in colddrawn mild steels and is no good for forging at all as it has a tendency to crumble at forging temperatures. It is usually designated as 1118 or 11L18.

The more carbon added to the iron, the stronger the tensile strength until it becomes brittle. The optimum strength is achieved at .40% to .45% carbon. In order to achieve hardness, the steel has to be heated to a cherry red, quenched in warm salt brine, and then tempered. Carbon steels with a carbon content of .60% to 1.4% are designated as W-1, W-2, etc. The "W" indicates that they can be hardened in water. This is somewhat misleading as only small pieces such as chisels and punches can be safely hardened in water. When water boils, it causes steam bubbles which result in uneven cooling, causing cracking on larger pieces of carbon steel. Most of the time, the coolant used is warm salt brine. With the best quench, the depth of the hardness goes in less that 1/4" leaving the core soft. The cherry red color of the core can be observed in a dark area with no outside lighting. Blacksmiths of old used a blackened bucket to find this red color. For people who are colorblind, this temperature occurs when the steel is no longer magnetic.

Tempering: Once the steel is quenched, it has to be tempered using heat. This is done by first cleaning the piece down to bright metal and then slowly heating it, watching for the color of the metal to change. The proper temper is reached according to the chart below and then the metal is further cooled in water.

STRAW YELLOW	LATHE TOOLS, MILLING CUTTERS
BRONZE TO DARK PURPLE	CHISELS AND PUNCHES
BLUE	WOODWORKING TOOLS
DARK BLUE	SPRINGS

Alloy steels: Since carbon steels can only be hardened to a depth of 1/4", large pieces of hardened steel were not available to industry. The most important alloying metal is chrome. Chrome does two things: It allows for deeper hardening and for increased resistance to deforming at elevated temperatures. Other metals that improve strength and deep hardening are molybdenum, vanadium, nickel, and tungsten. Since we now have deep hardening during quenching, we can no longer use water or brine because the cooling is too fast and high stresses in the metal cause cracking or breakage. We must now quench with oil or air. Quenching oils are organic and specifically developed for quenching. Motor oil can be used but fumes from the oil are toxic and results are not predictable since quenching rates are unknown. Some useful steels that blacksmiths can find at the local junkyard:

Car & Truck springsflat, round, coiled	Referred to as 5160 which is a chrome steel with 0.5% carbon, 1.0% manganese, 0.3% silicon, 0.6% chrome
Large truck axles (for good hammer heads)	Referred to as 4140 which is steel with 0.4% carbon, 1.0% manganese, 0.2% silicon, 1.0% chrome, 0.2% molybdenum

Bessemer Process (for Sir Henry Bessemer): Industrial process for the manufacture of steel from molten pig iron. The principle involved is that of oxidation of the impurities in the iron by the oxygen of air that is blown through the molten iron; the heat of oxidation raises the temperature of the mass and keeps it molten during operation. The process is carried on in a large container called the Bessemer converter, which is made of steel and has a lining of silica and clay or of dolomite. The capacity is from 8 to 30 tons of molten iron; the usual charge is 15 or 18 tons. The converter is egg-shaped. At its narrow upper end it has an opening through which the iron to be treated is introduced and the finished product is poured out. The wide end, or bottom, has a number of perforations (tuyeres) through which the air is forced upward into the converter during operation. The container is set on pivots (trunnions) so that it can be tilted at an angle to receive the charge, turned upright during the "blow," and inclined for pouring the molten steel after the operation is complete. As the air passes upward through the molten pig iron, impurities such as silicon, manganese, and carbon unite with the oxygen in the air to form oxides; the carbon monoxide burns off with a blue flame and the other impurities form slag. Dolomite is used as the converter lining when the phosphorus content is high; the process is then called basic Bessemer. The silica and clay lining is used in the acid Bessemer, in which phosphorus is not removed. In order to provide the elements necessary to give the steel the desired properties, another substance (often spiegeleisen, an iron-carbon-manganese alloy) is usually added to the molten metal after the oxidation is completed. The converter is then emptied into ladles from which the steel is poured into molds; the slag is left behind. The whole process is completed in 15 to 20 min. The Bessemer process was superseded by the open hearth process. Columbia Encyclopedia, 6th edition, 2001Encyl. information did not appear in the SOFA article but is added for the reader's convenience

Editor's apology; I really don't remember where I found this information. Apparently it started with SOFA (Southern Ohio Forge and Anvil)

NAME		
ADDRESS		74.7
CITY	ABA	NA
STATE/PRO V	<b>40</b>	
COUNTRY	Regular Member	\$55.00
ZID (14)/DOSTAL CODE	Senior Citizen (Age 65+)	\$50.00
ZIP (+4)/POSTAL CODE	Full Time Student	\$45.00
PHONE #	Foreign Member	\$65.00
	Public Library-USA	\$45.00
EMAIL	Contributory	\$150.00
Order Online, Mail, Call or Fax your Check	MASTERCARD OR VISA ACCOU	NT NUMBER
or Credit Card Payment to:		
ABANA		<del></del>
15754 Widewater Drive,	EXPIRATION DATE	
Dumfries, VA 22025-1212	EXI INATION DATE	
703-680-1632 USA		
<b>703-680-6222</b> VOICE Website; WWW	/.ABANA.ORG Email; ABANA	@ABANA.ORG

## Join ABANA or Check out other area chapters!

#### **Northeast Blacksmiths Association**

Northeast Blacksmiths holds its meets twice a year at the Ashokan Field Campus in New York State.

The Ashokan campus is located in Olivebridge, N.Y., several miles west of Kingston, N.Y. The meets are held the first weekend in May and in the first weekend in October every year. The main demonstration is in the blacksmith shop and there is a "Hands On" workshop for beginners. A main demonstrator is brought in for each meet, food and bunkhouse style lodging are provided as part of the cost of the weekend long meet.


Contact: Tim Neu
to register for hammer-ins
or subscribe to the newsletter;
Tim Neu, The Ashokan Center,
447 Beaverkill Rd.
Olivebridge, N.Y. 12461 [914]657-8333
For more information check out the web
site; <a href="http://nba.abana-chapter.com/">http://nba.abana-chapter.com/</a>

John The Fellisylvania L	Blacksmiths Association!
Name	
Address	
City, State, Zip code	
	E-mail (optional)
doctor) that may be helpful to the	ne group or membership?
Suggestions for PABA demonstra  What is your skill level? O Beginner O Intermediate O Adv. Membership paid byCash _	tions vanced O Professional

PABA Membership Application

Membership is from Jan. 1 — Dec. 31

**New Jersey Blacksmiths Association** Attn: Larry Brown, Editor 90 William Avenue Staten Island, New York 10308



Index For NJBA Volume 15, #1 05/01/10 Meets and Reports Pages 1–7; Ad Page 8 Body Heat 9—10; Arc 11 -12 Iron History 13—16 Renewal Page

## How to Join or Renew your Membership in NJBA:

NJBA Dues are \$20 per year.

NJBA Business Dues are \$40 per year Please make your check out to: "NJBA" Please mail checks to:

## NJBA, P.O. Box 224, Farmingdale, NJ 07727-9998

Please include payment with the information listed below. You will receive a postcard confirmation of your membership, and will receive a newsletter within a month. NJBA's "year" runs from June to June. If you join mid-year, the postcard will offer a prorated dues option which will then allow you to extend your membership till the following June. The following information will be listed in a roster available to other members.

Name	Home Phone
Address	Day Phone
City	
State	Zip
E-Mail	Skill Level (optional)
Comments	

## **Renewal Page**

Please return this page with a check for the indicated amount, payable to NJBA to;

$\ensuremath{NJBA}, \ensuremath{P.O.}$ Box 224, Farmingdale, $\ensuremath{NJ}, \ensuremath{0}$	7727-9998.	
Individual - \$20.00		
Businesses - \$40.00		
If you join NJBA as a <b>business member</b> , information.	* you will be	listed in the newsletter with your contact
NJBA does not pro-rate dues on a month- drive once a year in June. However, if you at a discount applies (please check approp	u joined withi	±
☐ I joined in August, September or Octobuler June 2011 for \$15.	ober, 2009, so	I qualify to my membership through
☐ I joined in November, December, 200 through June 2011 for \$12.	9, or January,	2010, so I qualify to my membership
☐ I joined in February, March or April, 2 2011 for \$7.	2010, so I qua	lify to my membership through June
Only name and address are required. Our may be made available to other NJBA me which we will use to share late breaking r	embers upon r	equest. Please list your e-mail address,
Name:	Home pho	ne:
*Business name:		
Address:	Day phone	:
City:	State:	Zip:
Email:		Skill level:
Programs I'd like to see:		
I'd like to volunteer to:		
Comments:		

## **Tear This Page Off!!!**

## Then send it back with your renewal on the back of this page

NJBA, P.O. Box 224, Farmingdale, NJ, 07727-9998 May 1st, 2010

Dear NJBA Member,



We're running a little early with the renewal letter, this year, because we decided to save postage by combining it with the newsletter mailing. The official month for renewals is June but you may send them in anytime after receiving this. We have sent newsletters this last year to some who have not renewed, if this is you, this is your last newsletter, please act now to stay with us! Dues are still \$20, for which you get four newsletters and about 90 events each year. Yes, I do mean 90 events, because in addition to membership meetings approximately monthly, we have two (count 'em, two!) open forge meetings going on a weekly basis. (See the newsletters for details. http://njba.abana-chapter.com)

As for monthly meetings, we have a master blacksmiths demonstrate to our group at least once per year. We have some fun events each year, like Delaware City Day (hosted by Kerry Rhoades) and the Holiday Party (hosted by Marshall). Each September we hold a tool swap (tailgate sale) at the Red Mill in Clinton. We also try to have at least one workshop each year. Last year's sword-making workshop had to be cancelled due to lack of interest, unfortunately. We are constantly being called upon to give public demonstrations, such as the ones at Speedwell, Middlesex Co. Fair, Historic Cold Springs Village, and Walnford, and could be at many more of these if we had members willing to staff them.

And that brings us to the core of my message: NJBA is a volunteer organization. The most active volunteers we usually get to serve on the board, but there is no requirement to be on the board to be active. A few of the current directors (i.e., board members) have been decreasing their activity levels due to work, family, health, or other personal reasons. Currently, only two directors have vehicles that can tow the NJBA tool trailer. Larry Brown, our editor, ends up writing up most of the event reports for the newsletter, with a little help from yours truly. Although we get decent turn-out at the public demonstrations, we'd love to do better.

NJBA can do better if more members will help out. Please consider helping out in some way that you will enjoy. Can you haul the trailer from Marshall's farm to a meeting? Can you help out to prepare for a workshop? Would you like to man a public demonstration in your area? Let us know. Drop an email or phone up one or more of the directors to let us know of your interest.

Finally, I must repeat another very important request: We would really like to have email addresses for all members who use email. Often we have important information too late in hand to get it into the newsletter, and we just don't have the manpower for a telephone tree.

Sincerely, Bruce Freeman