Surgery Name Chronic Kidney Disease Review

Review Status: No CKD stage specified Current EMIS Status: No EMIS CKD entry

Results Overview

Patient Information

NHS Number: 815862Age: 12 | Gender: Female

CKD Overview

Stage: Error: Insufficient data | ACR criteria: A1
 Albumin-Creatinine Ratio (ACR): 0.0 mg/mmol

• Creatinine:

Current: 173 µmol/L | Date: 2023-07-10
 3 Months Prior: 0 µmol/L | Date: nan

• eGFR:

Current: 0 ml/min/1.73m² | Date: 2023-07-10
 3 Months Prior: 0 ml/min/1.73m² | Date: nan

• Anaemia Overview:

Haemoglobin: 78 g/L | Date: 2023-04-10
 Current Status: Severe Anaemia
 Anaemia Management: Consider ESA/Iron

Electrolyte and Mineral Bone Disorder (MBD) Management

Potassium: 2.7 mmol/L | Status: Hypokalemia | Date: 2023-04-10
 Phosphate: 0.9 mmol/L | Status: Normal | Date: 2023-04-10
 Calcium: 1.35 mmol/L | Status: Hypocalcemia | Date: 2023-04-10

• MBD Status: Check CKD-MBD

Vitamin D Level: 17 ng/mL | Date: 2023-04-10
 Vitamin D Status: Vitamin D Deficiency

Blood Pressure

Classification: Normal | Date: nan
 Systolic / Diastolic: 110 / 70 mmHg

• Target BP: <130/80 | BP Status: On Target

Kidney Failure Risk

2-Year Risk: N/A%5-Year Risk: N/A%

The patient's 2- and 5-year kidney failure risk scores estimate the likelihood that their kidney disease will progress to kidney failure within the next 2 or 5 years. These scores are calculated based on the patient's current kidney function and other risk factors such as age, blood pressure, and existing health conditions. Understanding these risk scores helps in predicting disease progression and planning appropriate treatment strategies.

Care & Referrals

Multidisciplinary Care: Not Indicated
 Modality Education: Not Indicated
 Nephrology Referral: Not Indicated

• Persistent Proteinuria: No Referral Needed

Medication Review

• Current Medication: Furosemide 40mg, Lisinopril 10mg, Atorvastatin 40mg

• Review Medications: No adjustments needed

• Contraindicated Medications: No contraindications

• Suggested Medications: ACE inhibitors (if not contraindicated) for proteinuria (if indicated), Lifestyle modifications

• Statin Recommendation: On Statin

Diabetes and HbA1c Management

• HbA1c Level: 27 mmol/mol | Date: 2023-04-10

• HbA1c Management: On Target

Lifestyle and Preventative Advice

Lifestyle Recommendations: Encourage general kidney health practices: a balanced, low-sodium diet; regular
physical activity within comfort levels; smoking cessation; weight management; and regular health check-ups to
monitor kidney function. Avoid over-the-counter NSAIDs and consult a healthcare provider for any new symptoms.

NICE Guideline Recommendations

No specific recommendations available for this CKD stage.

Surgery Name,

Add 1.

Add 2,

Belfast,

BT123456

Telephone: 028 90***********