

# ATRIAL FIBRILLATION STROKE RISK SCORE

CONGESTIVE HEART FAILURE	+1						
HYPERTENSION	+1						
STROKE / TIA / THROMBOEMBOLISM HISTORY	+2						
VASCULAR DISEASE	+1						
DIABETES	+1						
FEMALE	+1						
AGE	<table><tr><td>≤64</td><td>0</td></tr><tr><td>65-74</td><td>+1</td></tr><tr><td>≥75</td><td>+2</td></tr></table>	≤64	0	65-74	+1	≥75	+2
≤64	0						
65-74	+1						
≥75	+2						

## RISK- BENEFIT ANALYSIS

Compare Stroke risk to Major Bleeding risk (HAS-BLED) to assist in determining Risk-Benefit of Anticoagulation

## STROKE RISK

SCORE	% RISK - YEAR
0	0.2-0.3%
1	0.6-0.9%
2	2.2-2.9%
3	3.2-4.6%
4	4.8-6.7%
5	7.2-10%
6	9.7-13.6%
7	11.2-15.7%
8	10.8-15.2%
9	12.2-17.4%

## RISK- BENEFIT ANALYSIS - QUICK GUIDE

SCORE 0 LOW STROKE RISK	0.2-0.3% per Year
----------------------------	----------------------

MAY NOT REQUIRE ANTICOAGULATION

SCORE 1 MODERATE STROKE RISK	0.6-0.9% per Year
---------------------------------	----------------------

CONSIDER ANTICOAGULATION FOR MALES

SCORE 2+ MODERATE STROKE RISK	2.2-17.4% per Year
----------------------------------	-----------------------

CONSIDER ANTICOAGULATION FOR ALL