

Introduction to GraphQL

Krishna Regmi

Before we start!!


- First and foremost, it's an abstraction.
 - You can do everything with or without GraphQL, but having GraphQL saves you time and effort.
 - On top of code abstraction, GraphQL also gives you a thinking model that enables better collaboration with other developers.
 - GraphQL ultimately makes it easier to build and maintain web applications.
 - There are applications where GraphQL is not the correct tool for the job.
-

What's in the Name?

Graph + QL


Graph

Consider your application data as a graph of nodes that are connected.



QL

Query Language



```
1 query {
2   customer(id: 1) {
3     id
4     name
5     contactLanguage
6     orders {
7       id
8       date
9       products {
10        id
11        name
12        document {
13          documentUrl
14        }
15        images {
16          imageUrl
17        }
18      }
19    }
20  }
21 }
```


```
{
  "data": {
    "customer": {
      "id": "1",
      "name": "TYSON CHICKEN LOUISIANA",
      "contactLanguage": "English",
      "orders": [
        {
          "id": "1",
          "date": "01/01/1990",
          "products": [
            {
              "id": "1",
              "name": "S800",
              "document": {
                "documentUrl": null
              },
              "images": [
                {
                  "imageUrl": "http://testImage"
                }
              ]
            },
            {
              "id": "2",
              "name": "S900",
              "document": {
                "documentUrl": null
              },
              "images": [
                {
                  "imageUrl": "http://testImage"
                }
              ]
            }
          ]
        }
      ]
    }
  }
}
```



```
1 query {
2   customer(id: 1) {
3     id
4     name
5     contactLanguage
6     orders {
7       id
8       date
9       products {
10        id
11        name
12        document {
13          documentUrl
14        }
15        images {
16          imageUrl
17        }
18      }
19    }
20  }
21 }
```

**GraphQL lets you start at any
node in the graph**

GraphQL lets you start at Any Node




```
1 query {  
2   product (id: 12345) {  
3     id  
4     orders {  
5       id  
6       date  
7       invoiceDocument {  
8         documentUrl  
9       }  
10    }  
11  }  
12 }
```


Components of GraphQL API


Components of GraphQL API

- Schema
 - Schema defines the data your API returns.
 - Declare what nodes can be queried
 - Declare what values exist on each node, and their types
- Resolvers
- Query / Mutation / Subscription


```
type Query {  
  customer(id: ID!): Customer  
  product(id: ID!): Product  
}
```



```
type Customer {  
  id: ID!  
  name: String!  
  contactLanguage: String  
  orders: [Order]  
}
```



```
type Order {  
  id: ID!  
  date: DateTime!  
  invoiceAmount: Float  
  invoiceDocument: Document  
  products: [Product]  
  services: [Service]  
  customer: Customer  
}
```



```
type Product {  
  id: ID!  
  name: String!  
  document: Document  
  images: [ProductImage]  
  orders: [Order]  
}
```

Components of GraphQL API

- Schema
- Resolvers
 - Resolver is a function that knows how to obtain specific data
 - GraphQL allows the flexibility to define resolver on a data type or individual fields of a data type.
 - GraphQL runtime does the plumbing required. Application developers just write functions
 - GraphQL runtime only runs resolvers if necessary
 - Permissions can be applied on each resolver function
- Query / Mutation / Subscription

```
type Order {  
  id: ID!  
  date: DateTime!  
  invoiceAmount: Float  
  invoiceDocument: Document  
  products: [Product]  
  services: [Service]  
}
```

Resolver 1

Resolver 2

Resolver 3

```
Order: {  
  products: async (parentOrder, _, ctx) => {  
    return data.products.filter(prd => parentOrder.products.includes  
      ( parseInt(prd.id) ))  
  },  
  services: async (parentOrder, _, ctx) => {  
    if(ctx.user.role !== "vp"){  
      throw Error("You are not allowed to access information about  
        services")  
    }  
    return []  
  }  
},
```

Components of GraphQL API

- Schema
- Resolvers
- Query / Mutation / Subscription
 - Query: Used to read data
 - Mutation: Used to Edit/Create data
 - Subscriptions: Used for Real-Time data
 - Use Query language for all three.

```
1 query {  
2   customer(id: 1) {  
3     id  
4     name  
5     contactLanguage  
6     orders {  
7       id  
8       date  
9       products {  
10        id  
11        name  
12        document {  
13          documentUrl  
14        }  
15        images {  
16          imageUrl  
17        }  
18      }  
19    }  
20  }  
21 }
```

GraphQL enables efficient data loading

GraphQL enables efficient data loading

- Get only what you ask for
 - Just the requested data is transferred through the network. No more, no less.
 - You only need one request to the backend no matter how you traverse the data graph
 - Multiple graph traversals can be combined into one request, reducing network delays
 - As a result of the architecture:
 - This enables much faster iteration on the frontend since you do not have to write new specific API endpoints when frontend needs change.
 - Speed to features
 - One can read the frontend code and clearly understand what data comes back without having to be familiar with the backend.
-

GraphQL enables efficient data loading

- Example from GraphQL API

Query to get just license Usage

```
query {  
  licenseUsage {  
    used  
    available  
  }  
}
```

Response

```
{  
  "used":50,  
  "available":450  
}
```

Query to get just detailed license Usage

```
query {  
  licenseUsage {  
    used  
    available  
    users {  
      username  
      used  
    }  
  }  
}
```

Response

```
{  
  "used":50,  
  "available":450,  
  "users":[  
    {  
      "username":"jean-paul",  
      "used":20  
    },  
    {  
      "username":"jeremiah",  
      "used":30  
    }  
  ]  
}
```

GraphQL enables efficient data loading

- Compare with Example from Simulation Portal

API to get just license Usage

```
/api/getLicenseUsage/  
{  
  "used":50,  
  "available":450  
}
```

API to get just detailed license Usage

```
/api/getlicenseUsageDetails/  
{  
  "used":50,  
  "available":450,  
  "users":[  
    {  
      "username":"jean-paul",  
      "used":20  
    },  
    {  
      "username":"jeremiah",  
      "used":30  
    }  
  ]  
}
```


GraphQL enables efficient data loading

- Compare with Example from Sensing Portal

```
GET /api/datasets/<dataset_id>/  
GET /api/datasets/<dataset_id>/metadata/<key>  
GET /api/datasets/<dataset_id>/tags  
GET /api/datasets/<dataset_id>/channels
```

VS

```
query {  
  datasets (id: dataset_id){  
    data  
    metadata  
    tags  
    channels  
  }  
}
```

Four End points to get various info in REST

In GraphQL, you ask for what you need

GraphQL enables more efficient caching

- With GraphQL, each Node is cached which creates efficiencies in caching
 - Compare with REST where resources are cached based on URL
 - Consideration:
 - Node level caching is generally more complex to implement than URL level caching
 - Luckily the community has already developed lots of libraries for caching.
-

GraphQL enables Fine Grain Control

GraphQL enables Fine Grain Permissions Checks

- Because we can write resolver for each node, it is possible to perform permission check on every node.

```
type Order {
```

```
  id: ID!
```

```
  date: DateTime!
```

```
  invoiceAmount: Float
```

```
  invoiceDocument: Document
```

```
  products: [Product]
```

```
  services: [Service]
```

```
}
```

Resolver 1

Resolver 2

Resolver 3

```
Order: {  
  products: async (parentOrder, _, ctx) => {  
    return data.products.filter(prd => parentOrder.products.includes  
      ( parseInt(prd.id) ))  
  },  
  services: async (parentOrder, _, ctx) => {  
    if(ctx.user.role !== "vp"){  
      throw Error("You are not allowed to access information about  
        services")  
    }  
    return []  
  }  
},
```

If the user is not a VP, don't return services fields

GraphQL enables Fine Grain Error Messages

- Because of permissions check, we also get fine grain error messages.
- Data that can be fetched is returned along with error message.

```
query {  
  customer(id: 2) {  
    id  
    name  
    contactLanguage  
    orders {  
      services {  
        id  
      }  
    }  
  }  
}
```




```
{  
  "data": {  
    "customer": {  
      "id": "2",  
      "name": "TYSON CHICKEN CAJUN",  
      "contactLanguage": "French",  
      "orders": [  
        {  
          "services": null  
        }  
      ]  
    }  
  },  
  "errors": [  
    {  
      "message": "You are not allowed to access information about services",  
      "locations": [{"line": 10, "column": 15}],  
      "path": [{"line": 10, "column": 15}]  
    }  
  ]  
}
```

GraphQL enables writing less code

- Data plumbing is taken care of by GraphQL runtime.
 - Do not need any extra code for arbitrary ways of traversing the graph
-

**GraphQL is a perfect fit for
Complex Interconnected Systems**

GraphQL enables easy ways to mix different data sources



Why Industry Leaders are using GraphQL

- Capital One
 - Uses GraphQL as a way of wiring up various sources of data in their data analytics team.
 - Tinder
 - Uses GraphQL to power their Blog called Swipe Life
 - GitLab
 - Planning on moving completely to GraphQL based data API because of flexibility it provides
 - Expedia / Airbnb
 - Use GraphQL to power their Frontends (website, app, client specific sites)
 - Intuit
 - Uses GraphQL to connect all of their micro services together
 - Facebook
 - GraphQL APIs has been powering their news feed since 2012
-

Why did we decide to use GraphQL with CXP?

- Complex web of data sources that need to be wired up together
 - CXP needs will continue evolving. This enables us to not have to change our backend, even as frontend evolves
 - Faster development time because of self-documenting API
-

Real Demo + Questions?

- Demo Topics
 - Schema Review
 - Resolver Review
 - Quick chat about permissions, authorization etc.
-

Extra Slides Below



Benefit of thinking of app data as a graph

- REST is the current best alternative. To build out our two requirements here are the rest endpoints. Compare this with GraphQL in later slides

REST Endpoints	
/customers	Returns list of customers
/customers/id	Returns info about customers
/customers/id/orders	Returns orders for the customer
/orders/id/documents	Returns documents related to a specific order
/orders/id/images	Returns images related to a specific order
/products/id/images	Returns images related to a specific product
/products/id/orders	Returns orders for product with a certain id
/orders/id/documents	Returns documents for a specific order

Challenges with REST

- Have to know requirements ahead of time.
 - As a project evolves, new APIs get added to fulfill specific data requirements of evolving application.
 - Clients and Front end developers do not have a automated way to know what's possible and how to query it.
 - Always dealing with over-fetching or under-fetching
-

Consideration with GraphQL

- Simple web apps with 1 data source and limited API
 - Mature applications where REST has been working, and there are no plans for extending the application.
 - Applications where performance efficiency is the most important criteria of success
 - Especially important if you have one data source with complex queries
-