



# Jammertest 2025 Transmission Plan

Jammertest Consortium

2025-06-30  
11:18:13

# Contents

Monday	3
Tuesday	7
Wednesday	15
Thursday	21
Friday	27

# Monday

## **Test Area 1**

Monday morning before lunch will be used for setting up equipment and checking that all systems are operational. After lunch the testing will start with high power jamming with different waveforms, CW, Sweep, PRN at different GNSS bands.

## **Test Area 2**

No activity before lunch. Testing of low-power handheld jammers after lunch.

## **Test Area 3**

No activity before lunch. Testing of low-power handheld jammers inside and outside vehicles after lunch.

Table 1.1: Monday

Monday 2025-09-15	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
Start time:	11:00	11:00	11:00
08:00			
09:00			
10:00			
11:00	<b>11:00-13:00 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY Contact: Christian Skjetne (NPRA)	<b>11:00-13:00 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)	<b>11:00-13:00 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)
12:00			
13:00	<b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch Contact: Christian Skjetne (NPRA)	<b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch @ Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)	<b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch @ Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)
14:00	<b>14:00-14:10 - 1.2.1</b> <b>Jammer F8.1: 50 W CW: L1</b> Comment: Jamming from the mountain top Contact: Jørn Skorstad (Nkom)	<b>14:00-14:12 - 1.1.1</b> <b>Jammer S1.1</b> Contact: Øystein Karlsen (NKOM)	<b>14:00-14:15 - 2.6.1</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary with dynamic spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
	<b>14:25-14:35 - 1.2.5</b> <b>Jammer F8.1: 50 W CW: L1, G1, L2, L5, E6</b> Comment: Jamming from the mountain top Contact: Jørn Skorstad (Nkom)	<b>14:16-14:28 - 1.1.4</b> <b>Jammer S2.1</b> Contact: Øystein Karlsen (NKOM)	<b>14:20-14:40 - 2.6.2</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary and then moving with fixed spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
	<b>14:50-15:00 - 1.3.1</b> <b>Jammer F8.1: 50 W sweep: L1, 100 kHz</b> Comment: Jamming from the mountain top Contact: Jørn Skorstad (Nkom)	<b>14:32-14:44 - 1.1.8</b> <b>Jammer U1.1</b> Contact: Øystein Karlsen (NKOM)	<b>14:50-15:10 - 2.6.3</b> <b>Spoofers (in vehicle with roof mounted antenna) moving with fixed spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
		<b>14:48-15:00 - 1.1.12</b> <b>Jammer H1.1</b> Contact: Øystein Karlsen (NKOM)	

Continued on next page

Table 1.1: Monday (Continued)

Monday 2025-09-15	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
15:00	<div>15:15-15:25 - 1.3.5 Jammer F8.1: 50 W sweep: L1, sweep rate: 1 kHz, BW: 6 MHz Comment: Jamming from the mountain top Contact: Jørn Skorstad (Nkom)</div> <div>15:40-15:50 - 1.4.5 Jammer F8.1: 50 W PRN: L1, Chiprate: 1.023 MHz Comment: Jamming from the mountain top Contact: Jørn Skorstad (Nkom)</div>	<div>15:04-15:16 - 1.1.13 Jammer H1.2 Contact: Øystein Karlsen (NKOM)</div> <div>15:20-15:32 - 1.1.16 Jammer H3.1 Contact: Øystein Karlsen (NKOM)</div> <div>15:36-15:48 - 1.1.18 Jammer H3.3 Contact: Øystein Karlsen (NKOM)</div> <div>15:52-16:04 - 1.1.19 Jammer H4.1 Contact: Øystein Karlsen (NKOM)</div>	<div>15:20-15:40 - 2.6.4 Spoofers (in vehicle with roof mounted antenna) stationary and then moving with first fixed and then dynamic spoofed position. Power: 0.001W Contact: Jahn Erik Røhme (NPRA)</div> <div>15:50-16:10 - 2.6.5 Spoofing: Motorcade moving with fixed spoofed position Power: 0.001W Contact: Jahn Erik Røhme (NPRA)</div>
16:00	<div>16:05-16:15 - 1.4.6 Jammer F8.1: 50 W PRN: L1, G1, L2, L5, E6, Chiprate: 10.23 MHz Comment: Jamming from the mountain top Contact: Jørn Skorstad (Nkom)</div> <div>16:30-17:45 - 1.8.1 Jammer F8.1: PRN pyramid Power: 50W Comment: Pyramid jamming from the mountain top. Jamming bands in sequence: E6, E5b, L5, G2, L2, B1I, G1, L1 Contact: Jørn Skorstad (Nkom)</div>	<div>16:08-16:20 - 1.1.20 Jammer H6.1 Contact: Øystein Karlsen (NKOM)</div> <div>16:24-16:36 - 1.1.21 Jammer H6.2 Contact: Øystein Karlsen (NKOM)</div> <div>16:40-16:52 - 1.1.22 Jammer H6.3 Contact: Øystein Karlsen (NKOM)</div> <div>16:56-17:08 - 1.1.23 Jammer H6.4 Contact: Øystein Karlsen (NKOM)</div>	<div>16:20-16:40 - 2.6.6 Spoofing: Motorcade moving north, while the dynamic fixed position moves south Power: 0.001W Contact: Jahn Erik Røhme (NPRA)</div> <div>16:50-17:10 - 2.6.7 Spoofing: Motorcade driving south, while the spoofed speed is following the road at a high speed, stops and returns at low speed Power: 0.001W Contact: Jahn Erik Røhme (NPRA)</div>

Continued on next page

Table 1.1: Monday (Continued)

Monday 2025-09-15	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
17:00		<div>17:12-17:24 - 1.1.26 Jammer H8.1 Contact: Øystein Karlsen (NKOM)</div> <div>17:28-17:40 - 1.1.27 Jammer F6.1 Contact: Øystein Karlsen (NKOM)</div> <div>17:44-17:56 - 1.1.29 Jammer H2.1 Contact: Øystein Karlsen (NKOM)</div>	
18:00	<div>18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Contact: Christian Skjetne (NPRA)</div>	<div>18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)</div>	<div>18:30-19:00 - 0.0.2 Mandatory afternoon (de)briefing Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)</div>
19:00			
20:00			
21:00			
22:00			

# Tuesday

## Test Area 1

Tuesday will be used for jamming and meaconing and unintentional RFI test. During the evening there will be a high power jamming running until 22:00.

## Test Area 2

Test of multiple low-power handheld jammers in circular configuration. Relevant for mobile testing in car, drones and CRPA antennas.

## Test Area 3

Testing of low-power handheld jammers inside and outside vehicles.

Table 2.1: Tuesday

Tuesday 2025-09-16	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
Start time:	08:00	08:00	08:00
08:00	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY Contact: Christian Skjetne (NPRA)	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)
09:00	<b>09:00-09:28 - 1.6.5</b> <b>Jammer F8.1: 0.2 μW (-37dBm) to 50 W (47dBm) with 2 dB increments</b> <b>PRN: L1</b> Comment: Power ramping test from the mountain top Contact: Jørn Skorstad (Nkom) <hr/> <b>09:45-10:13 - 1.6.6</b> <b>Jammer F8.1: 0.2 μW (-37dBm) to 50 W (47dBm) with 2 dB increments</b> <b>PRN: L1, G1, L2, L5, E6</b> Comment: Power ramping test from the mountain top Contact: Jørn Skorstad (Nkom)	<b>09:00-09:10 - 1.19.1</b> <b>3 jammers at 50 meters from center S1.1, S1.2 and S1.3</b> Contact: Øystein Karlsen (NKOM) <hr/> <b>09:16-09:26 - 1.19.2</b> <b>3 jammers at 100 meters from center S1.1, S1.2 and S1.3</b> Contact: Øystein Karlsen (NKOM) <hr/> <b>09:32-09:42 - 1.19.3</b> <b>3 jammers at 150 meters from center S1.1, S1.2 and S1.3</b> Contact: Øystein Karlsen (NKOM) <hr/> <b>09:48-09:58 - 1.19.4</b> <b>3 jammers at 50 meters from center S2.1, S2.2 and S2.3</b> Contact: Øystein Karlsen (NKOM)	<b>09:00-11:00 - 1.10.3</b> <b>Vehicle starting in dual-band denied environment</b> Power: 6.31W Comment: Jammers available for testing: H1.6,H1.6,H3.2,F6.1 Contact: Jahn Erik Røhme (NPRA)

Continued on next page



Table 2.1: Tuesday (Continued)

Tuesday 2025-09-16	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
10:00	<p><b>10:30-10:40 - 3.1.3</b> Meaconing with F1.1: RX1 at 10 W Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>10:55-11:05 - 3.1.4</b> Meaconing with F1.1: RX1 at 10 W with initial jamming Contact: Jørn Skorstad (Nkom)</p>	<p><b>10:04-10:14 - 1.19.5</b> 3 jammers at 100 meters from center <b>S2.1, S2.2 and S2.3</b> Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>10:20-10:30 - 1.19.6</b> 3 jammers at 150 meters from center <b>S2.1, S2.2 and S2.3</b> Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>10:36-10:46 - 1.19.7</b> 3 jammers at 50 meters from center <b>U1.1, U1.2 and U1.3</b> Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>10:52-11:02 - 1.19.8</b> 3 jammers at 100 meters from center <b>U1.1, U1.2 and U1.3</b> Contact: Øystein Karlsen (NKOM)</p>	
11:00	<p><b>11:20-11:56 - 3.3.1</b> Meaconing with F1.1: RX1 with ramping power Power: 10W Contact: Jørn Skorstad (Nkom)</p>	<p><b>11:08-11:18 - 1.19.9</b> 3 jammers at 150 meters from center <b>U1.1, U1.2 and U1.3</b> Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>11:24-11:34 - 1.19.10</b> 3 jammers at 50 meters from center <b>H6.4, H6.5 and H6.6</b> Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>11:40-11:50 - 1.19.11</b> 3 jammers at 100 meters from center <b>H6.4, H6.5 and H6.6</b> Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>11:56-12:06 - 1.19.12</b> 3 jammers at 150 meters from center <b>H6.4, H6.5 and H6.6</b> Contact: Øystein Karlsen (NKOM)</p>	<p><b>11:00-13:00 - 1.10.2</b> Driving while passing a parked car with multi-band jammer Power: 1W Comment: Jammers available for testing: H3.2,H4.1,H3.3,H8.1 Contact: Jahn Erik Røhme (NPRA)</p>

Continued on next page

Table 2.1: Tuesday (Continued)

Tuesday 2025-09-16	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
12:00	<p><b>12:10-12:26 - 3.2.6</b> Meaconing with F1.1: RX1 and RX2 at 10 W alternating with decreasing durations without breaks Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>12:40-13:00 - 3.2.7</b> Meaconing with F1.1: RX1 and RX2 at 10 W alternating with different switching frequencies. Contact: Jørn Skorstad (Nkom)</p>	<p><b>12:12-12:22 - 1.19.13</b> 3 jammers at 50 meters from center H1.1, H1.4 and H1.5 Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>12:28-12:38 - 1.19.14</b> 3 jammers at 100 meters from center H1.1, H1.4 and H1.5 Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>12:44-12:54 - 1.19.15</b> 3 jammers at 150 meters from center H1.1, H1.4 and H1.5 Contact: Øystein Karlsen (NKOM)</p>	
13:00	<p><b>13:00-14:00 - 0.1.1</b> Grace period Comment: Lunch Contact: Christian Skjetne (NPRA)</p>	<p><b>13:00-14:00 - 0.1.1</b> Grace period Comment: Lunch @ Stave (Site 3) Contact: Christian Skjetne (NPRA)</p>	<p><b>13:00-14:00 - 0.1.1</b> Grace period Comment: Lunch @ Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)</p>
14:00	<p><b>14:00-14:45 - 3.2.10</b> Meaconing with F1.1: RX1 and RX2 at 10 W alternating with different switching frequencies and with jamming Contact: Jørn Skorstad (Nkom)</p>	<p><b>14:30-14:42 - 1.20.1</b> 3 jammers at 50 meters from center H1.1, H1.4 and H1.5 Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>14:48-15:00 - 1.20.2</b> 3 jammers at 100 meters from center H1.1, H1.4 and H1.5 Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</p>	<p><b>14:00-16:00 - 1.11.11</b> Motorcade while jammer vehicle is in the middle of the motorcade Power: 1W Comment: Jammers available for testing: H6.1,H3.3 Contact: Jahn Erik Røhme (NPRA)</p>

Continued on next page

Table 2.1: Tuesday (Continued)

Tuesday 2025-09-16	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
15:00	<div><div><b>15:10-15:25 - 1.18.5</b> <b>Jammer F8.1: CW signal drift: 1545 to 1620 MHz, 15 minutes sweep time</b> Comment: Out of band jamming from the mountain top Contact: Jørn Skorstad (Nkom)</div><div><b>15:35-15:50 - 1.18.7</b> <b>Jammer F8.1: CW signal drift: 1620 to 1545 MHz, 15 minutes sweep time</b> Comment: Out of band jamming from the mountain top Contact: Jørn Skorstad (Nkom)</div></div>	<div><div><b>15:06-15:18 - 1.20.3</b> <b>3 jammers at 150 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>15:24-15:36 - 1.20.4</b> <b>3 jammers at 50 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>15:42-15:54 - 1.20.5</b> <b>3 jammers at 100 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div></div>	

Continued on next page

Table 2.1: Tuesday (Continued)

Tuesday			
2025-09-16	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
16:00	<div><div><b>16:00-16:15 - 1.18.13</b> <b>Jammer F8.1: 50 W drift: 1150 to 1300 MHz, with CW and sweep time of 15 minutes</b> Contact: Jørn Skorstad (Nkom)</div><div><b>16:25-16:40 - 1.18.15</b> <b>Jammer F8.1: 50 W drift: 1300 to 1150 MHz, with CW and sweep time of 15 minutes</b> Contact: Jørn Skorstad (Nkom)</div></div>	<div><div><b>16:00-16:12 - 1.20.6</b> <b>3 jammers at 150 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>16:18-16:30 - 1.20.7</b> <b>3 jammers at 50 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>16:36-16:48 - 1.20.8</b> <b>3 jammers at 100 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>16:54-17:06 - 1.20.9</b> <b>3 jammers at 150 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div></div>	<div><div><b>16:00-18:00 - 1.11.4</b> <b>Driving with dual-band jammer in vehicle overtaking the test vehicle</b> Power: 6.31W Comment: Jammers available for testing: H1.6,H3.3,H4.1,F6.1 Contact: Jahn Erik Røhme (NPRA)</div></div>

Continued on next page

Table 2.1: Tuesday (Continued)

Tuesday 2025-09-16	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
17:00	<div><div><b>17:00-17:20 - 3.4.1</b> <b>Meaconing with F1.1: RX1 and spoofing from M1.1 Winnie the Spoof</b> Comment: Meaconing from the mountain top and spoofing from the cemetery at the same time. Contact: Jørn Skorstad (Nkom)</div><div><b>17:40-18:00 - 3.4.2</b> <b>Meaconing with F1.1: RX1 and spoofing from M1.1 Winnie the Spoof</b> Comment: Meaconing from the mountain top and spoofing from the cemetery at the same time. Contact: Jørn Skorstad (Nkom)</div></div>	<div><div><b>17:12-17:24 - 1.20.10</b> <b>3 jammers at 50 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>17:30-17:40 - 1.20.11</b> <b>3 jammers at 100 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div><div><b>17:46-17:58 - 1.20.12</b> <b>3 jammers at 150 meters from center H1.1, H1.4 and H1.5</b> Power: 3W Comment: 30dBm from each direction, A, B and C Contact: Øystein Karlsen (NKOM)</div></div>	
18:00	<div><b>18:30-19:00 - 0.0.2</b> <b>Mandatory afternoon (de)briefing</b> Contact: Christian Skjetne (NPRA)</div>	<div><b>18:30-19:00 - 0.0.2</b> <b>Mandatory afternoon (de)briefing</b> Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)</div>	<div><b>18:30-19:00 - 0.0.2</b> <b>Mandatory afternoon (de)briefing</b> Comment: MANDATORY attendance at Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)</div>
19:00	<div><b>19:00-22:00 - 1.16.5</b> <b>High Power PRN jamming from two locations: L1, G1, L2, L5, E6</b> Power: 100W Comment: One hour jamming from the mountain top, then one hour jamming from both the mountain top and the cemetery, then one hour of jamming from the cemetery. Contact: Jørn Skorstad (Nkom)</div>		
20:00			
21:00			
22:00			



# Wednesday

## **Test Area 1**

Wednesday will be used for position and EGNOS spoofing. During the evening there will be a long period with drifting position and time spoofing until 22:00.

## **Test Area 2**

Test of stationary coherent spoofing with circle of jammers. Relevant for mobile testing in car, drones and CRPA antennas.

## **Test Area 3**

Lorem Ipsum, NRPA add text.

Table 3.1: Wednesday

Wednesday 2025-09-17	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
Start time:	08:00	08:00	08:00
08:00	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY Contact: Christian Skjetne (NPRA)	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)
09:00	<b>09:00-09:40 - 2.1.1</b> <b>Large position and time jump, with power ramp</b> Power: 0.316W Contact: Jørn Skorstad (Nkom)	<b>09:00-09:40 - 2.10.1</b> <b>Spoofing route GPS L1 and Galileo E1 only</b> Power: 0.001W Comment: Spoofing route that start at LOK2-ORIG, and goes out forming a spoofing circle above position A150, B150 and C150. Spoofing signal will perform power ramp from uW to mW during the first 30 minutes of the test. Signals: GPS L1 C/A. Galileo E1. No initial jamming. Spoofing route duration is 40 minutes. Contact: Øystein Karlsen (NKOM) <hr/> <b>09:50-10:55 - 2.10.2</b> <b>Circle of 3 stationary jammers, L1, L2 and spoofing route GPS L1 and Galileo E1 only</b> Power: 3W Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1 Contact: Øystein Karlsen (NKOM)	<b>09:00-11:00 - 1.10.3</b> <b>Vehicle starting in dual-band denied environment</b> Power: 1W Comment: Jammers available for testing: H3.2,H4.1,H6.1,H6.3 Contact: Jahn Erik Røhme (NPRA)

Continued on next page



Table 3.1: Wednesday (Continued)

Wednesday 2025-09-17	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
10:00	<p><b>10:00-10:15 - 2.1.3</b>  <b>Large position and time jump. Galileo E1 only</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>10:20-10:35 - 2.1.2</b>  <b>Large position and time jump. GPS L1 C/A only</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>10:40-10:55 - 2.1.4</b>  <b>Large position and time jump. GPS L1 and Galileo E1 only</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p>		
11:00	<p><b>11:25-11:40 - 2.1.9</b>  <b>Simulated driving (route 1). GPS L1 C/A and Galileo E1, with initial jamming</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>11:45-12:00 - 2.1.10</b>  <b>Simulated driving (route 1), with initial jamming</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>11:05-12:00 - 2.10.3</b>  <b>Circle of 3 stationary jammers, 2 moving jammers L1, L2 and spoofing route GPS L1 and Galileo E1 only</b>  Power: 4W  Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. Two additional mobile jammers will be added H1.6 and H1.7 with L1, L2 NB, HIGH PWR. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1  Contact: Øystein Karlsen (NKOM)</p>	<p><b>11:00-13:00 - 1.10.2</b>  <b>Driving while passing a parked car with multi-band jammer</b>  Power: 6.31W  Comment: Jammers available for testing: H3.3,H4.1,H8.1,F6.1  Contact: Jahn Erik Røhme (NPRA)</p>

Continued on next page

Table 3.1: Wednesday (Continued)

Wednesday 2025-09-17	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
12:00	<p><b>12:30-12:40 - 2.8.1</b> <b>EGNOS with "Do Not Use GPS" commands</b> Power: 1W Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>12:45-13:00 - 2.8.1</b> <b>EGNOS with "Do Not Use GPS" commands</b> Power: 1W Contact: Jørn Skorstad (Nkom)</p>	<p><b>12:10-13:05 - 2.10.4</b> <b>Circle of 3 stationary jammers, 5 moving jammers and spoofing route GPS L1 and Galileo E1 only</b> Power: 5W Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. Five additional mobile jammers will be added H1.6 and H1.7 with L1, L2 NB, HIGH PWR, and H6.3, H6.4 and H6.5, L1, L2. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1. Contact: Øystein Karlsen (NKOM)</p>	
13:00	<p><b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch Contact: Christian Skjetne (NPRA)</p>	<p><b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch @ Stave (Site 3) Contact: Christian Skjetne (NPRA)</p>	<p><b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch @ Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)</p>
14:00	<p><b>14:00-14:15 - 2.2.3</b> <b>Position jump</b> Power: 0.316W Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>14:20-14:35 - 2.3.3</b> <b>Small position jump</b> Power: 0.316W Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>14:40-14:55 - 2.3.2</b> <b>Small position jump with initial and continuous jamming</b> Power: 0.316W Contact: Jørn Skorstad (Nkom)</p>	<p><b>14:10-14:50 - 2.10.1</b> <b>Spoofing route GPS L1 and Galileo E1 only</b> Power: 0.001W Comment: Spoofing route that start at LOK2-ORIG, and goes out forming a spoofing circle above position A150, B150 and C150. Spoofing signal will perform power ramp from uW to mW during the first 30 minutes of the test. Signals: GPS L1 C/A. Galileo E1. No initial jamming. Spoofing route duration is 40 minutes. Contact: Øystein Karlsen (NKOM)</p>	<p><b>14:00-16:00 - 1.11.11</b> <b>Motorcade while jammer vehicle is in the middle of the motorcade</b> Power: 6.31W Comment: Jammers available for testing: H3.3,H6.1,H8.1,F6.1 Contact: Jahn Erik Røhme (NPRA)</p>

Continued on next page

Table 3.1: Wednesday (Continued)

Wednesday 2025-09-17	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
15:00	<p><b>15:25-15:35 - 2.3.8</b>  <b>Simulated driving (route 1). Galileo only</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>15:40-15:50 - 2.3.5</b>  <b>Simulated driving (route 1). GPS only</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>15:55-16:05 - 2.3.10</b>  <b>Simulated driving (route 1)</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>15:00-15:55 - 2.10.2</b>  <b>Circle of 3 stationary jammers, L1, L2 and spoofing route GPS L1 and Galileo E1 only</b>  Power: 3W  Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1  Contact: Øystein Karlsen (NKOM)</p>	
16:00	<p><b>16:10-16:25 - 2.3.11</b>  <b>Simulated driving (route 1) with initial and continuous jamming.</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>16:55-17:05 - 2.3.15</b>  <b>Flying (route 2) - "helicopter scenario"</b>    Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>16:05-17:00 - 2.10.3</b>  <b>Circle of 3 stationary jammers, 2 moving jammers L1, L2 and spoofing route GPS L1 and Galileo E1 only</b>  Power: 4W  Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. Two additional mobile jammers will be added H1.6 and H1.7 with L1, L2 NB, HIGH PWR. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1  Contact: Øystein Karlsen (NKOM)</p>	<p><b>16:00-18:00 - 1.11.4</b>  <b>Driving with dual-band jammer in vehicle overtaking the test vehicle</b>  Power: 6.31W  Comment: Jammers available for testing: H3.3,H6.1,H8.1,F6.1  Contact: Jahn Erik Røhme (NPRA)</p>

Continued on next page

Table 3.1: Wednesday (Continued)

Wednesday 2025-09-17	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
17:00	<p><b>17:10-17:20 - 2.3.12</b>  <b>Flying (route 4) - "drone scenario"</b>  <b>GPS L1 C/A only</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>17:30-17:40 - 2.3.13</b>  <b>Flying (route 4) - "drone scenario"</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>17:45-18:00 - 2.3.15</b>  <b>Flying (route 2) - "helicopter scenario"</b>    Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>17:10-18:05 - 2.10.4</b>  <b>Circle of 3 stationary jammers, 5 moving jammers and spoofing route GPS L1 and Galileo E1 only</b>  Power: 5W  Comment: Jamming from A50, B50 and C50, with jammer H1.1, H1.4 and H1.5, L1, L2, CHIRP. HIGH PWR. The Jammers are connected to RHCP antennas to boost the power. Five additional mobile jammers will be added H1.6 and H1.7 with L1, L2 NB, HIGH PWR, and H6.3, H6.4 and H6.5, L1, L2. 15 minutes of initial jamming first. Then spoofing starts, same spoofing route as test 2.10.1  Contact: Øystein Karlsen (NKOM)</p>	
18:00	<p><b>18:30-19:00 - 0.0.2</b>  <b>Mandatory afternoon (de)briefing</b>  Comment: MANDATORY  Contact: Christian Skjetne (NPRA)</p>	<p><b>18:30-19:00 - 0.0.2</b>  <b>Mandatory afternoon (de)briefing</b>  Comment: MANDATORY attendance at Test Area 1 (Site 1)  Contact: Christian Skjetne (NPRA)</p>	<p><b>18:30-19:00 - 0.0.2</b>  <b>Mandatory afternoon (de)briefing</b>  Comment: MANDATORY attendance at Stave (Site 3)  Contact: Jahn Erik Røhme (NPRA)</p>
19:00	<p><b>19:00-22:00 - 2.3.16</b>  <b>Longer period with drifting position and time spoofing</b>  Power: 0.316W  Contact: Jørn Skorstad (Nkom)</p>		
20:00			
21:00			
22:00			

# Thursday

## **Test Area 1**

Thursday will be used for time spoofing. During the evening there will be long time meaoning running until 22:00.

## **Test Area 2**

Test of multiple low-power handheld jammers, and Jammer onbaord a drone. Relevant for mobile testing in car, drones and CRPA antennas.

## **Test Area 3**

Lorem Ipsum, NRPA add text

Table 4.1: Thursday

Thursday 2025-09-18	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
Start time:	08:00	08:00	08:00
08:00	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY Contact: Christian Skjetne (NPRA)	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Test Area 1 (Site 1) Contact: Christian Skjetne (NPRA)	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY attendance at Stave (Site 3) Contact: Jahn Erik Røhme (NPRA)
09:00	<b>09:00-09:25 - 2.4.2</b> <b>Time offset 15 minutes from real time, with power ramp</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom) <hr/> <b>09:40-09:55 - 2.4.3</b> <b>Time offset -3 minutes from real time, with power jump</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)	<b>09:00-10:00 - 1.23.1</b> <b>Jammer S1.1 with 10dB gain at 50 meters above ground</b> Power: 0.316W Comment: Drone with jammer onboard. Dependent on weather conditions Contact: Øystein Karlsen (NKOM)	<b>09:00-09:15 - 2.6.1</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary with dynamic spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA) <hr/> <b>09:20-09:40 - 2.6.2</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary and then moving with fixed spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA) <hr/> <b>09:50-10:10 - 2.6.3</b> <b>Spoofers (in vehicle with roof mounted antenna) moving with fixed spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)

Continued on next page

Table 4.1: Thursday (Continued)

Thursday 2025-09-18	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
10:00	<p><b>10:10-10:25 - 2.4.12</b>  <b>Static + Pseudorange error</b>  Power: 0.0316W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>10:40-10:55 - 2.4.13</b>  <b>Static + Pseudorange error, with initial and continous jamming</b>  Power: 0.001W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>10:00-11:00 - 1.23.1</b>  <b>Jammer S1.1 with 10dB gain at 50 meters above ground</b>  Power: 0.316W  Comment: Drone with jammer onboard.  Dependent on weather conditions  Contact: Øystein Karlsen (NKOM)</p>	<p><b>10:20-10:40 - 2.6.4</b>  <b>Spoofers (in vehicle with roof mounted antenna) stationary and then moving with first fixed and then dynamic spoofed position.</b>  Power: 0.001W  Contact: Jahn Erik Røhme (NPRA)</p> <hr/> <p><b>10:50-11:10 - 2.6.5</b>  <b>Spoofing: Motorcade moving with fixed spoofed position</b>  Power: 0.001W  Contact: Jahn Erik Røhme (NPRA)</p>
11:00	<p><b>11:25-11:40 - 2.5.6</b>  <b>Time offset 15 minutes from real time</b>  Power: 0.001W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>11:55-12:10 - 2.5.3</b>  <b>Time offset -3 minutes from real time, with power jump</b>  Power: 0.001W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>11:00-12:00 - 1.23.2</b>  <b>Jammer S1.1 with 10dB gain at 100 meters above ground</b>  Power: 0.316W  Comment: Drone with jammer onboard.  Dependent on weather conditions  Contact: Øystein Karlsen (NKOM)</p>	<p><b>11:20-11:40 - 2.6.6</b>  <b>Spoofing: Motorcade moving north, while the dynamic fixed position moves south</b>  Power: 0.001W  Contact: Jahn Erik Røhme (NPRA)</p> <hr/> <p><b>11:50-12:10 - 2.6.7</b>  <b>Spoofing: Motorcade driving south, while the spoofed speed is following the road at a high speed, stops and returns at low speed</b>  Power: 0.001W  Contact: Jahn Erik Røhme (NPRA)</p>
12:00	<p><b>12:25-13:00 - 2.5.25</b>  <b>Static + UTC-parameter nav. data manipulation (adding leap seconds), with initial and continuous jamming</b>  Power: 0.001W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>12:00-13:00 - 1.23.2</b>  <b>Jammer S1.1 with 10dB gain at 100 meters above ground</b>  Power: 0.316W  Comment: Drone with jammer onboard.  Dependent on weather conditions  Contact: Øystein Karlsen (NKOM)</p>	
13:00	<p><b>13:00-14:00 - 0.1.1</b>  <b>Grace period</b>  Comment: Lunch  Contact: Christian Skjetne (NPRA)</p>	<p><b>13:00-14:00 - 0.1.1</b>  <b>Grace period</b>  Comment: Lunch @ Stave (Site 3)  Contact: Christian Skjetne (NPRA)</p>	<p><b>13:00-14:00 - 0.1.1</b>  <b>Grace period</b>  Comment: Lunch @ Stave (Site 3)  Contact: Jahn Erik Røhme (NPRA)</p>

Continued on next page

Table 4.1: Thursday (Continued)

Thursday 2025-09-18	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
14:00	<b>14:00-14:15 - 2.5.5</b> <b>Time offset 15 minutes from real time. Galileo E1</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)	<b>14:00-15:00 - 0.3.1</b> <b>Ad hoc test</b> Contact: Øystein Karlsen (NKOM)	<b>14:00-14:15 - 2.6.1</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary with dynamic spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
	<b>14:20-14:35 - 2.5.4</b> <b>Time offset 15 minutes from real time. GPS L1 C/A</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)		<b>14:20-14:40 - 2.6.2</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary and then moving with fixed spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
	<b>14:40-14:55 - 2.5.6</b> <b>Time offset 15 minutes from real time</b> Power: 1e-05W Contact: Jørn Skorstad (Nkom)		<b>14:50-15:10 - 2.6.3</b> <b>Spoofers (in vehicle with roof mounted antenna) moving with fixed spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
15:00	<b>15:25-15:40 - 2.5.13</b> <b>Static + Pseudorange error. GPS L1 and Galileo E1 only</b> Power: 0.001W Contact: Jørn Skorstad (Nkom)	<b>15:00-16:00 - 1.22.1</b> <b>12 jammers at 50 meters from center</b> Comment: U1.1, U1.2, U1.3, S2.1, S2.2, S2.3, H1.1, H1.4, H1.5, H6.3, H6.4, H6.5 Contact: Øystein Karlsen (NKOM)	<b>15:20-15:40 - 2.6.4</b> <b>Spoofers (in vehicle with roof mounted antenna) stationary and then moving with first fixed and then dynamic spoofed position.</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)
	<b>15:45-16:00 - 2.5.15</b> <b>Static + Pseudorange error</b> Power: 1e-05W Contact: Jørn Skorstad (Nkom)		<b>15:50-16:10 - 2.6.5</b> <b>Spoofing: Motorcade moving with fixed spoofed position</b> Power: 0.001W Contact: Jahn Erik Røhme (NPRA)

Continued on next page



Table 4.1: Thursday (Continued)

Thursday 2025-09-18	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
16:00	<p><b>16:15-16:40 - 2.5.16</b>  <b>Static + Pseudorange error, with initial and continuous jamming</b>  Power: 1e-05W  Contact: Jørn Skorstad (Nkom)</p> <hr/> <p><b>16:55-17:20 - 2.5.26</b>  <b>Static + UTC-parameter nav. data manipulation (removing leap seconds). GPS L1 C/A</b>  Power: 1e-05W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>16:05-16:15 - 1.1.1</b>  <b>Jammer S1.1</b>  Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>16:20-16:30 - 1.1.4</b>  <b>Jammer S2.1</b>  Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>16:35-16:45 - 1.1.8</b>  <b>Jammer U1.1</b>  Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>16:50-17:00 - 1.1.12</b>  <b>Jammer H1.1</b>  Contact: Øystein Karlsen (NKOM)</p>	<p><b>16:20-16:40 - 2.6.6</b>  <b>Spoofing: Motorcade moving north, while the dynamic fixed position moves south</b>  Power: 0.001W  Contact: Jahn Erik Røhme (NPRA)</p> <hr/> <p><b>16:50-17:10 - 2.6.7</b>  <b>Spoofing: Motorcade driving south, while the spoofed speed is following the road at a high speed, stops and returns at low speed</b>  Power: 0.001W  Contact: Jahn Erik Røhme (NPRA)</p>
17:00	<p><b>17:30-18:00 - 2.5.27</b>  <b>Static + UTC-parameter nav. data manipulation (removing leap seconds)</b>  Power: 1e-05W  Contact: Jørn Skorstad (Nkom)</p>	<p><b>17:05-17:15 - 1.1.18</b>  <b>Jammer H3.3</b>  Comment: TBD  Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>17:20-17:30 - 1.1.19</b>  <b>Jammer H4.1</b>  Comment: TBD  Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>17:35-17:45 - 1.1.22</b>  <b>Jammer H6.3</b>  Comment: TBD  Contact: Øystein Karlsen (NKOM)</p> <hr/> <p><b>17:50-18:00 - 1.1.23</b>  <b>Jammer H6.4</b>  Comment: Lunch @ Stave (Site 3)  Contact: Christian Skjetne (NPRA)</p>	
18:00	<p><b>18:30-19:00 - 0.0.2</b>  <b>Mandatory afternoon (de)briefing</b>  Comment: MANDATORY  Contact: Christian Skjetne (NPRA)</p>	<p><b>18:30-19:00 - 0.0.2</b>  <b>Mandatory afternoon (de)briefing</b>  Comment: MANDATORY attendance at Test Area 1 (Site 1)  Contact: Christian Skjetne (NPRA)</p>	<p><b>18:30-19:00 - 0.0.2</b>  <b>Mandatory afternoon (de)briefing</b>  Comment: MANDATORY attendance at Test Area 1 (Site 1)  Contact: Christian Skjetne (NPRA)</p>

Continued on next page

Table 4.1: Thursday (Continued)

Thursday			
2025-09-18	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
19:00	<b>19:30-22:00 - 3.1.3</b> <b>Meaconing with F1.1: RX1 at 10 W</b> Power: 10W Contact: Jørn Skorstad (Nkom)		
20:00			
21:00			
22:00			

# Friday

## **Test Area 1**

Friday will be used for time spoofing and repetitions of previous tests. Time after lunch will be used for tearing down and packing up equipment.

## **Test Area 2**

There will be no testing on this site on Friday.

## **Test Area 3**

There will be no testing on this site on Friday.

Table 5.1: Friday

Friday 2025-09-19	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
Start time:	08:00	09:00	09:00
08:00	<b>08:00-08:30 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: MANDATORY Contact: Christian Skjetne (NPRA)		
09:00	<b>09:00-09:10 - 0.3.1</b> <b>Ad hoc test</b> Power: 0.316W Comment: L2 only spoofing Contact: Jørn Skorstad (Nkom) <hr/> <b>09:20-09:40 - 0.3.1</b> <b>Ad hoc test</b> Power: 10W Comment: 3.1.3 + 2.1.2, meaconing (10 W) + spoofing (20 dBm) Contact: Jørn Skorstad (Nkom) <hr/> <b>09:50-10:00 - 3.2.5</b> <b>Meaconing with F1.1: RX1 and RX2 at 10 W alternating with breaks</b> Power: 10W Comment: Only using RX1 Contact: Jørn Skorstad (Nkom)	<b>09:00-16:00 - 0.1.1</b> <b>Grace period</b> Comment: SITE IS CLOSED! Contact: Øystein Karlsen (NKOM)	<b>09:00-16:00 - 0.0.1</b> <b>Mandatory morning briefing</b> Comment: No tests planned Contact: Christian Skjetne (NPRA)
10:00	<b>10:10-10:33 - 1.6.4</b> <b>Jammer F8.1: 0.2 <math>\mu</math>W (-37dBm) to 50 W (47dBm) with 2 dB increments</b> <b>PRN: L1, G1, L2, L5</b> Power: 50W Comment: 20 seconds per step, power ramp (up and down) from -21 (to 47) dBm Contact: Jørn Skorstad (Nkom) <hr/> <b>10:50-11:10 - 2.7.12</b> <b>Static + Time manipulation (2 years forwards), with power ramp</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)		

Continued on next page

Table 5.1: Friday (Continued)

Friday 2025-09-19	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
11:00	<b>11:30-11:50 - 2.7.16</b> <b>Static + Time manipulation (April 2019), with initial and continuous jamming</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)		
12:00	<b>12:00-12:22 - 2.4.2</b> <b>Time offset 15 minutes from real time, with power ramp</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)		
	<b>12:30-12:40 - 2.5.5</b> <b>Time offset 15 minutes from real time. Galileo E1</b> Power: 0.0316W Contact: Jørn Skorstad (Nkom)		
	<b>12:50-13:00 - 0.3.1</b> <b>Ad hoc test</b> Power: 0.316W Comment: Jamming of L1, G1, BII from S (the spoofing system) Contact: Jørn Skorstad (Nkom)		
13:00	<b>13:00-14:00 - 0.1.1</b> <b>Grace period</b> Comment: Lunch Contact: Christian Skjetne (NPRA)		
14:00	<b>14:00-14:30 - 0.0.2</b> <b>Mandatory afternoon (de)briefing</b> Comment: Summary briefing and closing of event Contact: Christian Skjetne (NPRA)		
15:00			
16:00			
17:00			

Continued on next page

Table 5.1: Friday (Continued)

Friday			
2025-09-19	Test Area 1(1)	Test Area 2(2)	Test Area 3(3)
18:00			
19:00			
20:00			
21:00			
22:00			