

Lecture Note: Mathematical Analysis – Bài Giảng: Giải Tích Toán Học

Nguyễn Quân Bá Hồng*

Ngày 30 tháng 3 năm 2025

Tóm tắt nội dung

This text is a part of the series *Some Topics in Advanced STEM & Beyond*:

URL: https://nqbh.github.io/advanced_STEM/.

Latest version:

- *Lecture Note: Mathematical Analysis – Bài Giảng: Giải Tích Toán Học.*

PDF: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/analysis/lecture/NQBH_mathematical_analysis_lecture.pdf.

TeX: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/analysis/lecture/NQBH_mathematical_analysis_lecture.tex.

- *Slide: Mathematical Analysis – Slide: Giải Tích Toán Học.*

PDF: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/analysis/slide/NQBH_mathematical_analysis_slide.pdf.

TeX: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/analysis/slide/NQBH_mathematical_analysis_slide.tex.

- Codes:

- C++: https://github.com/NQBH/advanced_STEM_beyond/tree/main/analysis/C++.

- Python: https://github.com/NQBH/advanced_STEM_beyond/tree/main/analysis/Python.

Mục lục

1 Basic Mathematical Analysis – Giải Tích Toán Học Cơ Bản	1
1.1 Notations & conventions – Ký hiệu & quy ước	2
2 Continuity – Sự Liên Tục	2
3 Derivative – Đạo Hàm	3
4 Integral – Tích Phân	3
4.1 SymPy/integrals module	3
4.2 Leibniz integral rule – Quy tắc tích phân Leibniz	3
5 Fourier transform – Biến đổi Fourier	3
5.1 Discrete Fourier transform – Biến đổi Fourier rời rạc	3
6 Miscellaneous	4
6.1 See also	4
Tài liệu	4

1 Basic Mathematical Analysis – Giải Tích Toán Học Cơ Bản

Resources – Tài nguyên.

1. DẶNG ĐÌNH ÁNG. *Nhập Môn Giải Tích*.
2. [Rud76]. WALTER RUDIN. *Principles of Mathematical Analysis*.
3. [Tao22a]. TERENCE TAO. *Analysis I*.
4. [Tao22b]. TERENCE TAO. *Analysis II*.

*A Scientist & Creative Artist Wannabe. E-mail: nguyenquanbahong@gmail.com, hong.nguyenquanba@umt.edu.vn. Bến Tre City, Việt Nam.

Question 1 (Definition of mathematical analysis). *What is mathematical analysis? Cf. mathematical analysis with other types of analysis.*

For answers, see, e.g., [Tao22a, Chap. 1, Sect. 1.1: *What Is Analysis?*, pp. 1–2], [Wikipedia/mathematical analysis](#). For other types of analysis, see, e.g., [Wikipedia/analysis](#).

Question 2 (Motivation of mathematical analysis). *Why do mathematical analysis?*

For answers, see, e.g., [Tao22a, Chap. 1, Sect. 1.2: *Why Do Analysis?*, pp. 2–10]

Example 1 (Division by zero & infinity). *The cancellation law for multiplication $ac = bc \Rightarrow a = b$ does not work when $c = 0$ & $c = \pm\infty$. The cancellation law for addition $a + c = b + c \Rightarrow a = b$.*

Example 2 (Cancellation properties).

See, e.g., [Wikipedia/cancellation property](#).

Example 3 (Geometric series – Chuỗi hình học). *When does the geometric series $G(a) := \sum_{i=0}^{\infty} \frac{1}{a^i}$ converge? When does $G(a)$ diverge?*

1.1 Notations & conventions – Ký hiệu & quy ước

Đặt tập hợp các đa thức (polynomial) 1 biến với hệ số nguyên, hệ số hữu tỷ, hệ số thực, hệ số phức lần lượt cho bởi:

$$\begin{aligned}\mathbb{Z}[x] &:= \left\{ \sum_{i=0}^n a_i x^i; n \in \mathbb{N}, a_i \in \mathbb{Z}, \forall i = 0, \dots, n, a_n \neq 0 \right\}, \\ \mathbb{Q}[x] &:= \left\{ \sum_{i=0}^n a_i x^i; n \in \mathbb{N}, a_i \in \mathbb{Q}, \forall i = 0, \dots, n, a_n \neq 0 \right\}, \\ \mathbb{R}[x] &:= \left\{ \sum_{i=0}^n a_i x^i; n \in \mathbb{N}, a_i \in \mathbb{R}, \forall i = 0, \dots, n, a_n \neq 0 \right\}, \\ \mathbb{C}[x] &:= \left\{ \sum_{i=0}^n a_i x^i; n \in \mathbb{N}, a_i \in \mathbb{C}, \forall i = 0, \dots, n, a_n \neq 0 \right\}.\end{aligned}$$

Ta có quan hệ hiển nhiên $\mathbb{N}[x] \subset \mathbb{Z}[x] \subset \mathbb{Q}[x] \subset \mathbb{R}[x] \subset \mathbb{C}[x]$. Tổng quát, với \mathbb{F} là 1 trường bất kỳ, tập hợp các đa thức 1 biến với hệ số thuộc trường \mathbb{F} (e.g., $\mathbb{Z}, \mathbb{Z}_p, \mathbb{Q}, \mathbb{R}, \mathbb{C}$) cho bởi:

$$\mathbb{F}[x] := \left\{ \sum_{i=0}^n a_i x^i; n \in \mathbb{N}, a_i \in \mathbb{F}, \forall i = 0, \dots, n, a_n \neq 0 \right\}.$$

Tập xác định của đa thức có thể là toàn bộ trường số thực \mathbb{R} hoặc trường số phức \mathbb{C} , i.e., $D_P = \text{dom}(P) = \mathbb{R}$ or $D_P = \text{dom}(P) = \mathbb{C}$, tùy vào trường \mathbb{F} của các hệ số & mục đích sử dụng đa thức.

Problem 1 (Cf: Calculus vs. Mathematical Analysis). *Distinguish & compare Calculus vs. Mathematical Analysis.*

Analysis is more pure mathematics. Calculus is more applied mathematics.

Problem 2 (Examples & counterexamples in mathematical analysis – Ví dụ & phản ví dụ trong phân tích toán học). *Find, from simple to advanced, examples & counterexamples to each mathematical concepts & mathematical results, including lemmas, propositions, theorems, & consequences.*

– *Tìm các ví dụ & phản ví dụ từ đơn giản đến nâng cao cho mỗi khái niệm toán học & kết quả toán học, bao gồm các bổ đề, mệnh đề, định lý, & hệ quả.*

Problem 3 (Python SymPy). *Study SymPy to support calculus & mathematical analysis.*

2 Continuity – Sự Liên Tục

Definition 1 ([Tao22a], Def. 6.1.1, p. 109: distance between 2 reals). *Given $x, y \in \mathbb{R}$, their distance $d(x, y)$ is defined to be $d(x, y) := |x - y| \in [0, \infty)$.*

Definition 2 ([Tao22a], Def. 6.1.2, p. 109: ε -close reals). *Let $\varepsilon > 0$ be a real number. $x, y \in \mathbb{R}$ is said to be ε -close iff $d(x, y) \leq \varepsilon$.*

3 Derivative – Đạo Hàm

4 Integral – Tích Phân

4.1 SymPy/integrals module

See <https://docs.sympy.org/latest/modules/integrals/integrals.html>. The `integrals` module in SymPy implements methods to calculate definite & indefinite integrals of expressions. Principal method in this module is `integrate()`:

- `integrate(f, x)` returns the indefinite integral $\int f dx$
- `integrate(f, (x, a, v))` returns the definite integral $\int_a^b f dx$.

Problem 4 (Integration of elementary functions). Use SymPy to compute definite- & indefinite integrals of elementary functions as many as possible.

Problem 5 (Integration of nonelementary functions). Use SymPy to compute definite- & indefinite integrals of nonelementary functions as many as possible.

Example 4 (Integral of error function). The indefinite integral of the nonelementary function $e^{-x^2} \operatorname{erf}(x)$, where $\operatorname{erf}(x)$ is the error function, is given by

$$\int e^{-x^2} \operatorname{erf}(x) dx = \frac{\sqrt{\pi}}{4} \operatorname{erf}(x).$$

Run the following Python code:

```
from sympy import *
x = Symbol('x')
print(integrate(exp(-x**2)*erf(x), x))
```

to obtain the following output:

```
sqrt(pi)*erf(x)**2/4
```

For more information about the error function, see, e.g., [Wikipedia/error function](#).

4.2 Leibniz integral rule – Quy tắc tích phân Leibniz

In [calculus](#), the *Leibniz integral rule* for differentiation under the integral sign, named after [GOTTFRIED WILHELM LEIBNIZ](#).

Theorem 1 (Leibniz integral rule – Quy tắc tích phân Leibniz). For an integral of the form $\int_{a(x)}^{b(x)} f(t, x) dt$ where $a(x), b(x) \in \mathbb{R}$ & the integrands are functions dependent on x , the derivative of this integral is expressible as

$$\frac{d}{dx} \left(\int_{a(x)}^{b(x)} f(t, x) dt \right) = f(b(x), x) \frac{d}{dx} b(x) - f(a(x), x) \frac{d}{dx} a(x) + \int_{a(x)}^{b(x)} \partial_x f(t, x) dt, \quad (1)$$

where the [partial derivative](#) $\partial_x = \frac{\partial}{\partial x}$ indicates that inside the integral, only the variation of $f(t, x)$ with x is considered in taking the derivative.

5 Fourier transform – Biến đổi Fourier

Resources – Tài nguyên.

1. [\[Tao12\]](#). TERENCE TAO. *Higher Order Fourier Analysis*.

5.1 Discrete Fourier transform – Biến đổi Fourier rời rạc

See, e.g., [Wikipedia/discrete Fourier transform](#). In mathematics, the *discrete Fourier transform (DFT)* converts a finite sequence of equally-spaced [samples](#) of a function into a same-length sequence of equally-spaced samples of the [discrete-time Fourier transform \(DTFT\)](#), which is a complex-valued function of frequency. The interval at which the DTFT is sampled is the reciprocal of the duration of the input sequence.

Definition 3 (Discrete Fourier transform). The discrete Fourier transform transforms a [sequence](#) of N complex numbers $\mathbf{x} = \{x_n\}_{n=0}^{N-1} := x_0, x_1, \dots, x_{N-1}$ into another sequence of complex numbers, $\mathbf{X} = \{X_n\}_{n=0}^{N-1} := X_0, X_1, \dots, X_{N-1}$ defined by

$$X_k := \sum_{n=0}^{N-1} x_n e^{-i2\pi \frac{k}{N} n}. \quad (\text{dFt})$$

The transform is sometimes denoted by the symbol \mathcal{F} , as in $\mathbf{X} = \mathcal{F}\{\mathbf{x}\}$ or $\mathcal{F}(\mathbf{x})$ or $\mathcal{F}\mathbf{x}$.

6 Miscellaneous

6.1 See also

- [Str20]. STEVEN STROGATZ. *Infinite Powers: How Calculus Reveals the Secrets of the Universe*.
- [Str24]. STEVEN STROGATZ. *Infinite Powers: How Calculus Reveals the Secrets of the Universe – Sức Mạnh Vô Hạn: Giải Tích Toán Khám Phá Bí Mật Của Vũ Trụ Như Thế Nào?*.
Nhận xét. 1 quyển sách hay về thường thức về lịch sử phát triển của Giải tích Toán học & các ý tưởng cơ bản nhất của Giải tích. Khuyến khích đọc thử, cũng như các tác phẩm thường thức Khoa học Tự nhiên nói chung & Toán học nói riêng khác của tác giả STEVEN STROGATZ.
- TS. HUỖNH QUANG VŨ. *Các Bài Giảng Giải Tích*. <https://sites.google.com/view/hquv/teaching>.
 - Bộ Môn Giải Tích, Khoa Toán - Tin học, Faculty of Mathematics & Computer Science, HCMUS. *Giáo Trình Vi Tích Phân 1*.
 - Bộ Môn Giải Tích, Khoa Toán - Tin học, Faculty of Mathematics & Computer Science, HCMUS. *Giáo Trình Vi Tích Phân 2*.
- Vietnamese Mathematical Olympiad for High School- & College Students (VMC) – Olympic Toán Học Học Sinh & Sinh Viên Toàn Quốc*.
PDF: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/VMC/NQBH_VMC.pdf.
TEX: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/VMC/NQBH_VMC.tex.
 - Codes:
 - C++ code: https://github.com/NQBH/advanced_STEM_beyond/tree/main/VMC/C++.
 - Python code: https://github.com/NQBH/advanced_STEM_beyond/tree/main/VMC/Python.
 - Resource: https://github.com/NQBH/advanced_STEM_beyond/tree/main/VMC/resource.
 - Figures: https://github.com/NQBH/advanced_STEM_beyond/tree/main/VMC/figure.
- Olympic Tin Học Sinh Viên OLP & ICPC*.
PDF: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/OLP_ICPC/NQBH_OLP_ICPC.pdf.
TEX: URL: https://github.com/NQBH/advanced_STEM_beyond/blob/main/OLP_ICPC/NQBH_OLP_ICPC.tex.
 - Codes:
 - C: https://github.com/NQBH/advanced_STEM_beyond/tree/main/OLP_ICPC/C.
 - C++: https://github.com/NQBH/advanced_STEM_beyond/tree/main/OLP_ICPC/C++.
 - Python: https://github.com/NQBH/advanced_STEM_beyond/tree/main/OLP_ICPC/Python.

Tài liệu

- [Rud76] Walter Rudin. *Principles of mathematical analysis*. Third. International Series in Pure and Applied Mathematics. McGraw-Hill Book Co., New York-Auckland-Düsseldorf, 1976, pp. x+342.
- [Str20] Steven Strogatz. *Infinite Powers: How Calculus Reveals the Secrets of the Universe*. Mariner Books, 2020, p. 400.
- [Str24] Steven Strogatz. *Infinite Powers: How Calculus Reveals the Secrets of the Universe – Sức Mạnh Vô Hạn: Giải Tích Toán Khám Phá Bí Mật Của Vũ Trụ Như Thế Nào?* Phạm Văn Thiều dịch. Nhà Xuất Bản Trẻ, 2024, p. 486.
- [Tao12] Terence Tao. *Higher order Fourier analysis*. Vol. 142. Graduate Studies in Mathematics. American Mathematical Society, Providence, RI, 2012, pp. x+187. ISBN: 978-0-8218-8986-2. DOI: [10.1090/gsm/142](https://doi.org/10.1090/gsm/142). URL: <https://doi.org/10.1090/gsm/142>.
- [Tao22a] Terence Tao. *Analysis I*. Vol. 37. Texts and Readings in Mathematics. Fourth edition [of 2195040]. Hindustan Book Agency, New Delhi, [2022] ©2022, pp. xvi+355. ISBN: 978-81-951961-9-7.
- [Tao22b] Terence Tao. *Analysis II*. Vol. 38. Texts and Readings in Mathematics. Fourth edition [of 2195041]. Springer, Singapore; Hindustan Book Agency, New Delhi, [2022] ©2022, pp. xvii+195. ISBN: 978-9-81197-284-3. DOI: [10.1007/978-981-19-7284-3](https://doi.org/10.1007/978-981-19-7284-3). URL: <https://doi.org/10.1007/978-981-19-7284-3>.