

# Creating a Personal Project Site

---

# Overview

1. Create a new repository in your Github account with the name `<your-account-name>.github.io`
2. Under **Settings**, select a theme.
3. Clone your repo locally
4. In your local repo, build out an index page (`index.md` or `index.html`).
5. Configure your `.yml` file according to configurations provided with your chosen theme.
6. Push/view/iterate



# NSS Data Science Cohort 2

**Repositories 68**

**People 24**

**Teams 28**

**Projects 0**

**Settings**

Find a repository...

Type: All ▾

Language: All ▾

Customize pinned repositories

**New**

## [data-question-6-247-sports-cardinals](#)

data-question-6-247-sports-cardinals created by GitHub Classroom

Python Updated 18 hours ago

### Top languages

- Jupyter Notebook
- Python
- R
- HTML

Click the **New** button to create a new repository

The repository name  
must be **the name of**  
**your account** followed  
by **.github.io**

## Create a new repository

A repository contains all project files, including the revision history.

Owner  nss-data-science-cohort-2 ▾ / Repository name \* nss-data-science-cohort-2.github ✓

Great repository names are short and memorable. Need inspiration? How about [stunning-telegram](#)?

Description (optional)  
NSS Data Science Cohort 2 Class Website

 **Public**  
Anyone can see this repository. You choose who can commit.

 **Private**  
You choose who can see and commit to this repository.

**Initialize this repository with a README**  
This will let you immediately clone the repository to your computer. Skip this step if you're importing an existing repository.

Add .gitignore: None ▾ | Add a license: None ▾ 

**Create repository**

Code

Issues 0

Pull requests 0

Projects 0

Wiki

Insights

Settings

## NSS Data Science Cohort 2 Class Website

Edit

Manage topics

1 commit

1 branch

0 releases

1 contributor

Branch: master ▾

New pull request

Create new file

Upload files

Find file

Clone or download ▾

MaryLvV Initial commit

Latest commit 520bc21 just now

README.md

Initial commit

just now

README.md




# nss-data-science-cohort-2.github.io

NSS Data Science Cohort 2 Class Website

Select your new  
github.io repo, and click  
the **Settings** tab.



Scroll down to the  
**GitHub Pages** section  
and click the button to  
**Choose a theme**



## GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

✓ Your site is published at <https://nss-data-science-cohort-2.github.io/>

### Source

Your GitHub Pages site is currently being built from the master branch. [Learn more.](#)

master branch ▾

Save

User pages must be built from the master branch.

### Theme Chooser

Select a theme to publish your site with a Jekyll theme. [Learn more.](#)

Choose a theme

### Custom domain

Custom domains allow you to serve your site from a domain other than nss-data-science-cohort-2.github.io. [Learn more.](#)

Save

### Enforce HTTPS

— Required for your site because you are using the default domain (nss-data-science-cohort-2.github.io)

HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site. When HTTPS is enforced, your site will only be served over HTTPS. [Learn more.](#)

GitHub Pages provides 13 themes. <https://github.com/search?q=topic%3Agithub-pages+org%3Apages-themes&type=Repositories> You can always change to another theme later and you can (somewhat) integrate your own HTML. A difference amongst themes that is significant is what configurations are allowed/built into the `_config.yml`



The screenshot shows the Cayman theme configuration page. At the top, it says "Cayman theme" and describes it as a "clean, responsive theme for GitHub Pages". It includes download links for "View on GitHub", ".zip", and ".tar.gz". Below this, there are several text examples and their corresponding YAML configurations.

Text examples:

- Text can be **bold**, *italic*, or ~~strikethrough~~.
- [Link to another page](#).
- There should be whitespace between paragraphs.
- There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

YAML configurations:

- Header 1**:  
This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.  
`Header 1`
- Header 2**:  
`title: [The title of your site]  
description: [A short description of your site's purpose]`
- \_config.yml options**:  
Additionally, you may choose to set the following optional variables:  
`show_downloads: ["true" or "false" to indicate whether to provide a download URL]  
google_analytics: [Your Google Analytics tracking ID]`

# ./ Hacker theme

Hacker is a theme for GitHub Pages.

[Download as .zip](#)

[Download as .tar.gz](#)

[View on GitHub](#)

Text can be **bold**, *italic*, ~~strikethrough~~ or `keyword`.

[Link to another page](#).

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

## \_config.yml options

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Slate theme

Slate is a theme for GitHub Pages.



Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

## \_config.yml options

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Architect theme

Architect is a theme for GitHub Pages.



Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.



architect is maintained by [pages-themes](#).

This page was generated by [GitHub Pages](#).

## / Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## // Header 2

This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

## \_config.yml options

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Midnight theme

Midnight is a theme for GitHub Pages.

Project maintained by [pages-themes](#)

Hosted on GitHub Pages — Theme by [mattgraham](#)

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

*This is a blockquote following a header.*

*When something is important enough, you do it even if the odds are not in your favor.*

## \_config.yml options

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Jekyll Theme Primer

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

## \_config.yml options

Additionally, you may choose to set the following optional variables:

```
google_analytics: [Your Google Analytics tracking ID]
```

# Leap Day theme

Leap Day is a theme for GitHub Pages.

[View On GitHub](#)

DOWNLOADS: [ZIP](#) [TAR](#) 

## Header 1

Header 2

Header 3

There's a horizontal rule below this.

Here is an unordered list:

And an ordered list:

And a nested list:

Small image

Large image

Definition lists can be used with HTML syntax.

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page](#).

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

*This is a blockquote following a header.*

*When something is important enough, you do it even if the odds are not in your favor.*

Header 3

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

## \_config.yml options

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Dinky theme

Dinky is a red hot theme for GitHub Pages.

[Download ZIP](#)

[Download TAR](#)

[View On GitHub](#)

This project is maintained by [pages-themes](#)

Text can be **bold**, *italic*, or ~~strikethrough~~.

Link to another page.

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

*This is a blockquote following a header.*

*When something is important enough, you do it even if the odds are not in your favor.*

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

## \_config.yml options

## Modernist theme

Modernist is a theme for GitHub Pages.

[Download ZIP File](#)[Download TAR Ball](#)[View On GitHub](#)

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page](#).

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

*This is a blockquote following a header.*

*When something is important enough, you do it even if the odds are not in your favor.*

## \_config.yml options

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Tactile theme

Tactile is a theme for GitHub Pages.



Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.  
Tactile theme | Tactile is a theme for GitHub Pages.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

## \_config.yml options

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# MERLOT THEME

*Merlot is a theme for GitHub Pages.*

[download  
.ZIP](#)

[download  
.TGZ](#)

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page.](#)

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## **Header 1**

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## **Header 2**

“ This is a blockquote following a header.

When something is important enough, you do it even if the odds are not in your favor.

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

## **\_config.yml options**

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

# Time Machine

## theme

Time Machine is a theme for GitHub Pages.

[View Time Machine theme on GitHub](#) [Download](#) [Download](#)

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page](#).

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

### Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

### Header 2

---

**“** This is a blockquote following a header.

*When something is important enough, you do it even if the odds are not in your favor.*

### \_config.yml options

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

Additionally, you may choose to set the following optional variables:

```
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

## Minimal theme



Logo

Minimal is a theme for GitHub Pages.

[View the Project on GitHub](#)  
pages-themes/minimal

[Download ZIP File](#) [Download TAR Ball](#) [View On GitHub](#)

This project is maintained by [pages-themes](#)

Hosted on GitHub Pages — Theme by orderedlist

Text can be **bold**, *italic*, or ~~strikethrough~~.

[Link to another page](#).

There should be whitespace between paragraphs.

There should be whitespace between paragraphs. We recommend including a README, or a file with information about your project.

## Header 1

This is a normal paragraph following a header. GitHub is a code hosting platform for version control and collaboration. It lets you and others work together on projects from anywhere.

## Header 2

*This is a blockquote following a header.*

*When something is important enough, you do it even if the odds are not in your favor.*

## Header 3

```
// Javascript code with syntax highlighting.
var fun = function lang(l) {
  dateformat.i18n = require('../lang/' + l)
  return true;
}
```

```
# Ruby code with syntax highlighting
GitHubPages::Dependencies.gems.each do |gem, version|
  s.add_dependency(gem, "= #{version}")

```

```
title: [The title of your site]
description: [A short description of your site's purpose]
```

## \_config.yml options

Additionally, you may choose to set the following optional variables:

```
logo: [Location of the logo]
show_downloads: ["true" or "false" to indicate whether to provide a download URL]
google_analytics: [Your Google Analytics tracking ID]
```

## Example sites

<https://unsupervisedpandas.com/>

- github.io with custom domain plus jekyll (not a github pages theme)

<http://data-playground.com/>

- github.io with custom domain using github pages minimal theme

<https://stkbaily.github.io/>

- github.io without custom domain and not using a github pages theme

## Resources

<https://help.github.com/articles/what-is-github-pages/>

<https://guides.github.com/features/mastering-markdown/>

<https://help.github.com/articles/adding-a-jekyll-theme-to-your-github-pages-site-with-the-jekyll-theme-chooser/>

<https://help.github.com/categories/customizing-github-pages/>

**If you want to use a custom domain...**

- 1. Get the domain**
- 2. Create 4 A Records (one for each ip address associated with github.io sites)**
- 3. Add a custom domain in the Settings for your github.io repository**
- 4. Add a Cname record to handle www**

I used domain.com to purchase my domain for \$24 every 2 years

## 1. Get the domain

### Find an available domain

- Use your name
- Use something relevant to the work you want to highlight me as possible



#### SEARCH DOMAINS

data-data-data.com

Add Domain Privacy to each domain for \$8.99 per year. [What's This?](#)

**Sorry,** data-data-data.com is unavailable.

**data-data-data.com** is taken!

MaryLvW.com

Add Domain Privacy to each domain for \$8.99 per year. [What's This?](#)

**Congratulations!** your domain is available.

marylvv.com \$9.99

**marylvv.com** is available!

<https://www.domain.com/checkout#/1>

## 2. Create 4 A Records

The apex (top level) domain needs to have a record for each of the 4 github.io IP addresses

Domain	Expires (Days Left)	Privacy	Renew
data-playground.com	November 07, 2018(161)	Enabled	Auto

Overview Pointers Transfer Contact DNS Nameservers Security Subdomains Renew

Modify: A Record

### A Record

An A Record (or host name) associates a specific address with a specific IP address  
(secure.yourdomain.com >> 11.222.333.444)

Host	Points To:	Action
data-playground.com	185.199.108.153	---
data-playground.com	185.199.109.153	---
data-playground.com	185.199.110.153	---
data-playground.com	185.199.111.153	---
*	66.96.162.128	---

<https://help.github.com/articles/setting-up-an-apex-domain/>

## Check it:

```
Last login: Tue May 29 19:41:55 on ttys002s://help.github.com/articles/setting-up-a-github-pages-site-with-jekyll/ [Marys-MacBook-Pro:~ maryvanvalkenburg$ dig data-playground.com
; <>> DiG 9.8.3-P1 <>> data-playground.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 47159
;; flags: qr rd ra; QUERY: 1, ANSWER: 4, AUTHORITY: 0, ADDITIONAL: 0
;; QUESTION SECTION:
data-playground.com.          IN      A
;; ANSWER SECTION:
data-playground.com.    3599    IN      A      185.199.111.153
data-playground.com.    3599    IN      A      185.199.108.153
data-playground.com.    3599    IN      A      185.199.110.153
data-playground.com.    3599    IN      A      185.199.109.153
;; Query time: 85 msec
;; SERVER: 10.10.10.1#53(10.10.10.1)
;; WHEN: Thu May 31 17:47:05 2018
;; MSG SIZE  rcvd: 101
```

Domain  
information  
grouper  
queries the  
domain name  
system

### 3. Add a custom domain in the Settings for your github.io repository

Settings → scroll to **GitHub Pages** → enter **Custom domain**

#### GitHub Pages

GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.

✓ Your site is published at <http://data-playground.com/>

##### Source

Your GitHub Pages site is currently being built from the master branch. [Learn more.](#)

master branch ▾

Save

User pages must be built from the master branch.

##### Theme Chooser

Select a theme to publish your site with a Jekyll theme. [Learn more.](#)

Your site is currently using the Minimal theme.

Change theme

##### Custom domain

Custom domains allow you to serve your site from a domain other than `marylvv.github.io`. [Learn more.](#)

`data-playground.com`

Save

## 4. Add a Cname record to handle www

CNAME specifies a subdomain (any prefix to your domain like [blog.data-data-data.com](#) or [project.data-data-data.com](#)).

Be sure to create a record for the www subdomain.

Host	Points To:	Action
dkim._domainkey	cur.dkim.v.eigmail.net	---
www	data-playground.com	---