

```
MINERvA_CCQE_XSec_1DQ2_nu_settings
```

- name: MINERvA CCOE XSec 1DO2 nu
- input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT description :
- I--> MINERvA\_CCQE\_XSec\_1DQ2\_nu sample.
  I--> Target: CH

- |--> Flux: MINERvA Forward Horn Current Numu |--> Signal: True CCQE/2p2h defined at the vertex level

- $\begin{array}{l} \bullet \text{ withe : } Q_{0E}^2 \text{ GeV}^2) \\ \bullet \text{ withe : } Q_{0E}^2 \text{ (cm}^2/\text{GeV}^2) \\ \bullet \text{ default_types : } \text{FIX_FREE_SHAPE/DIAG,FULL/NORM/MASK} \\ \end{array}$
- allowed\_types : FIX/FULL

- enu\_max: 10

   title: MINERVA\_CCQE\_XSec\_1DQ2\_nu

   data: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CCQE

   covar: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CCQE
- $\bullet \ original name : MINERvA\_CCQE\_XSec\_1DQ2\_nu \\$
- χ<sup>2</sup>: 19.3218
- NDOF: 8
- χ<sup>2</sup>/NDOF : 2.41522

#### MINERvA\_CCQE\_XSec\_1DQ2\_antinu\_settings

- name : MINERVA\_CCQE\_XSec\_1DQ2\_antinu input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_rhc\_numubar.CH.2500000.2.prepa
- type : DEFAULT
- description
- |--> MINERvA\_CCQE\_XSec\_1DQ2\_antinu sample |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current Numubar
- I--> Signal: True CCQE/2p2h defined at the vertex level


- $\begin{array}{l} \text{signa: The CoDE-p2st with et as the Vetex EVG} \\ \text{• xtitle : } Q_{QE}^{2} \text{ } (\text{GeV}^{2}) \\ \text{• total types : FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK} \end{array}$
- allowed\_types : FIX/FULL enu\_min : 1.5


- enu\_max: 10
   enu\_max: 10
   etitle: MINERvA\_CCQE\_XSec\_1DQ2\_antinu
   data: //data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CCQE
   covar: //data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CCQE
- originalname : MINERvA\_CCQE\_XSec\_1DQ2\_antinu
- χ<sup>2</sup>: 19.9113
- NDOF: 8 • χ<sup>2</sup>/NDOF : 2.48891


# MINERvA\_CC0pi\_XSec\_1DQ2\_nu\_proton\_settings

- name : MINERvA\_CC0pi\_XSec\_1DQ2\_nu\_proton
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT
- description
- |--> MINERvA\_CC0pi\_XSec\_1DQ2\_nu\_proton sample
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current nue + nueba
- 1--> Signal: Any event with 1 electron, any nucleons, and no other FS particles

- stitle :  $Q_{QE}^{c}$  (GeV<sup>2</sup>) ytitle :  $d\sigma/dQ^{2}$  (cm<sup>2</sup>/GeV<sup>2</sup>) default\_types : FIX\_FREE\_SHAPE/DIAG,FULL/NORM/MASK
- allowed\_types : FIX/FULL
- enu\_min : 0
- enu\_max : 100
   title : MINERvA\_CC0pi\_XSec\_1DQ2\_nu\_proton
- data://data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CCQE
   covar:/data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CCQ
- $\bullet \ original name : MINERvA\_CC0pi\_XSec\_1DQ2\_nu\_proton \\$
- χ<sup>2</sup>: 7.63844
- NDOF: 7 •  $\chi^2/NDOF$  : 1.09121







#### MINERvA\_CC0pi\_XSec\_1DEe\_nue\_settings

- name: MINERvA\_CC0pi\_XSec\_1DEe\_nue
- input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_fhc\_nue.CH.2500000.3.prepared.ru
- type : DEFAULT description :
- |--> MINERvA CC0pi nue Ee sample |--> Target: CH
- I--> Flux: MINERvA Forward Horn Current nue + nuebar
  I--> Signal: Any event with 1 electron, any nucleons, and no other FS particles

- xtitle : E<sub>c</sub> (GeV)
   ytitle : do/dE<sub>c</sub> (cm²/GeV)
   default\_types : FIX\_FREE\_SHAPE/DIAG\_FULL/NORM/MASK
- allowed\_types : FIX/FULL
- enu\_min : 0
- enu\_max : 10 title : MINERvA ν\_e CC0π
- data : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CC0pi
- covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CC0<sub>1</sub>
- $\bullet \ original name : MINERvA\_CC0pi\_XSec\_1DEe\_nue \\$
- χ<sup>2</sup>: 0.95264
- NDOF: 11
- χ<sup>2</sup>/NDOF : 0.0866036

#### MINERvA\_CC0pi\_XSec\_1DQ2\_nue\_settings

- name : MINERvA\_CC0pi\_XSec\_1DQ2\_nue
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_nue.CH.2500000.3.prepared.ru
- type : DEFAULT
- description
- |--> MINERvA\_CC0pi\_XSec\_1DQ2\_nue sample |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current nue + nuebar
- 1--> Signal: Any event with 1 electron, any nucleons, and no other FS particles


- stitle :  $Q_e^2(\text{GeV})$  ytitle :  $d\sigma/dQ_e^2(\text{cm}^2/\text{GeV})^2$  default\_types : FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK
- allowed\_types : FIX/FULL enu\_min : 0


- enu\_max : 10 title : MINERvA\_CC0pi\_XSec\_1DQ2\_nue
- data : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CC0pi
   covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data//MINERvA/CC0pi
- originalname : MINERvA\_CC0pi\_XSec\_1DQ2\_nue
- χ<sup>2</sup>: 0.99699
- NDOF: 9 • χ<sup>2</sup>/NDOF : 0.110777


## MINERvA\_CC1pip\_XSec\_1Dth\_nu\_settings

- name : MINERVA\_CC1pip\_XSec\_1Dth\_nu
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT description
- |--> MINERvA\_CC1pip\_XSec\_1Dth\_nu sample
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current nue + nuebar
- 1--> Signal: Any event with 1 electron, any nucleons, and no other FS particles
- xtitle :  $\theta_{\pi}$  (degrees)
- $\label{eq:theta-state} \begin{array}{l} \bullet \mbox{ ytitle : } d\sigma \! / d\theta_x \mbox{ (cm}^2 \! / \! degrees \! / \! nucleon) \\ \bullet \mbox{ default\_types : FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK} \end{array}$
- allowed\_types : FIX/FULL enu\_min : 1.5

- enu\_max : 10 title : MINERvA\_CC1pip\_XSec\_1Dth\_nu
- data : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
   covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
- originalname : MINERvA\_CC1pip\_XSec\_1Dth\_nu χ² : 104.614
- NDOF: 13
- χ<sup>2</sup>/NDOF : 8.04719







#### MINERvA\_CC1pip\_XSec\_1Dth\_nu\_settings

- name : MINERvA\_CClpip\_XSec\_IDth\_nu
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT description :
- I--> MINERvA\_CC1pip\_XSec\_1Dth\_nu sample
  I--> Target: CH

- I--> Flux: MINERvA Forward Horn Current nue + nuebar
  I--> Signal: Any event with 1 electron, any nucleons, and no other FS particles

- xtitle :  $\theta_{\pi}$  (degrees) ytitle :  $\theta_{\pi}$  (degrees) ytitle :  $d\sigma/d\theta_{\pi}$  (cm²/degrees/nucleon) default\_types : FIX\_FREE\_SHAPE/DIAG,FULL/NORM/MASK
- allowed\_types : FIX/FULL

- enu\_max: 10

  title: MINERVA\_CC1pip\_XSec\_1Dth\_nu

  title: MINERVA\_CC1pip\_XSec\_1Dth\_nu

  data: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pij

  covar: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
- $\bullet \ original name : MINERvA\_CC1pip\_XSec\_1Dth\_nu \\$
- NDOF: 13
- χ<sup>2</sup>/NDOF : 8.04719


#### MINERvA\_CC1pip\_XSec\_1DTpi\_nu\_settings

- name : MINERvA\_CC1pip\_XSec\_1DTpi\_nu
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT
- description
- |--> MINERvA\_CC1pip\_XSec\_1DTpi\_nu sample |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current nue + nuebar
- 1--> Signal: Any event with 1 electron, any nucleons, and no other FS particles
- xtitle :  $T_{\pi}$  (MeV)
- $\label{eq:potential} \begin{tabular}{ll} \bullet \mbox{ ytitle : } d\sigma \mbox{/}dT_{\pi} \mbox{ (cm}^2\mbox{/MeV/nucleon)} \\ \begin{tabular}{ll} \bullet \mbox{ default\_types : } FIX.FREE,SHAPE/DIAG,FULL/NORM/MASK \\ \end{tabular}$
- allowed\_types : FIX/FULL enu\_min : 1.5

- enu\_max : 10 title : MINERvA\_CC1pip\_XSec\_1DTpi\_nu
- data : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
   covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
- $\bullet \ original name : MINERvA\_CC1pip\_XSec\_1DTpi\_nu \\$
- χ<sup>2</sup>: 22.0665
- NDOF : 7
- γ<sup>2</sup>/NDOF : 3.15236

## MINERvA\_CC1pip\_XSec\_1Dthmu\_nu\_2017\_settings

- name: MINERvA\_CC1pip\_XSec\_1Dthmu\_nu\_2017
- input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- $\bullet \ default\_types: {\tt FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK}$
- allowed\_types : FIX/FULL
- enu\_min : 1.5
- enu\_max : 10 description :
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numu ONLY
- I--> Signal: Any event with 1 muon, and 1pi+ or 1pi- in FS. W < 1.4
- $\bullet \ data: / data/stowell/NIWG/NPCT uning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1 pij to the context of the con$
- covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1p
- title : CC1π Updated
- xtitle :  $\theta_{\mu}$
- ytitle : dσ/dθ, (cm²/nucleon)
- originalname : MINERvA\_CC1pip\_XSec\_1Dthmu\_nu\_2017
- χ<sup>2</sup>: 31.4133
- NDOF: 9
- $\chi^2/NDOF$  : 3.49036



```
MINERvA_CC1pip_XSec_1Dth_nu_2017_settings
```

```
    name: MINERVA_CC1pip_XSec_IDth_nu_2017
    input: GENIE:@GENIE.DIR/gatp.R-2_6_3.OfficialDefault.Default.MINERVA_fhc_numu.CH.2500000.1.prepared
    type: DEFAULT
    default_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK
    allowed_types: FIX,FULL
    enu_min: 1.5
    enu_max: 10
    description:
    !-> Target: CH
    !-> Flux: MINERVA Forward Horn Current numu ONLY
    !-> Signal: Any event with 1 muon, and 1pi+ or 1pi- in FS. W < 1.4</li>
    data: //data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
    covar: //data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pi
    titte: CC1π Updated
    xtitle: i0,
    ytitle: do/dlog_(cm²/nucleon)
    originalname: MINERvA_CC1pip_XSec_1Dth_nu_2017
```

#### MINERvA\_CC1pip\_XSec\_1DEnu\_nu\_2017\_settings

•  $\chi^2$ : 77.0752

• NDOF: 14

• χ<sup>2</sup>/NDOF : 5.50537

```
• name : MINERvA_CC1pip_XSec_1DEnu_nu_2017
 • input : GENIE:@GENIE_DIR/gntp.R-2_6_3.OfficialDefault.Default.MINERvA_fhc_numu.CH.2500000.1.prepared
 \bullet \ default\_types: {\tt FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK}

    allowed_types : FIX/FULL

  • enu_min : 1.5
• enu_max : 10
• description :
       I--> Target: CH
       I--> Flux: MINERvA Forward Horn Current numu ONLY
       I--> Signal: Any event with 1 muon, and 1pi+ or 1pi- in FS. W < 1.4
  \bullet \ data: / data/stowell/NIWG/NPCT uning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1 pij to the context of the con
 • covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1p
 • title : CC1π Updated
 • xtitle : E<sub>v</sub> (GeV)

    ytitle : σ(E_v) (cm²/nucleon)

  • originalname : MINERvA_CC1pip_XSec_1DEnu_nu_2017
 • \chi^2: 5.33068
 • NDOF: 8
 • \chi^2/NDOF : 0.666336
```


## MINERvA\_CC1pip\_XSec\_1DTpi\_nu\_2017\_settings

```
    name: MINERvA_CC1pip_XSec_1DTpi_nu_2017
    input: GENIE:@GENIE_DIR/gntp.R-2_6_3.OfficialDefault.Default.MINERvA_fhc_numu.CH.2500000.1.prepared

\bullet \ default\_types: {\tt FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK}

    allowed_types : FIX/FULL

• enu_min : 1.5
• enu_max : 10
• description :
       I--> Target: CH
       |--> Flux: MINERvA Forward Horn Current numu ONLY
       1--> Signal: Any event with 1 muon, and 1pi+ or 1pi- in FS. W < 1.4
 \bullet \ data: / data/stowell/NIWG/NPCT uning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1 pij to the context of the con
• covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1p
• title : CC1π Updated
• xtitle : T_{\pi} (MeV)
• ytitle : dσ/dT<sub>π</sub> (cm²/nucleon/MeV)
 • originalname : MINERvA_CC1pip_XSec_1DTpi_nu_2017
• χ<sup>2</sup>: 43.9648
• NDOF: 7
• χ<sup>2</sup>/NDOF : 6.28069
```



```
MINERvA_CC1pip_XSec_1Dpmu_nu_2017_settings
```

- name: MINERvA\_CC1pip\_XSec\_1Dpmu\_nu\_2017
   input: GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared • type : DEFAULT  $\bullet \ default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK$ • allowed\_types : FIX/FULL • enu\_min : 1.5 • enu\_max : 10 • description : I--> Target: CH I--> Flux: MINERvA Forward Horn Current numu ONLY --> Signal: Any event with 1 muon, and 1pi+ or 1pi- in FS. W < 1.4  $\bullet \ data : \ / data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/MINERvA/CC1pijons/minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data/Minerva-validation-template/builds/v2r6/data$
- covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1p • title :  $CC1\pi$  Updated • xtitle :  $p_{\mu}$  (GeV) • ytitle :  $d\sigma/dp_{\mu}$  (cm<sup>2</sup>/nucleon/GeV)
- originalname : MINERvA\_CC1pip\_XSec\_1Dpmu\_nu\_2017 • χ<sup>2</sup>: 18.6752 • NDOF: 8

# MINERvA\_CC1pip\_XSec\_1DQ2\_nu\_2017\_settings


- name : MINERvA\_CC1pip\_XSec\_1DQ2\_nu\_2017 • input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- $\bullet \ default\_types: {\tt FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK}$
- allowed\_types : FIX/FULL
- enu\_min : 1.5

• χ<sup>2</sup>/NDOF : 2.33441

- enu\_max : 10 description :
- I--> Target: CH
- I--> Flux: MINERvA Forward Horn Current numu ONLY
- I--> Signal: Any event with 1 muon, and 1pi+ or 1pi- in FS. W < 1.4
- $\bullet \ data: / data/stowell/NIWG/NPCT uning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1 pij to the context of the con$
- covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CC1p
- title : CC1π Updated
- $\bullet \ \textbf{xtitle} : Q^2 \, (GeV^2)$
- ytitle : d\u00f3/dQ^2 (cm^2/nucleon/GeV^2) originalname : MINERvA\_CC1pip\_XSec\_1DQ2\_nu\_2017
- $\chi^2$ : 14.5928
- NDOF: 8 •  $\chi^2/NDOF$  : 1.82409

## MINERvA\_CCNpip\_XSec\_1Dth\_nu\_settings

- name: MINERvA\_CCNpip\_XSec\_1Dth\_nu
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_fhc\_numu. CH. 2500000. 1. prepared the property of the propert$
- type : DEFAULT
- description
- |--> MINERvA\_CCNpip\_XSec\_1Dth\_nu sample.
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current nue + nuebar
- 1--> Signal: Any event with 1 electron, any nucleons, and no other FS particles
- xtitle : θ<sub>π</sub> (degrees)
- ytitle :  $(1/T\Phi) dN_{\pi}/d\theta_{\pi} (cm^2/degrees/nucleon)$
- $\bullet \ default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK$
- $\bullet \ allowed\_types: FIX/FULL \\$ • enu min: 1.5
- enu\_max : 10
- title : MINERvA\_CCNpip\_XSec\_1Dth\_nu
- $\bullet \ original name : MINERvA\_CCNpip\_XSec\_1Dth\_nu \\$ • χ<sup>2</sup>: 52.9607
- NDOF : 14
- χ<sup>2</sup>/NDOF : 3.7829



#### MINERvA\_CCNpip\_XSec\_1DTpi\_nu\_settings

- name : MINERvA\_CCNpip\_XSec\_1DTpi\_nu
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_fhc\_numu. CH. 2500000.1. prepared the property of the property$
- type : DEFAULT
- description
- |--> MINERvA\_CCNpip\_XSec\_lDTpi\_nu sample.
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current nue + nuebar
- 1--> Signal: Any event with 1 electron, any nucleons, and no other FS particles
- xtitle :  $T_{\pi}$  (MeV)
- ytitle :  $(1/T\Phi) dN_{\pi}/dT_{\pi} (cm^2/MeV/nucleon)$
- default\_types : FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK
- $\bullet \ allowed\_types: FIX/FULL \\$
- enu\_min: 1.5
- enu\_max : 10
- $\bullet \ title : MINERvA\_CCNpip\_XSec\_1DTpi\_nu \\$
- originalname : MINERvA\_CCNpip\_XSec\_1DTpi\_nu
- $\chi^2$ : 29.5758 • NDOF : 7
- $\chi^2/NDOF$  : 4.22511


#### MINERvA\_CC1pi0\_XSec\_1Dth\_antinu\_2015\_settings

- name : MINERvA\_CC1pi0\_XSec\_1Dth\_antinu\_2015
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. preparation of the property of th$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1Dth\_antinu sample.
- |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks
- xtitle :  $\theta_{\pi}$  (degrees)
- ytitle :  $d\sigma/d\theta_{\pi}$ ) (cm<sup>2</sup>/nucleon/degree)
- $\bullet \ default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK$
- $\bullet \ allowed\_types: FIX/FULL \\$
- enu\_min : 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1Dth\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1Dth\_antinu\_2015
- χ<sup>2</sup>: 17.2829 NDOF: 11
- $\chi^2/NDOF$  : 1.57117

## MINERvA\_CC1pi0\_XSec\_1Dppi0\_antinu\_settings

- name: MINERvA\_CC1pi0\_XSec\_1Dppi0\_antinu
- $\bullet input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. prepared to the property of the pro$
- type : DEFAULT
- description |--> MINERvA\_CC1pi0\_XSec\_1Dppi0\_antinu sample.
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks

- xtitle : p<sub>rt</sub> (GeV/c) ytitle : do/dp<sub>rt</sub> (cm²/(GeV/c)/nucleon) default\_types : FIX,FREE,SHAPE/DIAG/NORM/MASK
- $\bullet \ allowed\_types: FIX/DIAG$ • enu min: 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1Dppi0\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1Dppi0\_antinu
- χ<sup>2</sup> : 41.0959 NDOF : 11
- χ<sup>2</sup>/NDOF : 3.73599



 $0^{\circ}$ 

0.2

0.4

0.6

0.8

 $T_{\pi}$  (GeV)

#### MINERvA\_CC1pi0\_XSec\_1Dthmu\_antinu\_settings


- name : MINERvA\_CC1pi0\_XSec\_1Dthmu\_antinu
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. preparation of the property of th$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1Dthmu\_antinu sample.
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- |--> Signal: Any event with 1 muon, 1 pion, no other tracks
- ytitle :  $d\sigma/d\theta_{\mu}$  (cm<sup>2</sup>/degrees/nucleon)
- $\bullet \ default\_types: FIX, FREE, SHAPE/DIAG/NORM/MASK$
- allowed\_types : FIX/DIAG
- enu\_min: 1.5
- enu\_max : 10
- $\bullet \ title : MINERvA\_CC1pi0\_XSec\_1Dthmu\_antinu \\$
- originalname : MINERvA\_CC1pi0\_XSec\_1Dthmu\_antinu
- χ<sup>2</sup>: 10.5358
- NDOF : 9 • χ<sup>2</sup>/NDOF : 1.17064

#### MINERvA\_CC1pi0\_XSec\_1DEnu\_antinu\_settings

- name : MINERvA\_CC1pi0\_XSec\_1DEnu\_antinu
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. preparation of the property of th$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1DEnu\_antinu sample.
- |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks
- xtitle : E<sub>v</sub> (GeV)
- ytitle :  $\sigma(E_v^{-1}(cm^2/nucleon))$
- $\bullet \ \mathbf{default\_types} : FIX, FREE, SHAPE/DIAG/NORM/MASK$
- $\bullet \ allowed\_types: FIX/DIAG$
- enu\_min : 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1DEnu\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1DEnu\_antinu
- χ<sup>2</sup> : 6.15226 NDOF : 8
- $\chi^2/NDOF : 0.769033$

# MINERvA\_CC1pi0\_XSec\_1DTpi0\_antinu\_settings

- name: MINERvA\_CC1pi0\_XSec\_1DTpi0\_antinu
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. prepared to the property of the p$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1DTpi0\_antinu sample.
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks
- $\bullet \ \textbf{xtitle} : T_{\pi} \, (GeV)$
- ytitle :  $d\sigma/dT_{\pi}$  (cm<sup>2</sup>/GeV/nucleon)
- $\bullet \ default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK$
- $\bullet \ allowed\_types: FIX/FULL \\$
- enu min: 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1DTpi0\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1DTpi0\_antinu
- $\chi^2$ : 10.5678 **NDOF**: 7
- χ<sup>2</sup>/NDOF : 1.50969




#### MINERvA\_CC1pi0\_XSec\_1Dpmu\_antinu\_settings


- name : MINERvA\_CC1pi0\_XSec\_1Dpmu\_antinu
- $\bullet input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. preparation of the property of the$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1Dpmu\_antinu sample.
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubarr
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks

- xtitle : p<sub>n</sub> (GeV)
   ytitle : dG/dp<sub>n</sub> (cm²/GeV/nucleon)
   default\_types : FIX,FREE,SHAPE/DIAG/NORM/MASK
- allowed\_types : FIX/DIAG
- enu\_min: 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1Dpmu\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1Dpmu\_antinu
- χ<sup>2</sup>: 7.07499 • NDOF : 9
- $\chi^2/NDOF : 0.78611$
- MINERvA\_CC1pi0\_XSec\_1Dth\_antinu\_2016\_settings
- name : MINERvA\_CC1pi0\_XSec\_1Dth\_antinu\_2016
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. prepared to the property of the p$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1Dth\_antinu sample
- |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks
- xtitle :  $\theta_{\pi}$  (degrees)
- ytitle :  $d\sigma/d\theta_{\pi}$ ) (cm<sup>2</sup>/nucleon/degree)
- $\bullet \ default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK$
- allowed\_types : FIX/FULL
- enu\_min : 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1Dth\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1Dth\_antinu\_2016
- χ<sup>2</sup> : 7.75216 **NDOF** : 11
- $\chi^2/NDOF : 0.704742$

# MINERvA\_CC1pi0\_XSec\_1DQ2\_antinu\_settings

- name: MINERvA\_CC1pi0\_XSec\_1DQ2\_antinu
- $\bullet \ input: GENIE: @GENIE\_DIR/gntp.R-2\_6\_3. Official Default. Default. MINERvA\_rhc\_numubar. CH. 2500000. 2. prepared to the property of the p$
- type : DEFAULT
- description
- |--> MINERvA\_CC1pi0\_XSec\_1DQ2\_antinu sample
- I--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numubar
- I--> Signal: Any event with 1 muon, 1 pion, no other tracks
- $\bullet \ \textbf{xtitle} : Q^2 \, (GeV^2)$
- ytitle :  $d\sigma/dQ^2$  (cm<sup>2</sup>/(GeV <sup>2</sup>)/nucleon)
- $\bullet \ default\_types: FIX, FREE, SHAPE/DIAG/NORM/MASK$
- $\bullet \ allowed\_types: FIX/DIAG$ • enu min: 1.5
- enu\_max : 10
- title : MINERvA\_CC1pi0\_XSec\_1DQ2\_antinu
- originalname : MINERvA\_CC1pi0\_XSec\_1DQ2\_antinu
- $\chi^2$ : 10.4201 **NDOF**: 8
- $\chi^2/NDOF$  : 1.30251





40

60

20

0

#### MINERvA\_CCCOHPI\_XSec\_1DEnu\_nu\_settings

- name: MINERvA CCCOHPI XSec 1DEnu nu
- input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT description :
- |--> MINERvA\_CCCOHPI\_XSec\_1DEnu\_nu sample |--> Target: CH

- |--> Flux: MINERVA Forward Horn Current numu |--> Signal: Any event with 1 mu-, 1pi+, and no other FS particles \* xtitle: E, (MeV) ytitle: dd/dE, (cm²/GeV/C¹²) default\_types: FIX.FREE.SHAPE/DIAG,FULL/NORM/MASK allowed\_types: FIX/FULL

- enu\_max: 20

   title: MINERVA\_CCCOHPI\_XSec\_IDEnu\_nu

   data: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh

   covar: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh

   covar: /data/stowell/NIWG/NPCTUNING/NPCTUN
- $\bullet \ original name : MINERvA\_CCCOHPI\_XSec\_1DEnu\_nu \\$
- NDOF : 9
- $\chi^2/NDOF:0$

#### MINERvA\_CCCOHPI\_XSec\_1Dth\_nu\_settings

- name : MINERVA\_CCCOHPI\_XSec\_1Dth\_nu
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT description :
- |--> MINERvA\_CCCOHPI\_XSec\_1Dth\_nu sample |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numu
- I--> Signal: Any event with 1 mu-, 1pi+, and no other FS particles
- xtitle :  $E_v$  (MeV)
- vytitle: do/dE<sub>v</sub> (cm²/GeV/C¹²)
   default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK
- allowed\_types : FIX/FULL enu\_min : 1.5


- enu\_max : 20 title : MINERvA\_CCCOHPI\_XSec\_1Dth\_nu
- data : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
   covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
- originalname : MINERvA\_CCCOHPI\_XSec\_1Dth\_nu
- NDOF : 12 •  $\chi^2/NDOF:0$


# MINERvA\_CCCOHPI\_XSec\_1DEpi\_nu\_settings


- name : MINERvA\_CCCOHPI\_XSec\_1DEpi\_nu
   input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_fhc\_numu.CH.2500000.1.prepared
- type : DEFAULT description :
- |--> MINERvA\_CCCOHPI\_XSec\_IDEpi\_nu sample |--> Target: CH
- |--> Flux: MINERvA Forward Horn Current numu
- I--> Signal: Any event with 1 mu-, 1pi+, and no other FS particles • xtitle :  $E_v$  (MeV)

- $\label{eq:potential} \begin{array}{l} \bullet \mbox{ ytitle : } d\sigma/dE_{\nu} \mbox{ (cm}^2/GeV/C^{12}) \\ \bullet \mbox{ default\_types : FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK} \end{array}$
- allowed\_types : FIX/FULL enu\_min : 1.5

- enu\_max : 20
   title : MINERvA\_CCCOHPI\_XSec\_1DEpi\_nu
- data://data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
   covar:/data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
- $\bullet \ original name : MINERvA\_CCCOHPI\_XSec\_1DEpi\_nu \\$
- NDOF : 9
- $\chi^2/NDOF:0$







#### MINERvA\_CCCOHPI\_XSec\_1DEnu\_antinu\_settings

- name: MINERvA CCCOHPI XSec 1DEnu antinu
- input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.OfficialDefault.Default.MINERvA\_rhc\_numubar.CH.2500000.2.prepa
- type : DEFAULT description :
- |--> MINERvA\_CCCOHPI\_XSec\_1DEnu\_antinu sample |--> Target: CH

- |--> Flux: MINERVA Reverse Horn Current numu |--> Flux: MINERVA Reverse Horn Current numu |--> Signal: Any event with 1 mu+, 1pi-, and no other FS particles \* xtitle: E, (MeV) ytitle: dof/dE, (cm²/GeV/C¹²) default\_types: FIX\_FREE\_SHAPE/DIAG,FULL/NORM/MASK \* allowed\_tens\_EX/EUI!

- allowed\_types : FIX/FULL

- enu\_max: 20

   title: MINERVA\_CCCOHPI\_XSec\_IDEnu\_antinu

   data: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh

   covar: /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh

   covar: /data/stowell/NIWG/NPCTUNING/NP
- $\bullet \ original name : MINERvA\_CCCOHPI\_XSec\_1DEnu\_antinu \\$
- NDOF : 9
- $\chi^2/NDOF:0$

#### MINERvA\_CCCOHPI\_XSec\_1Dth\_antinu\_settings

- name: MINERvA\_CCCOHPI\_XSec\_1Dth\_antinu
   input: GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_rhc\_numubar.CH.2500000.2.prepa
- type : DEFAULT description :
- |--> MINERvA\_CCCOHPI\_XSec\_1Dth\_antinu sample |--> Target: CH
- |--> Flux: MINERvA Reverse Horn Current numu
- I--> Signal: Any event with 1 mu+, 1pi-, and no other FS particles
- xtitle :  $E_v$  (MeV)
- vytitle: do/dE<sub>v</sub> (cm²/GeV/C¹²)
   default\_types: FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK
- allowed\_types : FIX/FULL enu\_min : 1.5

- enu\_max : 20
   title : MINERvA\_CCCOHPI\_XSec\_1Dth\_antinu
- data : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
   covar : /data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
- · originalname : MINERvA\_CCCOHPI\_XSec\_1Dth\_antinu
- χ<sup>2</sup>: 0 NDOF: 12
- γ<sup>2</sup>/NDOF : 0

# MINERvA\_CCCOHPI\_XSec\_1DEpi\_antinu\_settings

- name : MINERVA\_CCCOHPI\_XSec\_1DEpi\_antinu input : GENIE:@GENIE\_DIR/gntp.R-2\_6\_3.0fficialDefault.Default.MINERvA\_rhc\_numubar.CH.2500000.2.prepa
- $\bullet \ type : DEFAULT \\$ description
- |--> MINERvA\_CCCOHPI\_XSec\_1DEpi\_antinu sample. |--> Target: CH
- |--> Flux: MINERvA Reverse Horn Current numu
- I--> Signal: Any event with 1 mu+, 1pi-, and no other FS particles
- xtitle :  $E_v$  (MeV)
- $\label{eq:potential} \begin{array}{l} \bullet \mbox{ ytitle : } d\sigma/dE_{\nu} \mbox{ (cm}^2/GeV/C^{12}) \\ \bullet \mbox{ default\_types : FIX,FREE,SHAPE/DIAG,FULL/NORM/MASK} \end{array}$
- allowed\_types : FIX/FULL enu\_min : 1.5

- enu\_max : 20
   title : MINERvA\_CCCOHPI\_XSec\_1DEpi\_antinu
- data://data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
   covar:/data/stowell/NIWG/NPCTuning/Validations/minerva-validation-template/builds/v2r6/data/MINERvA/CCcoh
- $\bullet \ original name : MINERvA\_CCCOHPI\_XSec\_1DEpi\_antinu \\$
- NDOF : 9
- $\chi^2/NDOF:0$

