AD 2 AERODROMES

RJDO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RJDO - OJIKA

RJDO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	331127N 1290525E APRX 100m NE of AP administration office		
2	Direction and distance from (city)	APRX 3km SE of Ojika town office		
3	Elevation/ Reference temperature	25ft / 32°C(2003-2007)		
4	Geoid undulation at AD ELEV PSN	100ft		
5	MAG VAR/ Annual change	7°W(2009) / 2.7'W		
6	AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses	Ojika Airport Administration Office, Nagasaki Prefectual Government 2074-1 Maegata-gou, Ojika-cho, Kitamatsuura-gun, Nagasaki, 850-4702 JAPAN Tel: 0959-56-4110 e-mail: kukoukanrijimusyo@town.ojika.lg.jp		
7	Types of traffic permitted(IFR/VFR)	VFR		
8	Remarks	Nil		

RJDO AD 2.3 OPERATIONAL HOURS

1	AD Administration	0100 - 0700
2	Customs and immigration	On request Customs: 095-828-8641 Immigration: 095-822-5289
3	Health and sanitation	Quarantine(human): On request(095-826-8081) Quarantine(animal, plant): Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	Nil
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	0100 - 0700
11	De-icing	Nil
12	Remarks	Nil

RJDO AD 2.4 HANDLING SERVICES AND FACILITIES

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	Nil
3	Fuelling facilities/ capacity	Nil
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

RJDO AD 2.5 PASSENGER FACILITIES

1	Hotels	in Ojika town 4km	
2	Restaurants	in Ojika town 4km	
3	Transportation	Taxis	
4	Medical facilities	in Ojika town 4km	
5	Bank and Post Office	in Ojika town 4km	
6	Tourist Office	in Ojika town 4km	
7	Remarks	Nil	

RJDO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

1	AD category for fire fighting	CAT 2	
2	Rescue equipment	Chemical fire fighting truck x 1	
3	Capability for removal of disabled aircraft	Nil	
4	Remarks	Nil	

RJDO AD 2.7 SEASONAL AVAILABILITY-CLEARING

1	Types of clearing equipment	Not AVBL
2	Clearance priorities	Nil
3	Remarks	Nil

RJDO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

1	Apron surface and strength	Surface: Asphalt Strength : AUW 5700kg/0.28MPa	
2	Taxiway width, surface and strength	Width: 9m Surface: Asphalt Strength : AUW 5700kg/0.28MPa	
3	ACL and elevation	Not available	
4	VOR checkpoints	Not available	
5	INS checkpoints	Spot NR 1: 331125.40N 1290521.73E 2: 331126.15N 1290522.09E 3: 331126.91N 1290522.41E	
6	Remarks	Nil	

RJDO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and Visual dock- ing/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	RWY: RWY 03/21 (Marking) RWY designation, RWY CL, RWY middle point, RWY side stripe TWY: (Marking) TWY CL, TWY side stripe
3	Stop bars	Nil
4	Remarks	(Marking) Overrun area

RJDO AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas

RWY/Area affected	Obstacle type	Coordinates	Elevation	Markings/ LGT	Remarks
		Ni	I		

In circling area and at AD

Obstacle type	Coordinates	Elevation	Markings/ LGT	Remarks
Mountain	331129.9N/1290502.5E	256ft	-/-	above the horizontal surface

RJDO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

1	Associated MET Office	Nil
2	Hours of service	Nil
	MET Office outside hours	
3	Office responsible for TAF preparation	Nil
	Periods of validity	
4	Trend forecast	Nil
	Interval of issuance	
5	Briefing/ consultation provided	Nil
6	Flight documentation	Nil
	Language(s) used	
7	Charts and other information available	Nil
	for briefing or consultation	
8	Supplementary equipment	Nil
	available for providing information	
9	ATS units provided with information	Nil
10	Additional information(limitation of ser-	Nil
	vice, etc.)	

RJDO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

Designations RWY NR	TRUE BRG	Dimensions of RWY(M)	Strength(PCN) and surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
03	020.32°	800×25	AUW 5700kg/0.28MPa	331114.88N1290519.93E 138ft	THR ELEV : 39FT
21	200.32°	800×25	Asphalt-Concrete	331139.23N1290530.66E 112ft	THR ELEV : 13FT
Slope	of RWY	Strip Dimensions(M)		SA (Overrun) nensions (M)	Remarks
7 10		10 11		11	14
See AD 2.24 AD Chart 920×60		40×60		Nil	
		920×60		40×60	

RJDO AD 2.13 DECLARED DISTANCES

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6
03	800	800	800	800	Nil
21	800	800	800	800	Nil

RJDO AD 2.14 APPROACH AND RUNWAY LIGHTING

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
03	Nil	Nil	PAPI 3.0°/LEFT 126.5m 18FT	Nil	Nil	Nil	Nil	Nil
21	Nil	Nil	PAPI 3.0°/LEFT 83.9m 18FT	Nil	Nil	Nil	Nil	Nil
				Remarks				
				10				
RWY THR ID I	_GT for RYW	/ 03/21 THF	R (Color: White)					

RJDO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	Nil
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centerline lighting	Nil
4	Secondary power supply/ switch-over time	Within 15 sec: All lights
5	Remarks	Nil

RJDO AD 2.16 HELICOPTER LANDING AREA

Nil

RJDO AD 2.17 ATS AIRSPACE

Designation and lateral limits		Airspace classification	ATS unit call sign Language	Remarks
1	2	3	4	6
Nil				

RJDO AD 2.18 ATS COMMUNICATION FACILITIES

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	2 3		5
		Nil		

AIP Japan OJIKA

RJDO AD 2.19 RADIO NAVIGATION AND LANDING AIDS

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
				Nil		

				coordinates	antonna	
1	2	3	4	5	6	7
				Nil		
port regulations	S	RJDO AD	2.20 LOCA	L TRAFFIC RE	EGULATIONS	
Aircraft opera On use of	ations other t OJIKA airpo	han scheduled rt, aircraft opera	flights or in an tor is required	emergency to obtain the permi	sion of airport author	ty.
axiing to and fror	n stands					
				Nil		
arking area for s	mall aircraft(General aviation	n)			
				Nil		
arking area for h	elicopters					
				Nil		
pron - taxiing du	ring winter c	onditions				
				Nil		
axiing - limitation	s					
				Nil		
school and training	ig flights - teo	chnical test fligh	ts - use of run	ways		
				Nil		
elicopter traffic -	limitation					
				Nil		
emoval of disabl	ed aircraft fr	om runways				
				Nil		

RJDO AD 2.21 NOISE ABATEMENT PROCEDURES
Nil
RJDO AD 2.22 FLIGHT PROCEDURES
Nil
RJDO AD 2.23 ADDITIONAL INFORMATION
Nil
RJDO AD 2.24 CHARTS RELATED TO AN AERODROME
Aerodrome/Heliport Chart

