

## AD 2 AERODROMES

## RJDO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

## RJDO - OJKA

## RJDO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

|   |   |  |
|---|---|--|
| 1 | ARP coordinates and site at AD  | 331127N 1290525E<br>APRX 100m NE of AP administration office   |
| 2 | Direction and distance from (city)  | APRX 3km SE of Ojika town office   |
| 3 | Elevation/ Reference temperature  | 25ft / 32°C(2003-2007)   |
| 4 | Geoid undulation at AD ELEV<br>PSN  | 100ft  |
| 5 | MAG VAR/ Annual change  | 7°W(2009) / 2.7°W  |
| 6 | AD Administration,address,<br>telephone, telefax, telex, AFS,<br>e-mail and/or Web-site addresses | Ojika Airport Administration Office, Nagasaki Prefectural Government<br>2074-1 Maegata-gou, Ojika-cho, Kitamatsuura-gun, Nagasaki,<br>850-4702 JAPAN<br>Tel: 0959-56-4110 e-mail: kukoukanrijimusyo@town.ojika.lg.jp |
| 7 | Types of traffic permitted(IFR/<br>VFR)   | VFR  |
| 8 | Remarks   | Nil  |

## RJDO AD 2.3 OPERATIONAL HOURS

|    |                           |   |
|----|---------------------------|---|
| 1  | AD Administration         | 0100 - 0700   |
| 2  | Customs and immigration   | On request<br>Customs: 095-828-8641<br>Immigration: 095-822-5289              |
| 3  | Health and sanitation     | Quarantine(human): On request(095-826-8081)<br>Quarantine(animal, plant): Nil |
| 4  | AIS Briefing Office       | Nil   |
| 5  | ATS Reporting Office(ARO) | Nil   |
| 6  | MET Briefing Office       | Nil   |
| 7  | ATS                       | Nil   |
| 8  | Fuelling                  | Nil   |
| 9  | Handling                  | Nil   |
| 10 | Security                  | 0100 - 0700   |
| 11 | De-icing                  | Nil   |
| 12 | Remarks                   | Nil   |

**RJDO AD 2.4 HANDLING SERVICES AND FACILITIES**

|   |   |     |
|---|---|-----|
| 1 | Cargo-handling facilities               | Nil |
| 2 | Fuel/ oil types                         | Nil |
| 3 | Fuelling facilities/ capacity           | Nil |
| 4 | De-icing facilities                     | Nil |
| 5 | Hangar space for visiting aircraft      | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks                                 | Nil |

**RJDO AD 2.5 PASSENGER FACILITIES**

|   |                      |                   |
|---|----------------------|-------------------|
| 1 | Hotels               | in Ojika town 4km |
| 2 | Restaurants          | in Ojika town 4km |
| 3 | Transportation       | Taxis             |
| 4 | Medical facilities   | in Ojika town 4km |
| 5 | Bank and Post Office | in Ojika town 4km |
| 6 | Tourist Office       | in Ojika town 4km |
| 7 | Remarks              | Nil               |

**RJDO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

|   |   |                                  |
|---|---|----------------------------------|
| 1 | AD category for fire fighting               | CAT 2                            |
| 2 | Rescue equipment                            | Chemical fire fighting truck x 1 |
| 3 | Capability for removal of disabled aircraft | Nil                              |
| 4 | Remarks                                     | Nil                              |

**RJDO AD 2.7 SEASONAL AVAILABILITY-CLEARING**

|   |                             |          |
|---|-----------------------------|----------|
| 1 | Types of clearing equipment | Not AVBL |
| 2 | Clearance priorities        | Nil      |
| 3 | Remarks                     | Nil      |

**RJDO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

|   |                                     |  |
|---|-------------------------------------|--|
| 1 | Apron surface and strength          | Surface: Asphalt      Strength : AUW 5700kg/0.28MPa  |
| 2 | Taxiway width, surface and strength | Width: 9m<br>Surface: Asphalt      Strength : AUW 5700kg/0.28MPa                               |
| 3 | ACL and elevation                   | Not available  |
| 4 | VOR checkpoints                     | Not available  |
| 5 | INS checkpoints                     | Spot NR<br>1: 331125.40N 1290521.73E<br>2: 331126.15N 1290522.09E<br>3: 331126.91N 1290522.41E |
| 6 | Remarks                             | Nil  |

**RJDO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS**

|   |  |   |
|---|--|---|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil   |
| 2 | RWY and TWY markings and LGT   | RWY: RWY 03/21<br>(Marking) RWY designation, RWY CL, RWY middle point, RWY side stripe<br>TWY:<br>(Marking) TWY CL, TWY side stripe |
| 3 | Stop bars  | Nil   |
| 4 | Remarks  | (Marking) Overrun area  |

**RJDO AD 2.10 AERODROME OBSTACLES**

In approach/TKOF areas

| RWY/Area affected | Obstacle type | Coordinates | Elevation | Markings/ LGT | Remarks |
|-------------------|---------------|-------------|-----------|---------------|---------|
| Nil               |               |             |           |               |         |

In circling area and at AD

| Obstacle type | Coordinates          | Elevation | Markings/ LGT | Remarks                      |
|---------------|----------------------|-----------|---------------|------------------------------|
| Mountain      | 331129.9N/1290502.5E | 256ft     | -/-           | above the horizontal surface |

## RJDO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

|    |  |     |
|----|--|-----|
| 1  | Associated MET Office  | Nil |
| 2  | Hours of service<br>MET Office outside hours                           | Nil |
| 3  | Office responsible for TAF preparation<br>Periods of validity          | Nil |
| 4  | Trend forecast<br>Interval of issuance                                 | Nil |
| 5  | Briefing/ consultation provided  | Nil |
| 6  | Flight documentation<br>Language(s) used                               | Nil |
| 7  | Charts and other information available<br>for briefing or consultation | Nil |
| 8  | Supplementary equipment<br>available for providing information         | Nil |
| 9  | ATS units provided with information                                    | Nil |
| 10 | Additional information(limitation of service, etc.)                    | Nil |

## RJDO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations<br>RWY NR | TRUE BRG | Dimensions of<br>RWY(M) | Strength(PCN) and<br>surface of RWY | THR coordinates<br>THR geoid undulation | THR elevation and<br>highest elevation of TDZ<br>of precision APP RWY |
|------------------------|----------|-------------------------|-------------------------------------|---|---|
| 1                      | 2        | 3                       | 4                                   | 5                                       | 6   |
| 03                     | 020.32°  | 800×25                  | AUW                                 | 331114.88N1290519.93E                   | THR ELEV : 39FT   |
| 21                     | 200.32°  | 800×25                  | 5700kg/0.28MPa<br>Asphalt-Concrete  | 138ft<br>331139.23N1290530.66E<br>112ft | THR ELEV : 13FT   |
| Slope of RWY           |          | Strip<br>Dimensions(M)  | RESA (Overrun)<br>Dimensions (M)    |   | Remarks   |
| 7                      |          | 10                      | 11                                  |   | 14  |
| See AD 2.24 AD Chart   |          | 920×60                  | 40×60                               |   | Nil   |
|                        |          | 920×60                  | 40×60                               |   |   |

## RJDO AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA<br>(m) | TODA<br>(m) | ASDA<br>(m) | LDA<br>(m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1              | 2           | 3           | 4           | 5          | 6       |
| 03             | 800         | 800         | 800         | 800        | Nil     |
| 21             | 800         | 800         | 800         | 800        | Nil     |

**RJDO AD 2.14 APPROACH AND RUNWAY LIGHTING**

| RWY<br>Designator                               | APCH<br>LGT<br>type<br>LEN<br>INTST | RTHL<br>Color<br>WBAR | PAPI<br>(VASIS)<br>Angle<br>DIST FM THR<br>MEHT | RTZL<br>LEN | RCLL<br>LEN<br>Spacing<br>Color<br>INTST | REDL<br>LEN<br>Spacing<br>Color<br>INTST | RENL<br>Color<br>WBAR | STWL<br>LEN<br>Color |
|---|-------------------------------------|-----------------------|---|-------------|--|--|-----------------------|----------------------|
| 1   | 2                                   | 3                     | 4   | 5           | 6  | 7  | 8                     | 9                    |
| 03  | Nil                                 | Nil                   | PAPI<br>3.0°/LEFT<br>126.5m<br>18FT             | Nil         | Nil                                      | Nil                                      | Nil                   | Nil                  |
| 21  | Nil                                 | Nil                   | PAPI<br>3.0°/LEFT<br>83.9m<br>18FT              | Nil         | Nil                                      | Nil                                      | Nil                   | Nil                  |
| Remarks   |                                     |                       |   |             |  |  |                       |                      |
| 10  |                                     |                       |   |             |  |  |                       |                      |
| RWY THR ID LGT for RWY 03/21 THR (Color: White) |                                     |                       |   |             |  |  |                       |                      |

**RJDO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY**

|   |  |                           |
|---|--|---------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil                       |
| 2 | LDI location and LGT<br>Anemometer location and LGT      | Nil                       |
| 3 | TWY edge and centerline lighting                         | Nil                       |
| 4 | Secondary power supply/ switch-over time                 | Within 15 sec: All lights |
| 5 | Remarks  | Nil                       |

**RJDO AD 2.16 HELICOPTER LANDING AREA**

|     |
|-----|
| Nil |
|-----|

**RJDO AD 2.17 ATS AIRSPACE**

| Designation and lateral limits | Vertical<br>limits<br>(ft) | Airspace<br>classification | ATS unit call<br>sign Language | Remarks |
|--------------------------------|----------------------------|----------------------------|--------------------------------|---------|
| 1                              | 2                          | 3                          | 4                              | 6       |
| Nil                            |                            |                            |                                |         |

**RJDO AD 2.18 ATS COMMUNICATION FACILITIES**

| Service<br>designation | Call sign | Frequency | Hours of<br>operation | Remarks |
|------------------------|-----------|-----------|-----------------------|---------|
| 1                      | 2         | 3         | 4                     | 5       |
| Nil                    |           |           |                       |         |

**RJDO AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|--|---------------------------------------|---------|
| 1           | 2  | 3         | 4                  | 5  | 6                                     | 7       |
| Nil         |    |           |                    |  |                                       |         |

**RJDO AD 2.20 LOCAL TRAFFIC REGULATIONS**

## 1. Airport regulations

Aircraft operations other than scheduled flights or in an emergency  
On use of OJKA airport, aircraft operator is required to obtain the permission of airport authority.

## 2. Taxiing to and from stands

Nil

## 3. Parking area for small aircraft(General aviation)

Nil

## 4. Parking area for helicopters

Nil

## 5. Apron - taxiing during winter conditions

Nil

## 6. Taxiing - limitations

Nil

## 7. School and training flights - technical test flights - use of runways

Nil

## 8. Helicopter traffic - limitation

Nil

## 9. Removal of disabled aircraft from runways

Nil

**RJDO AD 2.21 NOISE ABATEMENT PROCEDURES**

Nil

**RJDO AD 2.22 FLIGHT PROCEDURES**

Nil

**RJDO AD 2.23 ADDITIONAL INFORMATION**

Nil

**RJDO AD 2.24 CHARTS RELATED TO AN AERODROME**

Aerodrome/Heliport Chart

**INTENTIONALLY LEFT BLANK**



RJDO / OJIKA

AD CHART

