


RJTC / TACHIKAWA

AD CHART



STANDARD DEPARTURE CHART-INSTRUMENT

RJTC / TACHIKAWA

SID

EDA FOUR DEPARTURE

RWY01: Climb RWY HDG to 800FT, turn right HDG196° to intercept and proceed via TNT R151 (151° from TN NDB) to EDARR. Cross EDARR at assigned or specified altitude.

RWY19: Climb RWY HDG to 900FT, turn left HDG121° to intercept and proceed via TNT R151 (151° from TN NDB) to EDARR. Cross EDARR at assigned or specified altitude.

NOTE

1 When take off RWY01(RWY19), following minimum climb gradient should be maintained until passing 3000FT for noise abatement and obstacle avoidance.

| | | | | | | |
|-----------------|-----|-----|-----|-----|-----|------|
| Speed (Knots) | 60 | 90 | 120 | 150 | 180 | 210 |
| Rate (Feet/Min) | 300 | 450 | 600 | 750 | 900 | 1050 |

2 Obstructions exists.

- a 648' MSL height Chimney at 1.5NM NE of RWY01 DER
- b 641' MSL height Chimney at 1.7NM NE of RWY01 DER
- c 647' MSL height Substation at 2.1NM NE of RWY01 DER
- d 669' MSL height Micro Antenna at 1NM ESE of RWY19 DER
- e 696' MSL height Building at 0.9NM SE of RWY19 DER

TACHIKAWA NORTHEAST FOUR DEPARTURE

RWY01: Climb RWY HDG to 800FT, turn right HDG075° to intercept and proceed via TNT R045 (045° from TN NDB) to OMIYA. Cross OMIYA at assigned or specified altitude.

RWY19: Climb RWY HDG to 900FT, turn left HDG360° to intercept and proceed via TNT R045 (045° from TN NDB) to OMIYA. Cross OMIYA at assigned or specified altitude.

NOTE

1 When take off RWY01(RWY19), following minimum climb gradient should be maintained until passing 3000FT for noise abatement and obstacle avoidance.

| | | | | | | |
|-----------------|-----|-----|-----|-----|-----|------|
| Speed (Knots) | 60 | 90 | 120 | 150 | 180 | 210 |
| Rate (Feet/Min) | 300 | 450 | 600 | 750 | 900 | 1050 |

2 Obstructions exists.

- a 648' MSL height Chimney at 1.5NM NE of RWY01 DER
- b 641' MSL height Chimney at 1.7NM NE of RWY01 DER
- c 647' MSL height Substation at 2.1NM NE of RWY01 DER
- d 669' MSL height Micro Antenna at 1NM ESE of RWY19 DER
- e 696' MSL height Building at 0.9NM SE of RWY19 DER

STANDARD DEPARTURE CHART-INSTRUMENT

RJTC / TACHIKAWA

SID

SIDs at TACHIKAWA AERODROME




RJTC / TACHIKAWA

YOKOTA APP
123.8 - 118.3
261.4 - 270.6

SHIN-TACHIKAWA NDB
366 TN =.
35°43'06"N / 139°23'59"E


TACHIKAWA TOWER
118.85 - 126.2
298.8 - 236.8

RADAR AVAILABLE
CALL
YOKOTA APP



At TN NDB, turn left, climb
to 4500FT via 151DEG from
TN NDB.
Contact YOKOTA APP.

Remain within 10NM of TN NDB



| MINIMA | | AD elev. 313 |
|--------|------------|--------------|
| CAT | CIRCLING | |
| | MDA(H) | VIS |
| A | 1160 (847) | 1600 |
| B | | |
| C | | 2400 |
| D | — | — |

RJTC / TACHIKAWA


TACAN RWY01

VAR 7°W (2013)

EQPT REQUIRED



Climb to 1900FT via TNT
R181 to TNT, via TNT R001
to TNT 0.3DME, turn right,
via TNT R181 to HALHI and
hold.
Contact YOKOTA APP.



| MINIMA | | THR elev.299 | AD elev. 313 | |
|--------|-----------|--------------|----------------|-----|
| CAT | | | CIRCLING | |
| | MDA (H) | VIS | MDA (H) | VIS |
| H | 960 (661) | 800 | Not Authorized | |