### **AD 2 AERODROMES**

## **RJDM AD 2.1 AERODROME LOCATION INDICATOR AND NAME**

## **RJDM - METABARU**

### RJDM AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

1	ARP coordinates and site at AD	331931N 1302449E
2	Direction and distance from (city)	
3	Elevation/ Reference temperature	53ft / Nil
4	Geoid undulation at AD ELEV PSN	Nil
5	MAG VAR/ Annual change	Nil
6	AD Administration, address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses	JSDF-G
7	Types of traffic permitted(IFR/ VFR)	VFR
8	Remarks	Nil

#### **RJDM AD 2.3 OPERATIONAL HOURS**

1	AD Administration	Nil
2	Customs and immigration	Nil
3	Health and sanitation	Nil
4	AIS Briefing Office	Nil
5	ATS Reporting Office(ARO)	Nil
6	MET Briefing Office	2200 - 0800 MON - FRI, Other time on request
7	ATS	Nil
8	Fuelling	Nil
9	Handling	Nil
10	Security	Nil
11	De-icing	Nil
12	Remarks	Nil

## **RJDM AD 2.4 HANDLING SERVICES AND FACILITIES**

1	Cargo-handling facilities	Nil
2	Fuel/ oil types	JP-4
3	Fuelling facilities/ capacity	To be issued later
4	De-icing facilities	Nil
5	Hangar space for visiting aircraft	Nil
6	Repair facilities for visiting aircraft	Nil
7	Remarks	Nil

### **RJDM AD 2.5 PASSENGER FACILITIES**

1	Hotels	Nil
2	Restaurants	Nil
3	Transportation	Nil
4	Medical facilities	Nil
5	Bank and Post Office	Nil
6	Tourist Office	Nil
7	Remarks	Nil

### **RJDM AD 2.6 RESCUE AND FIRE FIGHTING SERVICES**

1	AD category for fire fighting	Nil
2	Rescue equipment	Nil
3	Capability for removal of disabled aircraft	Nil
4	Remarks	Nil

#### **RJDM AD 2.7 SEASONAL AVAILABILITY-CLEARING**

1	Types of clearing equipment	Nil
2	Clearance priorities	Nil
3	Remarks	Nil

# **RJDM AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA**

1	Apron surface and strength	To be issued later
2	Taxiway width, surface and strength	To be issued later
3	ACL and elevation	Not available
4	VOR checkpoints	Nil
5	INS checkpoints	Nil
6	Remarks	Nil

## RJDM AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

1	Use of aircraft stand ID signs, TWY guide lines and Visual dock- ing/ parking guidance system of aircraft stands	Nil
2	RWY and TWY markings and LGT	Nil
3	Stop bars	Nil
4	Remarks	Nil

### **RJDM AD 2.10 AERODROME OBSTACLES**

RWY/Area affected	Obstacle type	Coordinates	Elevation	Markings/ LGT	Remarks
		Nil			

## **RJDM AD 2.11 METEOROLOGICAL INFORMATION PROVIDED**

1	Associated MET Office	METEBARU
2	Hours of service MET Office outside hours	2200 - 0800 MON-FRI Other time on request
3	Office responsible for TAF preparation Periods of validity	Nil
4	Trend forecast Interval of issuance	Nil
5	Briefing/ consultation provided	Nil
6	Flight documentation Language(s) used	Ja,En
7	Charts and other information available for briefing or consultation	S,U
8	Supplementary equipment available for providing information	Nil
9	ATS units provided with information	Nil
10	Additional information(limitation of service, etc.)	Nil

## **RJDM AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS**

Designations RWY NR	TRUE BRG	Dimensions of RWY(M)	Strength(PCN) and surface of RWY	THR coordinates THR geoid undulation	THR elevation and highest elevation of TDZ of precision APP RWY
1	2	3	4	5	6
04	To be	660×30	SIWL	Nil	Nil
22	issued	660×30	(5000lbs)	Nil	Nil
	Later				
Slope o	of RWY	Strip Dimensions(M)		Remarks	
7		10		12	
Ni	il	780×60			
		780×60			

## **RJDM AD 2.13 DECLARED DISTANCES**

RWY Designator	TORA (m)	TODA (m)	ASDA (m)	LDA (m)	Remarks
1	2	3	4	5	6

## **RJDM AD 2.14 APPROACH AND RUNWAY LIGHTING**

RWY Designator	APCH LGT type LEN INTST	RTHL Color WBAR	PAPI (VASIS) Angle DIST FM THR MEHT	RTZL LEN	RCLL LEN Spacing Color INTST	REDL LEN Spacing Color INTST	RENL Color WBAR	STWL LEN Color
1	2	3	4	5	6	7	8	9
04 22								
				Remarks				
				10				

## RJDM AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

1	ABN/IBN location, characteristics and hours of operation	ABN: 331941N/130 2442E,White/Green EV10sec, On request
2	LDI location and LGT Anemometer location and LGT	Nil
3	TWY edge and centerline lighting	Nil
4	Secondary power supply/ switch-over time	Nil
5	Remarks	OBST LGT

### **RJDM AD 2.16 HELICOPTER LANDING AREA**

To be issued later

### **RJDM AD 2.17 ATS AIRSPACE**

Designation and lateral limits			Airspace classification	ATS unit call sign Language	Remarks
1		2	3	4	6
METABARU	Area within a radius of 5NM of METABARU	3000 or	D	METABARU	
CTR	CTR ARP(33° 20'N130° 25'E).			TOWER	

## **RJDM AD 2.18 ATS COMMUNICATION FACILITIES**

Service designation	Call sign	Frequency	Hours of operation	Remarks
1	2	3	4	5
TWR	Metabaru Tower	126.2MHz	2300 - 0800(2)	(1)Rescue only.
		140.5MHz	MON-FRI	(2)EXC HOL and 12/29 - 1/3.
		139.8MHz	Other time	
		138.05MHz	1HR PN	
		123.1MHz(1)		
		121.5MHz(E)		
		304.8MHz		

### **RJDM AD 2.19 RADIO NAVIGATION AND LANDING AIDS**

Type of aid	ID	Frequency	Hours of operation	Position of transmitting antenna coordinates	Elevation of DME transmitting antenna	Remarks
1	2	3	4	5	6	7
				Nil		

1. Airport re	RJDM AD 2.20 LOCAL TRAFFIC REGULATIONS egulations
	Nil
2. Taxiing t	o and from stands
	Nil
3. Parking	area for small aircraft(General aviation)
	Nil
4. Parking	area for helicopters
	Nil
5. Apron - 1	axiing during winter conditions
	Nil
6. Taxiing -	limitations
	Nil
7. School a	nd training flights - technical test flights - use of runways
	Nil

. Hel	licopter traffic - limitation
	Nil
. Rei	moval of disabled aircraft from runways
	Nil
	RJDM AD 2.21 NOISE ABATEMENT PROCEDURES
	Nil
	RJDM AD 2.22 FLIGHT PROCEDURES
	Nil
	RJDM AD 2.23 ADDITIONAL INFORMATION
	Nil
	RJDM AD 2.24 CHARTS RELATED TO AN AERODROME
	Nil

