

RJCT / TOKACHI

AD CHART



INTENTIONALLY LEFT BLANK

STANDARD DEPARTURE CHART - INSTRUMENT

RJCT/TOKACHI

SID and TRANSITION


OTOFUKE REVERSAL ONE DEPARTURE

RWY13 : Climb RWY HDG to 500FT, turn left,...
RWY31 : Climb RWY HDG to 500FT, turn right,...
...to intercept and proceed via TKT R040 to 2000FT,
within TKT 10.0DME to intercept and proceed via TKT R040 to TKT TACAN.
Cross TKT TACAN at or above 4000FT.
Note RWY13 : 5.3% climb gradient required up to 500FT.

OBST ALT 340FT located at 0.3NM 157°FM end of RWY13.


NOTAK TRANSITION

From over TKT TACAN, climb via TKT R338 to NOTAK.
Cross NOTAK at or above 6000FT.

HONBETSU ONE DEPARTURE


RWY13 : Climb RWY HDG to 500FT, turn left,...
RWY31 : Climb RWY HDG to 500FT, turn right,...
...via TKT R063 to EATAK.
Cross EATAK at or above 5000FT.
Note RWY13 : 5.3% climb gradient required up to 500FT.

OBST ALT 340FT located at 0.3NM 157°FM end of RWY13.



INTENTIONALLY LEFT BLANK

STANDARD ARRIVAL CHART - INSTRUMENT



INTENTIONALLY LEFT BLANK

RJCT / TOKACHI

SAPPORO CONTROL 128.325 – 246.1 134.25 – 260.4	TOKACHI TACAN 1016 TKT CH-55X ☐-- 42°53'36"N/143°09'57"E	TOKACHI TOWER 122.2	GCA AVAILABLE
---	--	-----------------------------------	----------------------

VAR 9°W (2016)

EMERG SAFE ALT 100NM 9600

MISSED APPROACH

Turn left, Climb to 3300FT, via TKT R040 to OSABU and hold.
Contact TOKACHI TOWER.

MINIMA		THR elev. 281	AD elev. 281
CAT		CIRCLING	
	MDA(H)	CMV	VIS
A	640 (359)	1500	720 (439)
B			1600
C			
D	—	—	—

INTENTIONALLY LEFT BLANK