


RJOI/IWAKUNI

AD CHART



NOTE: REPRINTING DOD FLIP

RJOI / IWAKUNI

Aircraft Parking / Docking Chart



## RJOI / IWAKUNI

|            |       |       |
|------------|-------|-------|
| ATIS ★     | 128.4 | 283.0 |
| CLNC DEL ★ | 135.7 | 310.6 |
| GND CON ★  | 121.3 | 360.2 |
| TOWER ★    | 123.8 | 340.2 |
| DEP CON ★  | 131.4 | 363.8 |

|   |
|---|
| RNAV1-DME/DME/IRU,<br>DME/DME, GNSS, or RNP 2.0 |
|---|

| Rwy       | Knots    | 60  | 120 | 180 | 240  | 300  | 360  |
|-----------|----------|-----|-----|-----|------|------|------|
| * 02 @    | V/V(fpm) | 230 | 460 | 690 | 920  | 1150 | 1650 |
| † 02/20 @ | V/V(fpm) | 330 | 660 | 990 | 1320 | 1650 | 1980 |
| † 20 @    | V/V(fpm) | 204 | 408 | 612 | 816  | 1020 | 1224 |

\* Minimum † ATC Climb Rate

Ⓐ to 2300

⑥ MALTA transtion to 15,000 from MYE to MALTA

(C) to 6000



NOTE: Chart not to scale

TA 14,000

## DEPARTURE ROUTE DESCRIPTION

TAKEOFF RWY 20: Climb heading 195° to 511, then on depicted route. Cross MATSUYAMA VOR/DME (MYE) at 6000 thence...

KOCHI TRANSITION: As depicted. Cross KOCHI (KRE) at FL150. Maintain FL150 or higher as assigned.

MALTA TRANSITION: As depicted. Cross MALTA at FL150, maintain FL150 or higher as assigned.

CHANGE : Update.

NOTE: REPRINTING DOD FLIP


## RJOI/IWAKUNI

ILS RWY02

**T** \*When ALS inop, increase CAT ABCD vis to  $\frac{3}{4}$  mile.  
 \*\*When ALS inop, increase CAT AB vis to 1 mile,  
 CAT CD vis to  $1\frac{1}{8}$  miles.  
 \*\*\*Circling not authorized W of Rwy 02-20. CAT D  
 remain within 2.8 NM.

**MISSED APPROACH:** Climb on heading 014° to 700, then climbing right turn to 6000 heading 144° direct MYE VOR/DME and hold.

|  |     |     |     |     |      |      |
|--|-----|-----|-----|-----|------|------|
| Knots  | 60  | 120 | 180 | 240 | 300  | 360  |
| V/V(fpm)   | 210 | 420 | 630 | 840 | 1050 | 1260 |
| Min climb of 210 ft/NM to 2100 - Controlling Obstacle 1457 |     |     |     |     |      |      |



NOTE: REPRINTING DOD FLIP

INSTRUMENT APPROACH CHART



RJOI / IWAKUNI

LDG CHART

## SEALANE PATTERNS & VFR ARR PATTERNS



IWAKUNI SEALANE(TOWER) :  
122.0 - 123.1x - 228.2 - 319.0

IWAKUNI APP : WEST  
131.4 - 236.2  
EAST 128.0 - 250.6

IWAKUNI TWR :  
123.8 - 340.2

RJOI / IWAKUNI

Minimum Vectoring Altitude CHART

| Altitude MSL |
|--------------|
| S1 – 7400 ft |
| S2 – 5500 ft |
| S3 – 2300 ft |
| S4 – 4100 ft |
| S5 – 3400 ft |
| S6 – 2800 ft |
| S7 – 2700 ft |
| S8 – 2600 ft |

- Centered on NEU (Iwakuni TACAN)
- Radials from NEU



CHANGE : Update.