

AD 2 AERODROMES

RJDO AD 2.1 AERODROME LOCATION INDICATOR AND NAME

RJDO - OJKA

RJDO AD 2.2 AERODROME GEOGRAPHICAL AND ADMINISTRATIVE DATA

| | | |
|---|---|--|
| 1 | ARP coordinates and site at AD | 331127N 1290525E APRX 100m NE of AP administration office |
| 2 | Direction and distance from (city) | APRX 3km SE of Ojika town office |
| 3 | Elevation/ Reference temperature | 25ft / 32°C(2003-2007) |
| 4 | Geoid undulation at AD ELEV PSN | 100ft |
| 5 | MAG VAR/ Annual change | 7°W(2009) / 2.7°W |
| 6 | AD Administration,address, telephone, telefax, telex, AFS, e-mail and/or Web-site addresses | Ojika Airport Administration Office, Nagasaki Prefectural Government 2074-1 Maegata-gou, Ojika-cho, Kitamatsuura-gun, Nagasaki, 850-4702 JAPAN Tel: 0959-56-4110 e-mail: kukoukanrijimusyo@town.ojika.lg.jp |
| 7 | Types of traffic permitted(IFR/ VFR) | VFR |
| 8 | Remarks | Nil |

RJDO AD 2.3 OPERATIONAL HOURS

| | | |
|----|---------------------------|---|
| 1 | AD Administration | 0100 - 0700 |
| 2 | Customs and immigration | On request Customs: 095-828-8641 Immigration: 095-822-5289 |
| 3 | Health and sanitation | Quarantine(human): On request(095-826-8081) Quarantine(animal, plant): Nil |
| 4 | AIS Briefing Office | Nil |
| 5 | ATS Reporting Office(ARO) | Nil |
| 6 | MET Briefing Office | Nil |
| 7 | ATS | Nil |
| 8 | Fuelling | Nil |
| 9 | Handling | Nil |
| 10 | Security | 0100 - 0700 |
| 11 | De-icing | Nil |
| 12 | Remarks | Nil |

RJDO AD 2.4 HANDLING SERVICES AND FACILITIES

| | | |
|---|---|-----|
| 1 | Cargo-handling facilities | Nil |
| 2 | Fuel/ oil types | Nil |
| 3 | Fuelling facilities/ capacity | Nil |
| 4 | De-icing facilities | Nil |
| 5 | Hangar space for visiting aircraft | Nil |
| 6 | Repair facilities for visiting aircraft | Nil |
| 7 | Remarks | Nil |

RJDO AD 2.5 PASSENGER FACILITIES

| | | |
|---|----------------------|-------------------|
| 1 | Hotels | in Ojika town 4km |
| 2 | Restaurants | in Ojika town 4km |
| 3 | Transportation | Taxis |
| 4 | Medical facilities | in Ojika town 4km |
| 5 | Bank and Post Office | in Ojika town 4km |
| 6 | Tourist Office | in Ojika town 4km |
| 7 | Remarks | Nil |

RJDO AD 2.6 RESCUE AND FIRE FIGHTING SERVICES

| | | |
|---|---|----------------------------------|
| 1 | AD category for fire fighting | CAT 2 |
| 2 | Rescue equipment | Chemical fire fighting truck x 1 |
| 3 | Capability for removal of disabled aircraft | Nil |
| 4 | Remarks | Nil |

RJDO AD 2.7 SEASONAL AVAILABILITY-CLEARING

| | | |
|---|-----------------------------|----------|
| 1 | Types of clearing equipment | Not AVBL |
| 2 | Clearance priorities | Nil |
| 3 | Remarks | Nil |

RJDO AD 2.8 APRONS, TAXIWAYS AND CHECK LOCATIONS DATA

| | | |
|---|-------------------------------------|--|
| 1 | Apron surface and strength | Surface: Asphalt Strength : AUW 5700kg/0.28MPa |
| 2 | Taxiway width, surface and strength | Width: 9m Surface: Asphalt Strength : AUW 5700kg/0.28MPa |
| 3 | ACL and elevation | Not available |
| 4 | VOR checkpoints | Not available |
| 5 | INS checkpoints | Spot NR 1: 331125.40N 1290521.73E 2: 331126.15N 1290522.09E 3: 331126.91N 1290522.41E |
| 6 | Remarks | Nil |

RJDO AD 2.9 SURFACE MOVEMENT GUIDANCE AND CONTROL SYSTEM AND MARKINGS

| | | |
|---|--|---|
| 1 | Use of aircraft stand ID signs, TWY guide lines and Visual docking/ parking guidance system of aircraft stands | Nil |
| 2 | RWY and TWY markings and LGT | RWY: RWY 03/21 (Marking) RWY designation, RWY CL, RWY middle point, RWY side stripe TWY: (Marking) TWY CL, TWY side stripe |
| 3 | Stop bars | Nil |
| 4 | Remarks | (Marking) Overrun area |

RJDO AD 2.10 AERODROME OBSTACLES

In approach/TKOF areas

| RWY/Area affected | Obstacle type | Coordinates | Elevation | Markings/ LGT | Remarks |
|-------------------|---------------|-------------|-----------|---------------|---------|
| Nil | | | | | |

In circling area and at AD

| Obstacle type | Coordinates | Elevation | Markings/ LGT | Remarks |
|---------------|----------------------|-----------|---------------|------------------------------|
| Mountain | 331129.9N/1290502.5E | 256ft | -/- | above the horizontal surface |

RJDO AD 2.11 METEOROLOGICAL INFORMATION PROVIDED

| | | |
|----|--|-----|
| 1 | Associated MET Office | Nil |
| 2 | Hours of service MET Office outside hours | Nil |
| 3 | Office responsible for TAF preparation Periods of validity | Nil |
| 4 | Trend forecast Interval of issuance | Nil |
| 5 | Briefing/ consultation provided | Nil |
| 6 | Flight documentation Language(s) used | Nil |
| 7 | Charts and other information available for briefing or consultation | Nil |
| 8 | Supplementary equipment available for providing information | Nil |
| 9 | ATS units provided with information | Nil |
| 10 | Additional information(limitation of service, etc.) | Nil |

RJDO AD 2.12 RUNWAY PHYSICAL CHARACTERISTICS

| Designations RWY NR | TRUE BRG | Dimensions of RWY(M) | Strength(PCN) and surface of RWY | THR coordinates THR geoid undulation | THR elevation and highest elevation of TDZ of precision APP RWY |
|------------------------|----------|-------------------------|-------------------------------------|---|---|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 03 | 020.32° | 800×25 | AUW | 331114.88N1290519.93E | THR ELEV : 39FT |
| 21 | 200.32° | 800×25 | 5700kg/0.28MPa Asphalt-Concrete | 138ft 331139.23N1290530.66E 112ft | THR ELEV : 13FT |
| Slope of RWY | | Strip Dimensions(M) | RESA (Overrun) Dimensions (M) | | Remarks |
| 7 | | 10 | 11 | | 14 |
| See AD 2.24 AD Chart | | 920×60 | 40×60 | | Nil |
| | | 920×60 | 40×60 | | |

RJDO AD 2.13 DECLARED DISTANCES

| RWY Designator | TORA (m) | TODA (m) | ASDA (m) | LDA (m) | Remarks |
|----------------|-------------|-------------|-------------|------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 |
| 03 | 800 | 800 | 800 | 800 | Nil |
| 21 | 800 | 800 | 800 | 800 | Nil |

RJDO AD 2.14 APPROACH AND RUNWAY LIGHTING

| RWY Designator | APCH LGT type LEN INTST | RTHL Color WBAR | PAPI (VASIS) Angle DIST FM THR MEHT | RTZL LEN | RCLL LEN Spacing Color INTST | REDL LEN Spacing Color INTST | RENL Color WBAR | STWL LEN Color |
|---|-------------------------------------|-----------------------|---|-------------|--|--|-----------------------|----------------------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| 03 | Nil | Nil | PAPI 3.0°/LEFT 126.5m 18FT | Nil | Nil | Nil | Nil | Nil |
| 21 | Nil | Nil | PAPI 3.0°/LEFT 83.9m 18FT | Nil | Nil | Nil | Nil | Nil |
| Remarks | | | | | | | | |
| 10 | | | | | | | | |
| RWY THR ID LGT for RWY 03/21 THR (Color: White) | | | | | | | | |

RJDO AD 2.15 OTHER LIGHTING, SECONDARY POWER SUPPLY

| | | |
|---|--|---------------------------|
| 1 | ABN/IBN location, characteristics and hours of operation | Nil |
| 2 | LDI location and LGT Anemometer location and LGT | Nil |
| 3 | TWY edge and centerline lighting | Nil |
| 4 | Secondary power supply/ switch-over time | Within 15 sec: All lights |
| 5 | Remarks | Nil |

RJDO AD 2.16 HELICOPTER LANDING AREA

| |
|-----|
| Nil |
|-----|

RJDO AD 2.17 ATS AIRSPACE

| Designation and lateral limits | Vertical limits (ft) | Airspace classification | ATS unit call sign Language | Remarks |
|--------------------------------|----------------------------|----------------------------|--------------------------------|---------|
| 1 | 2 | 3 | 4 | 6 |
| Nil | | | | |

RJDO AD 2.18 ATS COMMUNICATION FACILITIES

| Service designation | Call sign | Frequency | Hours of operation | Remarks |
|------------------------|-----------|-----------|-----------------------|---------|
| 1 | 2 | 3 | 4 | 5 |
| Nil | | | | |

RJDO AD 2.19 RADIO NAVIGATION AND LANDING AIDS

| Type of aid | ID | Frequency | Hours of operation | Position of transmitting antenna coordinates | Elevation of DME transmitting antenna | Remarks |
|-------------|----|-----------|--------------------|--|---------------------------------------|---------|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Nil | | | | | | |

RJDO AD 2.20 LOCAL TRAFFIC REGULATIONS

1. Airport regulations

Aircraft operations other than scheduled flights or in an emergency
On use of OJKA airport, aircraft operator is required to obtain the permission of airport authority.

2. Taxiing to and from stands

Nil

3. Parking area for small aircraft(General aviation)

Nil

4. Parking area for helicopters

Nil

5. Apron - taxiing during winter conditions

Nil

6. Taxiing - limitations

Nil

7. School and training flights - technical test flights - use of runways

Nil

8. Helicopter traffic - limitation

Nil

9. Removal of disabled aircraft from runways

Nil

RJDO AD 2.21 NOISE ABATEMENT PROCEDURES

Nil

RJDO AD 2.22 FLIGHT PROCEDURES

Nil

RJDO AD 2.23 ADDITIONAL INFORMATION

Nil

RJDO AD 2.24 CHARTS RELATED TO AN AERODROME

Aerodrome/Heliport Chart

INTENTIONALLY LEFT BLANK

RJDO / OJIKA

AD CHART

